


1ST FIT

HZSH-6C331 COVER PAGE



CREATED DATE:	2026-04-02	MODIFIED DATE:		INPUT DATE:		DELIVERY DUE DATE:	
BRAND:	HAZZYS	PATTERN NO:	25FW-HZ-SHIRT-TAILORED_20250211	DESIGNER:	SOO YOUN LEE	TECHNICAL DESIGNER:	SUIM YANG
SEASON:	2026FW	FIT CAMP.:	TAILORED FIT (110 BODY - CHEST)	VENDOR(SAMPLE/MAIN):	TESSELLATION	FACTORY:	
ITEM:	SHIRTS (SH)	DESCRIPTION:	MINI CHECK	SIZE RANGE:	ALPHABETIC	SAMPLE SIZE:	M
ITEM DETAIL:		FABRIC:	Quality 1) C100% (160X136 70X80) TWILL				
STYLE NO:		FINISHING:	ROYAL, LOOSENESS FINISHING				
SAMPLE NO:	S-HZSH 6C331	WASHING:	ECO WASH				



- * REF. PTTN : 25FW-HZ-SHIRT-TAILORED_20250211
- TAILORED FIT/ HIDDEN BUTTON DOWN COLLAR 6.5cm
- *STITCH THREAD: 13~14 SPI
- BODY 602 (60's/2)
- BUTTON & HOLE : 603 (60's/3)
- *CUT WAY: 1WAY
- *FABRIC: Quality 1) CFM'D
100% (160X136 70X80) TWILL
ROYAL, LOOSENESS FINISHING & ECO WASH(E)
- *PLACKET CONSTRUCTION:
FRENCH PLCKT + 3cm SNTS w/
-- FUSIBLE INTERLINING (#DH005P) 48g *with bias cutting for top placket*
@Underneath(Upper layer)of the top of placket
-- Partial FUSIBLE INTERLINING (#M1316-ES) 85g
@Top of placket
- *INTERLINING @ COLLAR & COLLAR BAND/ CUFFS :
-- FUSIBLE INTERLINING (#FT770ES)60g

1ST FIT

HZSH-6C331
CONSTRUCTION DETAIL-COLOR WAY

CREATED DATE:	2026-04-02	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	25FW-HZ-SHIRT-TAILORED_20250211	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	TAILORED FIT (110 BODY - CHEST)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	MINI CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	Quality 1) C100% (160X136 70X80) TWILL	FACTORY:	0		
STYLE NO:	0	FINISHING:	ROYAL, LOOSENESS FINISHING	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C331	WASHING:	ECO WASH	SAMPLE SIZE:	M		

*2 COLORWAYS



HL2025-39748N




W2 TESSellation INTERNATIONAL LIMITED
2025.12.08

TO:	HAZZYS MEN	LAB-DIP NO:	LB2025-1661	H/L NO:	HL2025-39748N
ATTN:		S/O NO:		Old H/L:	
PATTN:	S-HZSH-6C331 W2	AGOA:			
DATE:	12/03/2025	CONSTRUCTION:	160 X136 / 70X80	SEASON:	FW 2026
STYLE NAME:		PROGRAM:		FROM:	
WEAVE:	Twill(K)	BEAM TYPE:	SINGLE BEAM	WIDTH:	58/59"
FINISHING:	Royal,Looseness finishing				

Theory fab weight (g/m²): 99
Theory fab Content: 100.0% CTN
Special Yarn Requirement: Y
Color fastness to light: 3.50
Color fastness to crocking (wet): 3.0
Color fastness to light and perspiration: 3.00
Remarks: The handloom is only for appearance color and pattern layout approval.
The color fastness is not based on accurate test result, so only for reference.

Name	Color No	Wt	Yarn	Name	Color No	Wt	Yarn
1 BROWN	FCBW70BR70966	W		WHITE	FCBW80RW601W	F	
2 WHITE	FCBW70RW601W	W		BLACK	FCBW80BK75018	F	
3 BLACK	FCBW70BK75018	W		GREY	FCHAN80E19453-J S231127A26	F	
4 GREY	FCHAN70E19453-J S231127A12	W		PALE GREY	FCHAN80E19453-J S231127A13	F	
5 PALE GREY	FCHAN70E19453-J S231127A12	W					
6 BROWN	FCBW80BR70966	F					

Tessellation International Limited 25/F, Central Plaza, 3 Yiu Hing Road, Shau Kei Wan, Hong Kong.

Color modified from
HL2025-39751N

N2 TESSellation INTERNATIONAL LIMITED
2025.12.08

TO:	HAZZYS MEN	LAB-DIP NO:	LB2025-1661	H/L NO:	HL2025-39751N
ATTN:		S/O NO:		Old H/L:	
PATTN:	S-HZSH-6C331 N2	AGOA:			
DATE:	11/08/2025	CONSTRUCTION:	160 X136 / 70X80	SEASON:	FW 2026
STYLE NAME:		PROGRAM:		FROM:	
WEAVE:	Twill(K)	BEAM TYPE:	SINGLE BEAM	WIDTH:	58/59"
FINISHING:	Royal,Looseness finishing				

Theory fab weight (g/m²): 99
Theory fab Content: 100.0% CTN
Special Yarn Requirement: Y
Color fastness to light: 3.50
Color fastness to crocking (wet): 3.0
Color fastness to light and perspiration: 3.00
Remarks: The handloom is only for appearance color and pattern layout approval.
The color fastness is not based on accurate test result, so only for reference.

Name	Color No	Wt	Yarn	Name	Color No	Wt	Yarn
BLUE A	FCBW80BL20420	F		WHITE	FCBW80RW601W	F	
WHITE	FCBW80RW601W	F		NAVY	FCBW80NV70020	F	
NAVY	FCBW80NV70020	F		BLACK	FCBW80BK75018	F	
BLACK	FCBW80BK75018	F					

Tessellation International Limited 25/F, Central Plaza, 3 Yiu Hing Road, Shau Kei Wan, Hong Kong.

2/9) S-HZSH-6C331 N2 H/L cmmt
Pls arrange 2nd H/L

BUE A parts : go 20% darker
Pls send H/L with big size than now.

1ST FIT


HZSH-6C331




CONSTRUCTION DETAIL-SLV & CUFFS / HIDDEN BTTN COLLAR

CREATED DATE:	2026-04-02	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	25FW-HZ-SHIRT-TAILORED_20250211	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	TAILORED FIT (110 BODY - CHEST)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	MINI CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	Quality 1) C100% (160X136 70X80) TWILL	FACTORY:	0		
STYLE NO:	0	FINISHING:	ROYAL, LOOSENESS FINISHING	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C331	WASHING:	ECO WASH	SAMPLE SIZE:	M		

* CUFF & SLEEVE PLACKET CONSTRUCTION



* HIDDEN BUTTON DOWN COLLAR_7cm



1ST FIT

HZSH-6C331




CONSTRUCTION DETAIL-EMBROIDERY IMAGE & COMMENT

CREATED DATE:	2026-04-02	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	25FW-HZ-SHIRT-TAILORED_20250211	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	TAILORED FIT (110 BODY - CHEST)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	MINI CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	Quality 1) C100% (160X136 70X80) TWILL	FACTORY:	0		
STYLE NO:	0	FINISHING:	ROYAL, LOOSENESS FINISHING	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C331	WASHING:	ECO WASH	SAMPLE SIZE:	M		

*** EMBROIDERY PLACEMENT****@ WR'S LEFT CHEST**

21FW NEW FEDORA PUPPY EMB (2.4cm height)
#GP21649C_CFM'D (4/27'21) W x H : 1.5cm x 2.4cm

***EMBO COLOR WAY (GUNZETAL)**

COLOR CODE	EMB TEST COLOR
N2	G#17848 G#16504 G#14380
W2	G#16449 G#18966 G#16445

- * EMBO SHOULD NOT BE SLANTED.
- * AVOID PUCKERING NEAR EMBO.
- * EMBO SHOULD BE PUT in CORRECT ANGLE (90 DEGREES).

1ST FIT

HZSH-6C331

SPEC WORKSHEET - SAMPLE SPEC



CREATED DATE: 2026-04-02

MODIFIED DATE: 1900-01-00

INPUT DATE: 0

DELIVERY DUE DATE: 0

BRAND: HAZZYS
SEASON: 2026FW
ITEM: SHIRTS (SH)
ITEM DETAIL: 0
STYLE NO: 0
SAMPLE NO: S-HZSH 6C331

PATTERN NO: 25FW-HZ-SHIRT-TAILORED_20250211
FIT CAMP.: TAILORED FIT (110 BODY - CHEST)
DESCRIPTION: MINI CHECK
FABRIC: Quality 1) C100% (160X136 70X80) TWILL
FINISHING: ROYAL, LOOSENESS FINISHING
WASHING: ECO WASH

DESIGNER: SOO YOUN LEE
TECHNICAL DESIGNER: SUIM YANG
VENDOR(SAMPLE/MAIN): TESSELLATION
FACTORY: 0
SIZE RANGE: ALPHABETIC
SAMPLE SIZE: M

POM			TOLERANCE		SMS			FIT (N2)			PPS			TOP			FINAL SPEC
NO	POM DESCRIPTION (ENG)	POM DESCRIPTION (KOR)	(+)	(-)	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	
105	BK Length - CB to hem	뒷기장	1	-1	75.5		76	74.5	Revised	74.5	74.5						
082	Shoulderseam forward	어깨 앞넘김	0.3	-0.3													
059	Across shoulder (3 points)	어깨 너비	0.6	-0.6	48		48	48		48	48						
064	Across Front (14cm below from HPS)	앞품 너비	0.6	-0.6													
072	Across Back (@ yoke seam)	뒷품 너비 @요크섬	0.6	-0.6													
085	Chest circum (1cm below fr A/H)	상동(가슴 둘레)	1	-1	110		112	110		109	110						
087	Front waist placement - HPS	허리 위치 - HPS	0	0	46			46			46						
093	Waist circ	중동(허리 둘레)	1	-1	106		107	106		106	106						
095	Sweep circ.	하동(밑단 둘레)	1	-1	109		110	109		109.5	109						
123	Armhole Straight	암홀길이	0.3	-0.3													
130	Sleeve length - shoulder point	소매 길이	0.6	-0.6	61		61	61		61.2	61						
134	Upperarm muscle - 1cm blw fr A/H	소매통 너비	0.3	-0.3	42		42.3	42		42	42						
139	Sleeve opening - Rlxd	소매부리 너비	0.3	-0.3	23		23	23		23	23						
146	Sleeve cuff height	소매 커프 높이	0.3	-0.3	6		6	6		6	6						
019	Front placket width	플라켓 너비	0.3	-0.3	3		3	3		3	3						
080	BK yoke height	뒷 요크	0.3	-0.3	8		8.3	8		8	8						
	Collar																
039	Back neck circumference (Seam to seam)	뒷목 둘레 (섬부터 섬)	0.3	-0.3													
001	Collar band full measure	카라 밴드 길이	0.3	-0.3	42		42	42		42	42						
002	Collar outer length - full measure	카라 외경 길이	0.3	-0.3													
003	Collar length @ collar sm - open	넥섬길이	0.3	-0.3													
005	Collar height @ CB	카라 높이	0.3	-0.3	4.2		4.2	4.2		4.2	4.2						
006	Collar band height @ CB	카라 밴드 높이 - CB	0.3	-0.3	3		3	3		3	3						
008	Collar point	카라 포인트 길이	0.2	-0.2	7		7	7		7	6.5	Revised					
013	Collar spread	카라 스프레드	0.3	-0.3	7.7		7.7	7.7		7.7	7.5	Revised					
014	Tie space	타이 간격	0	0	0.6~0.8		0.8	0.6~0.8		0.8	0.6~0.8						
-	Embroidery plcmnt from HPSS	자수 위치 -HPSS	0	0	18			18		18	18						
-	Embroidery plcmnt from CF	자수 위치 -CF	0	0	9			9		9	9						
YELLOW FILL IN : OFF TOL. / RED LETTER : REVISED SPEC																	

1ST FIT

HZSH-6C331

GRADED SPEC WORKSHEET



CREATED DATE: 2026-04-02		MODIFIED DATE: 1900-01-00		INPUT DATE: 0		DELIVERY DUE DATE: 0	
BRAND: HAZZYS		PATTERN NO: 25FW-HZ-SHIRT-TAILORED_20250211		DESIGNER: SOO YOUN LEE			
SEASON: 2026FW		FIT CAMP.: TAILORED FIT (110 BODY - CHEST)		TECHNICAL DESIGNER: SUIM YANG			
ITEM: SHIRTS (SH)		DESCRIPTION: MINI CHECK		VENDOR(SAMPLE/MAIN): TESSELLATION			
ITEM DETAIL: 0		FABRIC: Quality 1) C100% (160X136 70X80) TWILL		FACTORY: 0			
STYLE NO: 0		FINISHING: ROYAL, LOOSENESS FINISHING		SIZE RANGE: ALPHABETIC			
SAMPLE NO: S-HZSH 6C331		WASHING: ECO WASH		SAMPLE SIZE: M			

POM			TOLERANCE		GRADED SPEC										
NO	POM DESCRIPTION (ENG)	POM DESCRIPTION (KOR)	(+)	(-)	S(95)	M(100)	L(105)	XL(110)	XXL(115)						
105	BK Length - CB to hem	뒷기장	1	-1	73	74.5	76	77.5	79						
082	Shoulder seam forward	어깨 앞넘김	0.3	-0.3	0		0	0	0						
059	Across shoulder (3 points)	어깨 너비	0.6	-0.6	46.5	48	49.5	51.5	53						
063	Across front placement from HPS	앞품 위치	0	0	GA	14	GA	GA	GA						
064	Across front width	앞품 너비	0.6	-0.6	-1.5		1.5	2	1.5						
072	Across Back (@ yoke seam)	뒷품 너비 @요크섬	0.6	-0.6	-1.5		1.5	2	1.5						
085	Chest circum (1cm below fr A/H)	상동(가슴 둘레)	1	-1	105	110	115	122	127						
087	Front waist placement - HPS	허리 위치 - HPS	0	0	GA	46	GA	GA	GA						
093	Waist circ	중동(허리 둘레)	1	-1	101	106	112	119	125						
095	Sweep circ.	하동(밑단 둘레)	1	-1	104	109	114	121	126						
123	Armhole Straight	암홀길이	0.3	-0.3	-0.7		0.7	1	0.7						
130	Sleeve length - shoulder point	소매 길이	0.6	-0.6	60	61	62	63	64						
134	Upperarm muscle - 1cm blw fr A/H	소매통 너비	0.3	-0.3	40.5	42	43.5	45.5	47						
139	Sleeve opening - Rlxd	소매부리 너비	0.3	-0.3	22	23	24	25.5	26.5						
146	Sleeve cuff height	소매 커프 높이	0.3	-0.3	6	6	6	6	6						
019	Front placket width	플라켓 너비	0.3	-0.3	3	3	3	3	3						
080	BK yoke height	뒷 요크	0.3	-0.3	8	8	8	8	8						
	Collar														
039	Back neck circumference (Seam to seam)	뒷목 둘레 (섬부터 섬)	0.3	-0.3	-0.6		0.6	0.8	0.6						
001	Collar band full measure	카라 밴드 길이	0.3	-0.3	40.5	42	43.5	45.5	47						
002	Collar outer length - full measure	카라 외경 길이	0.3	-0.3	-1.5		1.5	2	1.5						
003	Collar length @ collar sm - open	넥섬길이	0.3	-0.3	-1.5		1.5	2	1.5						
005	Collar height @ CB	카라 높이	0.3	-0.3	4.2	4.2	4.2	4.2	4.2						
006	Collar band height @ CB	카라 밴드 높이 - CB	0.3	-0.3	3	3	3	3	3						
008	Collar point	카라 포인트 길이	0.2	-0.2	6.5	6.5	6.5	6.5	6.5						
-	Collar spread	카라 스프레드	0.3	-0.3	7.5	7.5	7.5	7.5	7.5						
014	Tie space	타이 간격	0	0	0.6~0.8	0.6~0.8	0.6~0.8	0.6~0.8	0.6~0.8						
-	Embroidery plcmnt from HPSS	자수 위치 -HPSS	0	0	17.5	18	18.5	19	19.5						
-	Embroidery plcmnt from CF	자수 위치 -CF	0	0	8.5	9	9.5	10	10.5						

GA: GRADE ACCORDINGLY (OPEN TO GRADE)

BLANK specs only have difference/grading rule btw each size.

SAMPLE EVALUATION WORKSHEET -COMMENT

CREATED DATE: 2026-04-02

MODIFIED DATE: 1900-01-00

INPUT DATE: 0

DELIVERY DUE DATE: 0

<FIT SAMPLE COMMENT>

* STATUS: FIT sample has been approved with comments. Pls send PPS following all comments applied, with all actual bulk materials.

1. Spec : Pls control well the shrinkage to meet all given specs within tol. Make sure that Critical POMs is NOT be smaller

(Full spce page : New full grading rule have been applied except EMB placement)


2. Collar point 7cm -> reduce **to be 6.5cm**

Collar spread 7.7cm -> reduce **to be 7.5cm**

=> Current collar looks big for this style, so pls reduce the collar point length from 7cm to 6.5cm.

Since the current collar fit is good, the current fit must be maintained even if the collar point is reduced by 0.5cm.

3. Sewing workmanship comment : Must improve the cmment in the photo below in PPS without fail.



Must improve drag lines @
shoulder seam of neck area



don't show back NK band seam.
CB collar must be fully covered

1ST FIT

HZSH-6C331



SAMPLE EVALUATION W

CRE

MODIFIED DATE: 1900-01-00

INPUT DATE:




Must improve bulging button level @ sleeve placket




Must improve pulled up @ CF bottom hem



Must improve too much puckering and crowded @ AH seam



Must improve pulling w/drag line @ CF placket



Minimize puckering near EMB and current EMB line looks slightly thin. must improve it.

1ST FIT

HZSH-6C331 FIT IMAGE

CREATED DATE:	2026-04-02	MODIFIED DATE:	0	INPUT DATE:	0	DELIVERY DUE DATE:	
BRAND:	HAZZYS	PATTERN NO:	25FW-HZ-SHIRT-TAILORED_20250211	DESIGNER:		TECHNICAL DESIGNER:	
SEASON:	2026FW	FIT CAMP.:	TAILORED FIT (110 BODY - CHEST)	VENDOR(SAMPLE/M.:		FACTORY:	
ITEM:	SHIRTS (SH)	DESCRIPTION:	MINI CHECK	SIZE RANGE:		SAMPLE SIZE:	
ITEM DETAIL:	0	FABRIC:	Quality 1) C100% (160X136 70X80) TWILL				
STYLE NO:	0	FINISHING:	ROYAL, LOOSENESS FINISHING				
SAMPLE NO:	S-HZSH 6C331	WASHING:	ECO WASH				



FIT SAMPLE (N2) FIT IMAGE on LIVE MODEL



HZSH-6C331
BOM (BILL OF MATERIAL)





SAMPLE NO:

CREATED DATE: 2026-04-02

MODIFIED DATE: 1900-01-00

INPUT DATE: 1900-01-00

DELIVERY DUE DATE:

MATERIAL NAME	CODE	SUPPLIER	Q'TY	PLACEMENT	COMPOSITON	BODY COLOR		REMARK
						N2	W2	
FABRIC/YARN								
1. Body Fabric Quality 1) CFM'D 100% (160X136 70X80) TWILL ROYAL, LOOSENESS FINISHING & ECO WASH(E)	Pls see T/P	TESSELLATION		Body		HL2025-39751N	HL2025-39748N	
TRIMS								
INTERLINNING	Pls see T/P	TESSELLATION		CF PLKT / COLLAR / COLLAR BAND / CUFFS				
INTERLINNING	Pls see T/P	TESSELLATION		Top of PLKT				
THREAD	602	TESSELLATION		BODY	POLY, 60'S/2	Fabric ground color matching	Fabric ground color matching	* SHOULD NOT STAND OUT frm BODY FABRIC COLOR
THREAD	603	TESSELLATION		BUTTON HOLE	POLY, 60'S/3	Fabric ground color matching	Fabric ground color matching	* SHOULD NOT STAND OUT frm BODY FABRIC COLOR
THREAD	603	TESSELLATION		BUTTON	POLY, 60'S/3	BTTN M/T	BTTN M/T	
BTTN		TESSELLATION	11+1	CF PLKT, CUFFS	18L	551006320X		
BTTN		TESSELLATION	4+1	COLLAR POINT / SLV PLKT	14L	551008576X CFM'D (without logo)		
New 6mm stripe tape (Navy, Yellow, White stripe)	165044956X	TESSELLATION		INSIDE BACK NECK		3 color		
21FW New Fedora Puppy EMB	GP21649C	TESSELLATION	1PCS	CHEST		See T/P	See T/P	Pls submit EMB mock-up
LABEL & HANG TAGS								
26SS New Main Label (SH) - CREAM WHITE	112069083X	TESSELLATION	1ea	CB INSIDE YOKE		CREAM WHITE		
26SS New Point Label (Shirt - White)	112067881X	TESSELLATION	1ea	UNDER PLACKET - Bottom part		X	X	
26SS New Point Label (Shirt - Navy)	112067882X	TESSELLATION	1ea	UNDER PLACKET - Bottom part		NAVY	NAVY	
"TAILORED FIT" LABEL	114000396X Ref# 2	TESSELLATION	1ea	3rd button under placket		CREAM WHITE		
Care Label (Shirt)	111086874X	TESSELLATION	1ea	SIDE SEAM				26SS NEW CARE LABEL
"Wash inside out" label	111011655X	TESSELLATION	1ea	Under the Care Label				Needed for Real shell button
RFID Tag	UHZTGR00200	LF	1ea	On back side of Care Label				
26SS New hangtag 1st Main Tag + 2nd Main Tag (Price Tag) & Tag Hook	222042553X	TESSELLATION	1ea					26SS NEW QUALITY
Price Tag Sticker (Basic - NEW)	220019916X	TESSELLATION	1ea					
PACKING MATERIALS								
Barcode Sticker	220011006X	TESSELLATION	1EA					
Product Paper	221000417X	TESSELLATION	2EA					
Cardboard (SH)	220004243X	TESSELLATION	1EA					
26SS New Extra Button bag	244000707X	TESSELLATION	1EA	with hangtags				26SS NEW QUALITY
Silica gel	600008036X	TESSELLATION	1EA					from 24SS
LF Sealing sticker	220024328X	TESSELLATION	1EA	On the polybag				from 24FW
26SS New LDPE Recycled resin polybag	441025179X	TESSELLATION	1EA					26SS NEW QUALITY