


2ND FIT

HZSH-6C332 COVER PAGE



CREATED DATE:	2026-05-11	MODIFIED DATE:		INPUT DATE:		DELIVERY DUE DATE:	
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction pttm	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:		FABRIC:	C100% (150X100 60X60) POPLIN	FACTORY:			
STYLE NO:		FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH	SAMPLE SIZE:	M		



*** REF. PTTN:** HZSH-6C332 correction pttm
CUSTOM FIT(114body for only this style)
NEW COLLAR with HIDDEN BUTTON DOWN
COLLAR 7cm

***STITCH THREAD:** 13~14 SPI
BODY 602 (60's/2)
BUTTON & HOLE : 603 (60's/3)
***CUT WAY:** 1WAY

***FABRIC:** C100% (150X100 60X60) POPLIN
Garment washing : ECO WASH(E)
Fabric finishing :
BOTH SIDE PEACH FINISHING +
Royal, Looseness finishing (Same as HZSH-6A206)

***PLACKET CONSTRUCTION:**
FRENCH PLCKT + 3cm SNTS w/
-- FUSIBLE INTERLINING (#DH005P) 48g with bias
cutting for top placket
@Underneath(Upper layer)of the top of placket
-- Partial FUSIBLE INTERLINING (#M1316-ES) 85g
@Top of placket

***INTERLINING @ COLLAR & COLLAR BAND/ CUFFS :**
-- FUSIBLE INTERLINING (#FT770ES)60g

2ND FIT

HZSH-6C332

CONSTRUCTION DETAIL-COLOR WAY



CREATED DATE:	2026-05-11	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction ptn	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	C100% (150X100 60X60) POPLIN	FACTORY:	0		
STYLE NO:	0	FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH	SAMPLE SIZE:	M		

*2 COLORWAYS



HL2025-39724N



CENTER

WT TESSELLATION INTERNATIONAL LIMITED

2025.12.08

TO: HAZZYS MEN	LAB-DIP NO: LB2025-1909	HL NO: HL2025-39724N
ATTN: S-HZSH-6C332 WT	S/O NO:	OLD FILE:
DATE: 12/01/2025	CONSTRUCTION: 150X100 / 60X60	AGOA:
STYLE NAME:	PROGRAM: SEASON: FW 2026	
WEAVE: Poplin	BEAM TYPE: SINGLE BEAM	FROM:
FINISHING: BOTH SIDES PEACH FINISHING	WIDTH: 58.5"	


Theory fab weight (g/m²): 103
 Theory fab Content: 100.0% CTN
 Special Yarn Requirement: Y
 Color fastness to light: 3.50
 Color fastness to crocking (wet): 4.0
 Color fastness to light and perspiration: 3.00
 Remarks: The handloom is only for appearance color and pattern layout approval.
 The color fastness is not based on accurate test result, so only for reference.

Name	Color No	W/F	Yarn	Name	Color No	W/F	Yarn
1 BLACK	PCBW000029657	W/F					
2 BROWN	PCBW000000000	W/F					
3 BROWN	PCBW000000000	W/F					
4							
5							
6							

Tessellation International Limited, 25/F, Eastern Central Plaza, 3 Yiu Hing Road, Shau Kei Wan, Hong Kong.
 Tel: (852) 28118077 Facsimile: (852) 29606363



HL2025-39726N



CENTER

N2 TESSELLATION INTERNATIONAL LIMITED

2025.12.05

TO: HAZZYS MEN	LAB-DIP NO: LB2025-1909	HL NO: HL2025-39726N
ATTN: S-HZSH-6C332 N2	S/O NO:	OLD FILE:
DATE: 11/30/2025	CONSTRUCTION: 150X100 / 60X60	AGOA:
STYLE NAME:	PROGRAM: SEASON: FW 2026	
WEAVE: Poplin	BEAM TYPE: SINGLE BEAM	FROM:
FINISHING: BOTH SIDES PEACH FINISHING	WIDTH: 58.5"	

Theory fab weight (g/m²): 103
 Theory fab Content: 100.0% CTN
 Special Yarn Requirement: Y
 Color fastness to light: 3.50
 Color fastness to crocking (wet): 2.0
 Color fastness to light and perspiration: 3.00
 Remarks: The handloom is only for appearance color and pattern layout approval.
 The color fastness is not based on accurate test result, so only for reference.

Name	Color No	W/F	Yarn	Name	Color No	W/F	Yarn
1 BLACK	PCBW000029657	W/F					
2 GREY	PCBW000000000	W/F					
3 BROWN	PCBW000000000	W/F					
4 LT GREY	PCBW000000000	W/F					
5							
6							

Tessellation International Limited, 25/F, Eastern Central Plaza, 3 Yiu Hing Road, Shau Kei Wan, Hong Kong.
 Tel: (852) 28118077 Facsimile: (852) 29606363

2ND FIT


HZSH-6C332




CONSTRUCTION DETAIL-SLV & CUFFS / HIDDEN BTTN COLLAR

CREATED DATE:	2026-05-11	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction ptnn	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	C100% (150X100 60X60) POPLIN	FACTORY:	0		
STYLE NO:	0	FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH	SAMPLE SIZE:	M		

* CUFF & SLEEVE PLACKET CONSTRUCTION



* HIDDEN BUTTON DOWN COLLAR_7cm




CONSTRUCTION DETAIL-EMBROIDERY IMAGE & COMMENT

CREATED DATE:	2026-05-11	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction ptn	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	C100% (150X100 60X60) POPLIN	FACTORY:	0		
STYLE NO:	0	FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH	SAMPLE SIZE:	M		

*** EMBROIDERY PLACEMENT****@ WR'S LEFT CHEST**

21FW NEW FEDORA PUPPY EMB (2.4cm height)
#GP21649C_CFM'D (4/27'21) W x H : 1.5cm x 2.4cm

***EMBO COLOR WAY (GUNZETAL)**

COLOR CODE	EMB COLOR
WT	G#16444
N2	G#14695

- * EMBO SHOULD NOT BE SLANTED.
- * AVOID PUCKERING NEAR EMBO.
- * EMBO SHOULD BE PUT in CORRECT ANGLE (90 DEGREES).

2ND FIT



HZSH-6C332



CONSTRUCTION DETAIL-EMBROIDERY IMAGE & COMMENT

CREATED DATE:	2026-05-11	MODIFIED DATE:	1900-01-00	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction ptn			DESIGNER:	SOO YOUN LEE
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)			TECHNICAL DESIGNER:	SUIM YANG
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK			VENDOR(SAMPLE/MAIN):	TESSELLATION
ITEM DETAIL:	0	FABRIC:	C100% (150X100 60X60) POPLIN			FACTORY:	0
STYLE NO:	0	FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing			SIZE RANGE:	ALPHABETIC
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH			SAMPLE SIZE:	M

* EMBROIDERY PLACEMENT @ WR'S LEFT CHEST



All size (95~115size) EMB should be placed @ middle of the RED dotted line check pattern block

** To meet the EMB placement from HPSS spec (17.5/18/18.5/19cm/19.5cm), front panel should move up and down correspondingly.

** For EMB placement from CF spec (8.5/9/9.5/10cm/10.5cm), should be placed as given spec. (No designated location of the check pattern)

2ND FIT

HZSH-6C332

SPEC WORKSHEET - SAMPLE SPEC



CREATED DATE: 2026-05-11

MODIFIED DATE: 1900-01-00

INPUT DATE: 0

DELIVERY DUE DATE: 0

BRAND: HAZZYS
SEASON: 2026FW
ITEM: SHIRTS (SH)
ITEM DETAIL: 0
STYLE NO: 0
SAMPLE NO: S-HZSH 6C332

PATTERN NO: HZSH-6C332 correction pttn
FIT CAMP.: CUSTOM FIT (114body for only this style)
DESCRIPTION: SMALL CHECK
FABRIC: C100% (150X100 60X60) POPLIN
FINISHING: BOTH SIDE PEACH+ Royal, Looseness finishing
WASHING: ECO WASH

DESIGNER: SOO YOUN LEE
TECHNICAL DESIGNER: SUIM YANG
VENDOR(SAMPLE/MAIN): TESSELLATION
FACTORY: 0
SIZE RANGE: ALPHABETIC
SAMPLE SIZE: M

POM			TOLERANCE		SMS			FIT (WT)			2ND FIT (WT)			PPS			FINAL SPEC
NO	POM DESCRIPTION (ENG)	POM DESCRIPTION (KOR)	(+)	(-)	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	TARGET SPEC	VENDOR MEAS.	LF MEAS.	
105	BK Length - CB to hem	뒷기장	1	-1	75		76.5	75		75.8	75		76	75			
082	Shoulderseam forward	어깨 앞넘김	0.3	-0.3													
059	Across shoulder (3 points)	어깨 너비	0.6	-0.6	48		48	48		48	48.5	Revised	49	48.5			
064	Across Front (14cm below from HPS)	앞품 너비	0.6	-0.6													
072	Across Back (@ yoke seam)	뒷품 너비 @요크섬	0.6	-0.6													
085	Chest circum (1cm below fr A/H)	상동(가슴 둘레)	1	-1	112		113	112		112	114	Revised	114	114			
087	Front waist placement - HPS	허리 위치 - HPS	0	0	46			46		46	46		46	46			
093	Waist circ	중동(허리 둘레)	1	-1	111		112	111		111	113	Revised	112.5	113			
095	Sweep circ.	하동(밑단 둘레)	1	-1	110		112	110		110	112	Revised	112	112			
123	Armhole Straight	암홀길이	0.3	-0.3													
130	Sleeve length - shoulder point	소매 길이	0.6	-0.6	62		62.4	62		62	62		61.7	62			
134	Upperarm muscle - 1cm blw fr A/H	소매통 너비	0.3	-0.3	45		45.6	45		45	46.5	Revised	47	46.5			
139	Sleeve opening - Rlxd	소매부리 너비	0.3	-0.3	23		23	23		23	23		23	23			
146	Sleeve cuff height	소매 커프 높이	0.3	-0.3	6		6	6		6	6		6	6			
019	Front placket width	플라켓 너비	0.3	-0.3	3		3	3		3	3		3	3			
080	BK yoke height	뒷 요크	0.3	-0.3	9.5		10	9.5		9.7	9.5		9.5	9.5			
	Collar																
039	Back neck circumference (Seam to seam)	뒷목 둘레 (섬부터 섬)	0.3	-0.3													
001	Collar band full measure	카라 밴드 길이	0.3	-0.3	44		42.2	42.5		42.5	44	Revised	43.7	44			
002	Collar outer length - full measure	카라 외경 길이	0.3	-0.3													
003	Collar length @ collar sm - open	넥섬길이	0.3	-0.3													
005	Collar height @ CB	카라 높이	0.3	-0.3	4.5		4.7	4.5		4.6	4.5		4.5	4.5			
006	Collar band height @ CB	카라 밴드 높이 - CB	0.3	-0.3	3.2		3.2	3.2		3.2	3	Revised	3	3			
008	Collar point	카라 포인트 길이	0.2	-0.2	7		7.1	7		7	7		7	7			
013	Collar spread	카라 스프레드	0.3	-0.3				7.7		7.6	9~9.5	Revised	9	9~9.5			
014	Tie space	타이 간격	0	0				0.6~0.8		0.6	0.6~0.8		0.6	0.6~0.8			
-	Embroidery plcmnt from HPSS	자수 위치 -HPSS	0	0	18			18		18	18		18	18			
-	Embroidery plcmnt from CF	자수 위치 -CF	0	0	9			9		9	9		9	9			
YELLOW FILL IN : OFF TOL. / RED LETTER : REVISED SPEC																	

2ND FIT

HZSH-6C332

GRADED SPEC WORKSHEET



CREATED DATE: 2026-05-11

MODIFIED DATE: 1900-01-00

INPUT DATE: 0

DELIVERY DUE DATE: 0

BRAND: HAZZYS
SEASON: 2026FW
ITEM: SHIRTS (SH)
ITEM DETAIL: 0
STYLE NO: 0
SAMPLE NO: S-HZSH 6C332

PATTERN NO: HZSH-6C332 correction ptt
FIT CAMP.: CUSTOM FIT (114body for only this style)
DESCRIPTION: SMALL CHECK
FABRIC: C100% (150X100 60X60) POPLIN
FINISHING: BOTH SIDE PEACH+ Royal, Looseness finishing
WASHING: ECO WASH

DESIGNER: SOO YOUN LEE
TECHNICAL DESIGNER: SUIM YANG
VENDOR(SAMPLE/MAIN): TESSELLATION
FACTORY: 0
SIZE RANGE: ALPHABETIC
SAMPLE SIZE: M

POM			TOLERANCE		GRADED SPEC											
NO	POM DESCRIPTION (ENG)	POM DESCRIPTION (KOR)	(+)	(-)	S(95)	M(100)	L(105)	XL(110)	XXL(115)	3XL(120)						
105	BK Length - CB to hem	뒷기장	1	-1	73.5	75	76.5	78	79.5	81						
082	Shoulderseam forward	어깨 앞넘김	0.3	-0.3	0		0	0	0	0						
059	Across shoulder (3 points)	어깨 너비	0.6	-0.6	47	48.5	50	52	53.5	55						
063	Across front placement from HPS	앞품 위치	0	0	GA	14	GA	GA	GA	GA						
064	Across front width	앞품 너비	0.6	-0.6	-1.5		1.5	2	1.5	1.5						
072	Across Back (@ yoke seam)	뒷품 너비 @요크섬	0.6	-0.6	-1.5		1.5	2	1.5	1.5						
085	Chest circum (1cm below fr A/H)	상동(가슴 둘레)	1	-1	109	114	119	126	131	136						
087	Front waist placement - HPS	허리 위치 - HPS	0	0	GA	46	GA	GA	GA	GA						
093	Waist circ	중동(허리 둘레)	1	-1	108	113	119	126	132	137						
095	Sweep circ.	하동(밑단 둘레)	1	-1	107	112	117	124	129	134						
123	Armhole Straight	암홀길이	0.3	-0.3	-0.7		0.7	1	0.7	0.7						
130	Sleeve length - shoulder point	소매 길이	0.6	-0.6	61	62	63	64	65	66						
134	Upperarm muscle - 1cm blw fr A/H	소매통 너비	0.3	-0.3	45	46.5	48	50	51.5	53						
139	Sleeve opening - Rlxd	소매부리 너비	0.3	-0.3	22	23	24	25.5	26.5	27.5						
146	Sleeve cuff height	소매 커프 높이	0.3	-0.3	6	6	6	6	6	6						
019	Front placket width	플라켓 너비	0.3	-0.3	3	3	3	3	3	3						
080	BK yoke height	뒷 요크	0.3	-0.3	9.5	9.5	9.5	9.5	9.5	9.5						
	Collar															
039	Back neck circumference (Seam to seam)	뒷목 둘레 (섬부터 섬)	0.3	-0.3	-0.6		0.6	0.8	0.6	0.6						
001	Collar band full measure	카라 밴드 길이	0.3	-0.3	42.5	44	45.5	47.5	49	50.5						
002	Collar outer length - full measure	카라 외경 길이	0.3	-0.3	-1.5		1.5	2	1.5	1.5						
003	Collar length @ collar sm - open	넥섬길이	0.3	-0.3	-1.5		1.5	2	1.5	1.5						
005	Collar height @ CB	카라 높이	0.3	-0.3	4.5	4.5	4.5	4.5	4.5	4.5						
006	Collar band height @ CB	카라 밴드 높이 - CB	0.3	-0.3	3	3	3	3	3	3						
008	Collar point	카라 포인트 길이	0.2	-0.2	7	7	7	7	7	7						
-	Collar spread	카라 스프레드	0.3	-0.3	9~9.5	9~9.5	9~9.5	9~9.5	9~9.5	9~9.5						
014	Tie space	타이 간격	0	0	0.6~0.8	0.6~0.8	0.6~0.8	0.6~0.8	0.6~0.8	0.6~0.8						
-	Embroidery plcmnt from HPSS	자수 위치 -HPSS	0	0	17.5	18	18.5	19	19.5	20						
-	Embroidery plcmnt from CF	자수 위치 -CF	0	0	8.5	9	9.5	10	10.5	11						

GA: GRADE ACCORDINGLY (OPEN TO GRADE)

BLANK specs only have difference/grading rule btw each size.

SAMPLE EVALUATION WORKSHEET -COMMENT

CREATED DATE: 2026-05-11

MODIFIED DATE: 1900-01-00

INPUT DATE: 0

DELIVERY DUE DATE: 0

<2nd FIT SAMPLE COMMENT>

* STATUS: 2nd FIT sample has been approved with comments. Pls send PPS following all comments applied, with all actual bulk materials.

1. Spec : Pls control well the shrinkage to meet all given specs within tol. Make sure that Critical POMs is NOT be smaller

2. Keep all spec & construcion as 2nd fit sample except the point label. **Removed Point label @ Under placket !!!**

3. Collar / Placket fitting & Sewing workmanship :

1) Collar spraed 9~9.5cm : 2nd fit sample is 9cm OK.



2) Tie space 0.6~0.8cm in finished garment (Pattern : 0.6cm) : 2nd fit sample is 0.6cm OK.

3) Overall collar shape and fitting is OK as 2nd fit sample. Pls maintain.

4) But, back collar doesn't fully covered on the back neck band seam. Pls improve.

5) Must improve gaping @ under NK band seam area

Overall collar shape and fitting is OK (on the both live model & dummy)



See next page.

SAMPLE EVALUATION WORKSHEET -COMMENT

CREATED DATE: 2026-05-11

MODIFIED DATE: 1900-01-00



INPUT DATE: 0

DELIVERY DUE DATE: 0

4. changed the bottom hem stitch height to 3/16" from 1/4" to avoid roping. Pls improve it as much as possible.

5. Pls minimize puckering near EMB. Watch out when sewing EMB.

6. When sewing AH, pls be careful NOT to have too much puckering crowded on one side.



Thanks.

2ND FIT

HZSH-6C332 FIT IMAGE




CREATED DATE:	2026-05-11	MODIFIED DATE:	0	INPUT DATE:	0	DELIVERY DUE DATE:	0
BRAND:	HAZZYS	PATTERN NO:	HZSH-6C332 correction ptnn	DESIGNER:	SOO YOUN LEE		
SEASON:	2026FW	FIT CAMP.:	CUSTOM FIT (114body for only this style)	TECHNICAL DESIGNER:	SUIM YANG		
ITEM:	SHIRTS (SH)	DESCRIPTION:	SMALL CHECK	VENDOR(SAMPLE/MAIN):	TESSELLATION		
ITEM DETAIL:	0	FABRIC:	C100% (150X100 60X60) POPLIN	FACTORY:	0		
STYLE NO:	0	FINISHING:	BOTH SIDE PEACH+ Royal, Looseness finishing	SIZE RANGE:	ALPHABETIC		
SAMPLE NO:	S-HZSH 6C332	WASHING:	ECO WASH	SAMPLE SIZE:	M		

2ND FIT (WT) FIT IMAGE on LIVE MODEL



HZSH-6C332 BOM (BILL OF MATERIAL)



SAMPLE NO:								
CREATED DATE: 2026-05-11		MODIFIED DATE: 1900-01-00		INPUT DATE: 1900-01-00		DELIVERY DUE DATE:		
MATERIAL NAME	CODE	SUPPLIER	Q'TY	PLACEMENT	COMPOSITON	BODY COLOR		REMARK
						WT	N2	
FABRIC/YARN								
Body Fabric C100% (150X100 60X60) POPLIN	Pls see T/P	TESSELLATION		Body		Same as SMS (TW# PC25-26437) HL# HL2025-39724N	Same as SMS (TW# PC25-26439) HL# HL2025-39726N	
TRIMS								
INTERLINNING	Pls see T/P	TESSELLATION		CF PLKT / COLLAR / COLLAR BAND / CUFFS				
INTERLINNING	Pls see T/P	TESSELLATION		Top of PLKT				
THREAD	602	TESSELLATION		BODY	POLY, 60'S/2	Fabric ground color matching	Fabric ground color matching	* SHOULD NOT STAND OUT frm BODY FABRIC COLOR
THREAD	603	TESSELLATION		BUTTON HOLE	POLY, 60'S/3	Fabric ground color matching	Fabric ground color matching	* SHOULD NOT STAND OUT frm BODY FABRIC COLOR
THREAD	603	TESSELLATION		BUTTON	POLY, 60'S/3	BTTN M/T	BTTN M/T	
BTTN	REALL SHELL	TESSELLATION	11+1	CF PLKT, CUFFS	18L	551008318X	551008322X	(=SMS)
BTTN	REALL SHELL	TESSELLATION	4+1	SLV PLKT	14L	551008319X	551008323X	
New 6mm stripe tape (Navy, Yellow, White stripe)	165044956X	TESSELLATION		INSIDE BACK NECK		3 color		
21FW New Fedora Puppy EMB	GP21649C	TESSELLATION	1PCS	CHEST		See T/P	See T/P	
LABEL & HANG TAGS								
26SS New Main Label (SH) - CREAM WHITE	112069083X	TESSELLATION	1ea	CB INSIDE YOKE		CREAM WHITE		
"CLASSIC FIT" LABEL	112057400X Ref#4	TESSELLATION	1ea	3rd button under placket		CREAM WHITE		
Care Label (Shirt)	111086874X	TESSELLATION	1ea	SIDE SEAM				26SS NEW CARE LABEL
"Wash inside out" label	111011655X	TESSELLATION	1ea	Under the Care Label				Needed for Real shell button
RFID Tag	UHZTGR00200	LF	1ea	On back side of Care Label				
26SS New hangtag 1st Main Tag + 2nd Main Tag (Price Tag) & Tag Hook	222042553X	TESSELLATION	1ea					26SS NEW QUALITY
Price Tag Sticker (Basic - NEW)	220019916X	TESSELLATION	1ea					
PACKING MATERIALS								
Barcode Sticker	220011006X	TESSELLATION	1EA					
Product Paper	221000417X	TESSELLATION	2EA					
Cardboard (SH)	220004243X	TESSELLATION	1EA					
26SS New Extra Button bag	244000707X	TESSELLATION	1EA	with hangtags				26SS NEW QUALITY
Silica gel	600008036X	TESSELLATION	1EA					from 24SS
LF Sealing sticker	220024328X	TESSELLATION	1EA	On the polybag				from 24FW
26SS New LDPE Recycled resin polybag	441025179X	TESSELLATION	1EA					26SS NEW QUALITY