Educational VTubers and audience evaluations: Instructional, multimedia, and persona connections in online learning discourse

Author names: [ ]
Affiliations: [ ]
Corresponding author: [ ] (email: [ ])

DRAFT FOR RESEARCH DESIGN. No video data have been analyzed. All values in Section 4 are synthetic reporting templates, not findings. Replace every illustrative value and placeholder before submission, and submit the title page and highlights as separate files.

Highlights

- Three learning theories guide retrieval and coding of educational VTuber videos
- Topic modeling of video metadata maps what educational VTubers teach
- Maps audience evaluations to instructional topics and presentation formats
- Examines connections within and across theory informed evaluation domains
- Tests the robustness and contextual variation of comment level relationships

Highlights state aims at this stage; rewrite them as findings after the Results are complete.

Abstract

Virtual YouTubers (VTubers) use animated personas to deliver educational content, yet little is known about how audiences connect instructional experiences with evaluations of media presentation and virtual personas. Drawing on the Community of Inquiry framework, the cognitive theory of multimedia learning, and parasocial interaction theory, this study proposes an exploratory analysis of educational VTuber videos and public comments. Broad educational search terms are used without restricting academic subjects. Topic modeling of video metadata identifies instructional topics, while automated sentiment and aspect analysis describes audience discourse. A heterogeneous network links channels, videos, topics, formats, languages, comments, and nine evaluation aspects. Comment level cooccurrence, normalized associations, network communities, and contextual comparisons examine whether instructional, multimedia, and persona evaluations form distinct or overlapping configurations. A graph neural network is considered only as a supplementary predictive test if a defensible independent outcome is available. The proposed

design characterizes expressed audience evaluations rather than perceived psychological presence, learning achievement, or causal mechanisms. [Insert actual sample sizes, empirical results, and conclusions after data analysis.]

Keywords: VTuber; educational video; audience evaluation; Community of Inquiry; multimedia learning; parasocial interaction; topic modeling; network analysis

1. Introduction

Video sharing platforms have become major settings for informal learning. Learners use YouTube to study languages, mathematics, and programming, and comment sections serve as spaces in which viewers ask questions, judge explanations, and express how they feel about learning (Dubovi & Tabak, 2020; Liu et al., 2026). Among the creators who teach on these platforms are Virtual YouTubers (VTubers), performers who stream and upload videos through animated avatars usually driven by real time face or motion capture (Liu & Zhao, 2025; Lu et al., 2021). Although VTubers are known mainly as entertainers, a growing number of channels offer lessons in programming, mathematics, science, and foreign languages.

Educational VTubers combine instructional explanations, multimedia presentation, and identifiable virtual personas in the same learning environment. Community of Inquiry research describes teaching, cognitive, and social experiences (Garrison et al., 2000); multimedia learning theory explains why pacing, signaling, and voice may matter in instruction (Mayer, 2021); and parasocial interaction theory concerns perceived connection with a media persona (Horton & Wohl, 1956). Yet the presence of these characteristics does not establish how audiences connect them when evaluating a lesson. For instance, favorable references to a VTuber avatar may occur independently of instructional evaluations or alongside expressions of understanding and social support. Distinguishing these possibilities is central to understanding how virtual personas are discussed within informal learning experiences.

This form of learning remains largely undescribed. Existing studies have examined learners who present through VTuber avatars (Chen & Yang, 2025), perceptions of avatar presenters in educational videos (Zhang & Wu, 2024), and the effect of VTuber attractiveness on livestream gifting (Liu & Zhao, 2025). None has examined which subjects educational VTubers teach, how audiences evaluate different kinds of lessons, or how these elements relate to one another. Methodologically, analyses of educational video comments have modeled what viewers said rather than what videos teach, and document level polarity cannot show which instructional, media, or persona features viewers evaluate (Chalkias et al., 2023; Liu et al., 2026). Topic modeling, sentiment analysis, and network analysis address different parts of this problem, and their integration is useful only insofar as it shows how these features are discussed together. The study therefore addresses three research questions.

RQ1. Which instructional topics are represented in the metadata of educational VTuber videos?

RQ2. How do audience comments evaluate educational VTuber videos overall and with respect to instructional, media, and persona aspects?

RQ3. How are instructional, multimedia, and persona related evaluations interconnected in educational VTuber audience comments, and how do their associations vary across instructional topics and video formats?

To address these questions, we propose a sequential observational study of educational VTuber videos on YouTube. General VTuber and instructional terms guide retrieval without specifying subjects. Topic modeling identifies subjects represented in video metadata (RQ1). Automated analysis describes overall sentiment and nine evaluation aspects in public comments (RQ2). Comment level associations, weighted networks, and contextual comparisons then examine connections within and between the three theoretically informed evaluation domains (RQ3). We distinguish comment cooccurrence from video level prevalence, assess associations relative to

their marginal frequencies, and evaluate robustness across channels and languages. The principal contribution is a framework for examining whether virtual personas are evaluated separately from, or in conjunction with, instructional experiences. These observational patterns support theoretical propositions rather than causal claims about learning.

2. Literature review

This section reviews evidence on VTuber education, computational analysis of audience discourse, and the theoretical problem of connecting instructional, multimedia, and persona related evaluations. The three theories inform interpretation of observable comment aspects rather than direct measurement of latent psychological constructs.

2.1. VTubers in education

VTubers are human performers who communicate through two or three dimensional avatars, often in an anime style, and interact with audiences through voice, role play, and live chat (Liu & Zhao, 2025; Lu et al., 2021). Most research has examined them as entertainers. Lu et al. (2021) described how fans engage with and perceive VTubers, Yin et al. (2025) showed that the avatarized form blends fantasy and realism in viewer interactions and relationships, and Liu and Zhao (2025) found that VTuber attractiveness, operationalized as similarity, familiarity, and likability, predicted viewer gifting.

Educational research on VTubers is scarce and follows two strands. In the first, learners use avatars themselves. Chen and Yang (2025) found that 27 preservice English teachers who designed and presented through VTuber avatars obtained higher presentation scores than in an earlier in class presentation and reported strong avatar identification, although presentation format, delivery mode, and practice were not separated. In the second strand, learners watch avatar presenters. Zhang and Wu (2024) found that perceived avatar expressiveness and video quality were positively associated with self reported learning effect, emotional experience, and engagement.

Two adjacent literatures inform these findings. A meta analysis of 43 studies found that animated pedagogical agents produce a small but significant learning benefit (Schroeder et al., 2013), whereas syntheses of instructor present videos found no reliable learning benefit of a visible instructor (Alemdag, 2022; Henderson & Schroeder, 2021), although instructor presence increased motivation and cognitive load (Alemdag, 2022). A VTuber lies between these cases because an animated character is voiced and timed by a human performer, so avatar presenters may change how learners feel about a lesson more than what they learn. Existing educational studies, however, are small, survey based, or experimental, and none has examined the videos that educational VTubers publish or the responses of their audiences.

2.2. Topic modeling, sentiment analysis, and graph neural networks in educational research

Latent Dirichlet Allocation represents each document as a mixture of latent topics, each a probability distribution over words (Blei et al., 2003); the resulting topic proportions describe documents that combine several themes and can be compared across documents or used in later analyses. On video platforms, educational applications of LDA have mainly modeled comments, showing that viewers of TED-Ed videos discussed animation, music, and video messages (Chalkias et al., 2023) and that comments on "study with me" videos centered on video features, self regulation, and social interaction (Liu et al., 2026). Three methodological issues remain. These studies modeled what viewers said rather than what videos teach, which video metadata can describe; LDA performs poorly on very short texts unless they are pooled (Mehrotra et al., 2013), and selecting the number of topics by perplexity can diverge from human judgments of interpretability (Chang et al., 2009), so coherence measures (Mimno et al., 2011; Röder et al., 2015) and human inspection are preferable; and multilingual corpora are commonly machine translated into English before analysis (Liu et al., 2026), which standardizes processing but may distort informal and culturally specific language unless translation quality is checked. Sentiment analysis, in turn, is widely used to study how students evaluate courses. A review of 40 studies on

feedback in massive open online courses found that supervised classifiers and lexicon tools such as VADER (Hutto & Gilbert, 2014) predominated, and that imbalanced data, scarce benchmarks, and incomplete reporting were recurring problems (Dalipi et al., 2021). On YouTube, VADER labeled about half of the comments on study with me videos as positive (Liu et al., 2026), whereas VADER and TextBlob classified the same TED-Ed comments differently (Chalkias et al., 2023). Lexicon results are therefore unstable for informal comments, and document level polarity cannot show what viewers evaluate. Aspect based sentiment analysis addresses the second problem by identifying sentiment toward specific aspects of a target (Zhang et al., 2023), such as the clarity or pacing of an explanation, and pretrained transformer classifiers trained on social media text address the first by modeling context that lexicons miss (Barbieri et al., 2020). Linking aspect sentiment to video topics would show how audiences respond to different kinds of learning, which has not been examined for VTubers. Finally, graph neural networks (GNNs) learn representations of entities by passing and aggregating information among neighbors in a graph (Gilmer et al., 2017; Kipf & Welling, 2017). In education they have been used mainly for knowledge tracing, recommendation, and behavior detection (Lin et al., 2023); graph based knowledge tracing, for example, propagates information along relations among knowledge concepts to predict student proficiency (Nakagawa et al., 2021). Heterogeneous GNNs accommodate several node and relation types through relation specific transformations (Schlichtkrull et al., 2018) or type specific attention (Hu et al., 2020). Educational GNNs, however, have served prediction within learning systems rather than description of open platform ecologies in which channels, videos, topics, and audience responses are connected. Explanation methods such as GNNExplainer identify the edges and features that drive a prediction (Ying et al., 2019), which allows relational exploration, but reported gains of heterogeneous models often disappear against carefully tuned simple baselines (Lv et al., 2021). Relational findings from such data should therefore be compared with transparent, non graph baselines.

Three exploratory propositions guide RQ3. First, explanation and facilitation evaluations may be associated with reported understanding. Second, evaluations of presentation may be associated with instructional evaluations in ways that vary by video format. Third, persona related evaluations may either form a distinct audience discourse or coexist with instructional and social evaluations. All three propositions concern observable comments, not inferred psychological mechanisms.

The three perspectives motivate different but potentially overlapping patterns in audience discourse. Within the Community of Inquiry framework, comments about explanations or facilitation may accompany expressions of understanding, although such comments do not establish teaching or cognitive presence (Garrison et al., 2000; Garrison et al., 2001). The cognitive theory of multimedia learning suggests that pacing, visual signaling, and narration are relevant to instructional processing, but favorable comments about those features do not demonstrate learning gains (Mayer, 2021). Parasocial interaction theory directs attention to comments about perceived interpersonal connection with a VTuber; these should be distinguished from remarks about avatar appearance alone (Horton & Wohl, 1956; Dibble et al., 2016). The empirical contribution lies in evaluating how frequently these types of expressions occur together, whether their associations exceed those expected from individual prevalence, and whether they change across educational contexts.

2.3. Integrating instructional, multimedia, and persona evaluations

3. Method

3.1. Research design

The study follows a sequential observational design (Fig. 1). Theory informed vocabulary guides educational VTuber retrieval without restricting academic subjects (Sections 3.2 and 3.3). Descriptive metadata analysis characterizes the sample (Section 3.4). LDA identifies instructional topics in video metadata (Section 3.5), and automated sentiment and aspect extraction describes public comments (Section 3.6). The outputs are linked through video and comment identifiers.

Section 3.7 then examines aspect associations within comments, their aggregation across videos, topics and formats, and the robustness of the resulting network. A neural graph model is not required for the primary exploratory research question.

[Figure to be inserted]

Fig. 1. Theory informed analytical sequence from broad retrieval to video metadata analysis, topic modeling, audience evaluation analysis, and relational network interpretation. The graph represents observable cooccurrence and contextual associations, not causal paths.

3.2. Theoretical basis for keyword selection

Three perspectives guided the selection of evaluation aspects (Table 1). The Community of Inquiry framework informed aspects of instruction, understanding, and social discussion (Garrison et al., 2000). The cognitive theory of multimedia learning informed pacing, visual presentation, and voice (Mayer, 2021). Parasocial interaction theory informed references to interpersonal connection with VTuber personas (Horton & Wohl, 1956; Dibble et al., 2016). These theories provide interpretive categories, not direct measures of psychological constructs.

Table 1. Theoretical perspectives and concepts guiding comment evaluation.

Theory	Key concepts	Relevance to VTuber learning	Comment evaluation aspect
Community of Inquiry (Garrison et al., 2000)	Teaching presence: design, instruction, facilitation (Anderson et al., 2001)	Organization of lessons, explanations, and responses to viewers	A1 organization; A2 explanation; A3 facilitation
	Cognitive presence: inquiry, exploration, integration, resolution (Garrison et al., 2001)	Questions and reported understanding or application	A4 understanding
	Social presence: affective, interactive, and cohesive communication (Rourke et al., 1999)	Peer encouragement and discussion in comments	A5 peer interaction
Cognitive theory of multimedia learning (Mayer, 2021)	Segmenting; signaling and coherence; voice and personalization	Pacing, visual emphasis, and narration style	A6 pacing; A7 visual presentation; A8 voice and delivery
Parasocial interaction (Horton & Wohl, 1956; Dibble et al., 2016)	Perceived interaction; enduring perceived relationship	References to the avatar, affection, and companionship	A9 persona and avatar

Broad retrieval expressions combined VTuber identity and instructional activity, without specifying academic subjects, so that RQ1 can discover the content covered in the corpus (Table 2; Appendix A). Comment dictionaries contain illustrative evaluation expressions rather than

196 exhaustive theory measures. Within A9, remarks about avatar appearance and expressions of
197 companionship or attachment should be recorded separately when detectable, because visual
198 preference is not equivalent to parasocial interaction.

199 **Table 2.** Representative keywords for video retrieval and comment evaluation.

Purpose	Key term or aspect	Example phrases
Video retrieval	VTuber identity	VTuber; virtual YouTuber
	Instructional activity	lesson; tutorial; explanation
Comment analysis	A1 organization; A2 explanation	well organized; clear explanation
	A3 facilitation; A4 understanding	answered my question; I understand
	A5 peer interaction; A6 pacing	study together; too fast
	A7 visual presentation; A8 voice and delivery	helpful diagram; clear voice
	A9 persona and avatar	love this avatar; keeps me company

200

201 ***3.3. Data collection***

202 Candidate videos were retrieved through YouTube Data API v3 between [ ] and [ ]
203 using [ ] queries (Appendix A). No subject terms restricted the searches. Because search
204 results vary over time (Rieder et al., 2018, 2025), all queries and parameters were logged and
205 searches were repeated on two dates. Two researchers verified the VTuber identity and educational
206 purpose of candidate channels, and uploads from verified channels were screened to recover
207 eligible lessons missed by search.

208 Videos were eligible when an identifiable avatar presenter provided explicit subject instruction,
209 explanation, demonstration, or guided practice. Human hosted lessons, background only avatar
210 appearances, fan edits and clips, advertisements, game streams without an instructional objective,
211 and tutorials about VTuber software were excluded. Two researchers screened each candidate (κ
212 = [ ]; Cohen, 1960) and resolved disagreements by discussion. Public metadata and all
213 available top level comments and replies were collected for eligible videos. The final sample
214 comprised [ ] channels, [ ] videos, and [ ] comments (Fig. 2).

215 *Translation.* Metadata and comments not written in English were machine translated into
216 English with [translation service and version] before analysis, and the original language of each

record was retained as a variable. Two bilingual researchers checked a random sample of [ ] translated comments per language for preservation of meaning, focusing on slang, irony, and VTuber specific expressions, and systematically mistranslated terms were corrected with a glossary.

The study analyzed publicly available content without interacting with creators or commenters and followed the Association of Internet Researchers guidelines (franzke et al., 2020). The protocol was reviewed by [ ] (approval number [ ]). Analytic files used coded identifiers with restricted access, and quoted comments are short and paraphrased where necessary to prevent identification through search.

[Figure to be inserted]

Fig. 2. Screening and data collection flow. Counts and exclusions will be populated from the query registry and screening records.

3.4. Descriptive metadata analysis

Table 3 lists the collected metadata and derived indicators. Textual metadata (titles, descriptions, tags, and chapter titles) formed the topic modeling corpus because the official API permits caption download only for users with permission to edit the video (Google for Developers, 2026a). Numerical metadata described the sample and served as node attributes in the network. Because engagement accumulates with exposure, views, likes, and comments were divided by video age in days and log transformed. Dislike counts are not publicly available, and owners can hide like and subscriber counts, so hidden values were recorded as missing with an indicator.

Table 3. Metadata fields and derived indicators.

Level	Collected fields	Derived indicators and use
Channel	Channel identifier; creation date; description; declared country and language; subscriber count (if public); number of uploads	Channel age; log subscribers; share of lessons among uploads; network node attributes
Video (text)	Title; description; tags (if available); chapter titles	Cleaned document for LDA (RQ1)
Video (numeric and categorical)	Publication time; duration; category; caption availability; livestream archive or edited upload; original language; view, like, and comment counts; collection time	Video age; log views per day; likes per view; comments per view; duration; format (lecture, worked example, livestream lesson, short); network node attributes and attribute nodes

Level	Collected fields	Derived indicators and use
Comment	Comment, video, and parent identifiers; publication time; like count; channel owner authorship; original language; original and translated text	Input to sentiment analysis (RQ2); reply ratio and creator reply rate per video

3.5. Topic modeling of video metadata (RQ1)

Corpus and preprocessing. Each document consisted of the title, description, tags, and chapter titles of one video. Recurring channel specific boilerplate, such as social media links, sponsorship text, and membership announcements, was removed before modeling. English text, original or translated, was tokenized and lemmatized with a custom dictionary of subject terms and VTuber expressions. Stop words, URLs, numbers, emojis, and very rare and very frequent terms were removed, and frequent bigrams were added. All documents were modeled jointly, and topic stability was compared between originally English and translated documents (Appendix B).

Model. LDA assumes that each of K topics is a probability distribution over words and that each document is a mixture of topics with proportions θ (Blei et al., 2003). Models were estimated with online variational Bayes in gensim (Řehůřek & Sojka, 2010) over a grid of K values and several random seeds. The final K was chosen by topic coherence (Mimno et al., 2011; Röder et al., 2015), topic diversity (Dieng et al., 2020), stability across seeds, and inspection of top words and representative videos by two researchers (Chang et al., 2009; Sievert & Shirley, 2014). Perplexity was reported but not used for selection (Appendix B).

Interpretation. Two researchers labeled each topic from its most relevant words (Sievert & Shirley, 2014) and representative videos and resolved disagreements by discussion. Topics were grouped into kinds of learning, such as programming, mathematics, or language learning, and topics reflecting channel housekeeping were labeled as such. Each video was represented by its topic proportion vector θ, which was carried forward to the sentiment and network analyses.

3.6. Sentiment analysis of comments (RQ2)

Comment scope. All available public comments and replies on eligible videos were retained regardless of whether they mentioned instruction. They were treated as audience discourse

associated with educational videos rather than as evidence that commenters were learning. Comments without a relevant aspect were retained in overall sentiment estimates.

Automated sentiment and aspect analysis. A documented pretrained English social media sentiment model (Barbieri et al., 2020) assigns overall polarity without training on study data. Transparent aspect dictionaries and contextual rules identify up to nine evaluation categories for each comment. Each aspect has an occurrence indicator and, where interpretable, its own polarity. Multiple aspects may be assigned to the same comment; comments with no detected aspect remain in the corpus. A9 additionally distinguishes avatar appearance from perceived companionship and enduring attachment where the language supports such classification. Negation, targets, and ambiguous phrases are addressed in versioned rules. The outputs should undergo a limited independent precision audit, even if the study does not build a manually annotated classifier. Without validation they remain provisional indicators of expressed evaluation.

Mapping responses to topics. Each comment is linked to the LDA topic proportions of its source video. Report weighted sentiment by topic, with valid denominators and channel clustered bootstrap intervals. Distinguish the percentage of comments mentioning an aspect from polarity conditional on mentioning it. Sensitivity checks compare original English comments with translated comments and evaluate the influence of high volume channels. All comments remain eligible for overall sentiment analysis, but they are not presumed to report learning or satisfaction.

3.7. Theory informed relational network analysis (RQ3)

RQ3 examines three families of observable associations: instructional evaluation with reported understanding (A1 to A4), multimedia presentation with instructional evaluation (A6 to A8 with A1 to A4), and persona or interpersonal connection with instructional and peer evaluation (A9 with A1 to A5). The analysis asks whether these relationships are more prominent than expected from individual aspect prevalence and whether they vary by instructional topic and video format.

Comment mentions do not measure teaching presence, cognitive processing, or parasocial bonds as latent constructs.

Graph construction. The heterogeneous network includes channel, video, topic, format, language, comment, and evaluation aspect nodes (Table 4; Fig. 3). An observed comment connects to its source video and to each aspect detected in its text, retaining its aspect polarity. Videos connect to their channels, metadata inferred topics, formats, and languages. This distinguishes two aspects appearing in the same comment from aspects mentioned separately under the same video. The comment by aspect incidence matrix is retained as an auditable representation. Aggregation to video and topic level preserves denominators and prevents highly commented videos from mechanically determining association strength.




Fig. 3. Proposed heterogeneous network with comment nodes connecting individual audience responses to multiple evaluation aspects. Channel, video, topic, format, and language relations supply context. An aspect pair is linked at the comment level only when both are identified within one comment. Edges represent observations or computational assignments, not causal effects.

Table 4. Node and edge types in the heterogeneous network.

Element	Definition	Attributes or relation weight
Channel node	Verified educational VTuber channel	Channel metadata
Video node	Eligible educational video	Video metadata and LDA topic proportions
Topic node	Topic inferred from metadata	Topic label and probability
Format node	Lecture, worked example, livestream lesson, or short	Video format category

Element	Definition	Attributes or relation weight
Language node	Original language	Video language category
Comment node	Individual public comment or reply	Video ID, polarity, aspect assignments; coded ID
Evaluation aspect node	One of A1 to A9	Theory informed indicator; A9 subtypes if detectable
publishes	Channel to video	Observed upload
contains	Video to comment	Observed comment relation
mentions	Comment to aspect	Mention indicator and conditional sentiment
covers / has format / uses language	Video to topic, format, language	Topic probability or categorical link

Network analysis and propositions. For each pair of aspects, the analysis reports comment level cooccurrence counts and proportions, an observed to expected association ratio or log odds ratio, and uncertainty estimated by resampling channels. Null models account for marginal aspect prevalence and, where feasible, the number of aspects per comment. A weighted aspect network summarizes within theory and between theory associations. Community detection is exploratory and is compared with null networks. Networks are then estimated across video formats, topic families, and original languages; comparisons account for unequal comment volumes and channel clustering. The analysis distinguishes descriptive prominence from association beyond chance and applies correction where multiple pairwise tests are performed.

Optional graph neural network extension. The principal RQ3 analysis does not require training a neural model. A heterogeneous GNN may be added only if the data support a clearly independent prediction task, such as using earlier observations to predict future comment aspect distributions for previously unseen videos. Training and evaluation must separate source from target comments and prevent information flow from test outcomes into graph features. The model should be compared with metadata regression and strong non graph baselines under channel grouped or chronological validation. Improved accuracy would indicate predictive value of relational information, not validate a psychological mechanism. If an independent target or sufficient samples are unavailable, omit the GNN and report the transparent network analyses as the substantive RQ3 evidence.

Interpretation. Each salient relation should be traced to its comments, constituent videos, topic proportions, and contextual definitions. Instructional and persona aspects cooccurring in one comment provide stronger evidence of integrated discourse than their mere coexistence in a video comment section, but neither supports causal inference or individual learning gains. Stable patterns may motivate theoretical propositions about avatar mediated learning, whereas weak or absent associations are equally informative. The distinctive role of VTubers cannot be established without a comparison with conventional presenters.

4. Results

ILLUSTRATIVE TEMPLATE. All values in Section 4 are simulated solely to show table and prose conventions. Replace them with reproducible empirical outputs, uncertainty intervals, and validated interpretation.

4.1. Overview of the data

Hypothetical example: 48 channels, 640 videos, and 18,000 comments. Report the number of comments with a supported language and usable text, videos with comments, comments mentioning each aspect, and any inaccessible records.

Table 5. Sample overview (synthetic template).

Indicator	Illustrative value
Channels	48
Eligible videos	640
Retrieved comments	18,000
Comments excluded for learning relevance	0 (all retained)
Comments with supported language and usable text	15,500

4.2. Instructional topics in educational VTuber videos (RQ1)

Hypothetical example: LDA identifies four topic families. Actual topic counts and labels must be checked against representative videos and for stability between originally English and translated documents.

Table 6. Learning topic families (synthetic template).

Topic family	Illustrative share	Illustrative keywords
Programming and computing	34%	Python; coding; algorithm
Mathematics and science	26%	calculus; statistics; physics
Language learning	24%	English; Japanese; vocabulary
Arts and humanities	16%	drawing; music; history

4.3. Audience evaluations by learning topic (RQ2)

4.3.1. Overall sentiment by learning topic

Hypothetical example: 55% of comments are positive, 17% negative, and 28% neutral. These proportions describe the tone of public comments, not learning achievement or satisfaction. Recalculate Table 7 from actual predictions.

Table 7. Overall sentiment across topic families (synthetic template).

Topic family	Positive	Negative	Neutral
Programming and computing	52%	20%	28%
Mathematics and science	50%	19%	31%
Language learning	63%	11%	26%
Arts and humanities	56%	17%	27%

4.3.2. Aspect level sentiment by learning topic

Hypothetical example: comments on language lessons may be more positive about voice and delivery, whereas comments on programming may more often concern explanation clarity and unresolved understanding. Report aspect prevalence, sentiment conditional on mention, and sensitivity results for every aspect.

Table 8. Aspect patterns (synthetic template).

Aspect	Illustrative pattern	Required statistic
Explanation	More requests for clear worked steps in computing	Mention count; polarity; CI
Understanding	More unresolved questions in mathematics	Resolved and unresolved counts
Peer interaction	Peer encouragement varies by lesson format	Prevalence; sentiment; CI
Voice and delivery	More positive voice comments in language lessons	Prevalence; sentiment; CI
Persona and avatar	Praise not necessarily linked to comprehension	Prevalence; sentiment; CI

4.4. Connections among instructional, multimedia, and persona evaluations (RQ3)

4.4.1. Comment level association patterns

ILLUSTRATIVE REPORTING TEMPLATE. Report the total number of comments with two or more detected aspects, pairwise cooccurrence counts, expected frequencies, normalized association ratios, channel bootstrap confidence intervals, and adjusted comparisons against the null model. Separate pairs drawn from one theoretical domain from cross domain pairs. The hypothetical values in Table 9 are not empirical findings.

Table 9. Illustrative comment level associations normalized by aspect prevalence (all values synthetic).

Comment aspect pair	Observed to expected ratio (synthetic)	Theoretical lens
Explanation and understanding	1.48	Within CoI indicators

Comment aspect pair	Observed to expected ratio (synthetic)	Theoretical lens
Voice and explanation	1.21	CTML with CoI indicators
Persona and peer interaction	1.36	PSI with CoI indicators
Persona and understanding	1.09	PSI with expressed understanding
Pacing and visual presentation	1.27	Within CTML indicators

4.4.2. Contextual variation and robustness

ILLUSTRATIVE REPORTING TEMPLATE. Compare aspect pair associations across topic families, video formats and original languages. Report uncertainty and the effect of high volume channels, alternative dictionary thresholds, and translated text. Table 10 contains synthetic values for format only.

Table 10. Illustrative sensitivity of the persona and peer interaction association (all values synthetic).

Specification	Illustrative ratio	Interpretation
Full comment corpus	1.36	Persona and peer interaction pair
Exclude largest channel	1.29	Channel concentration sensitivity
Strict aspect dictionary	1.24	Detection rule sensitivity
Originally English comments	1.41	Language subset
Translated comments	1.18	Translation sensitivity

4.4.3. Relational communities and theoretical configurations

ILLUSTRATIVE REPORTING TEMPLATE. Report whether robust communities separate instructional, multimedia and persona aspects or connect them. Compare observed configurations with degree or margin preserving null models. A persona cluster that remains distinct from instructional evaluations would challenge claims of integrated educational persona experiences; a stable cross domain community would motivate, but not prove, a model of interconnected evaluations.

4.4.4. Optional independent prediction test

Do not report trained GNN performance unless an independent prediction task is implemented. If earlier comment signals predict a later and separate audience response window, Table 11 can summarize model comparisons with channel grouped evaluation and confidence intervals. Otherwise replace the table with a clear statement that RQ3 was addressed by association and network evidence without neural training.

Table 11. Conditions for an optional supplementary graph prediction analysis (no empirical performance reported).

Supplementary test	Independent target	Comparison	Reporting condition
Earlier to later comments	Later aspect mention profile	Metadata only versus graph	Only if timestamps and sufficient sample

Supplementary test	Independent target	Comparison	Reporting condition
Unseen video prediction	Held out later videos	Regression versus trained GNN	Strict feature and channel isolation
No defensible target	Not applicable	No GNN necessary	Primary network analysis is sufficient
Model interpretation	No causal target	Uncertainty and ablations	Exploratory evidence only

5. Discussion

5.1. Principal findings

TEMPLATE. Integrate actual distributions of learning topics, sentiment and comment aspect mentions. Discuss which within theory and cross theory comment level associations were robust after accounting for baseline prevalence, channel clustering, and translation. Differentiate cooccurrence in a single comment from aggregate video level profiles. No empirical finding is claimed in this draft.

5.2. Theoretical implications

TEMPLATE. Structure the theoretical implications around three questions. First, do comments about explanation and facilitation occur alongside reported understanding more often than expected, consistent with relationships among observable CoI related expressions? Second, do evaluations of voice, pacing and visuals coincide with instructional comments, motivating contextual propositions derived from multimedia learning theory? Third, are evaluations of VTuber personas separate from or interconnected with instructional and peer evaluations, extending descriptive understanding of persona related discourse in informal learning? Discuss supported and unsupported patterns equally. These data cannot demonstrate psychological presence, cognitive processing, learning improvement, or a causal impact of avatars. Cross sectional associations should be formulated as propositions for later controlled studies.

5.3. Practical implications

TEMPLATE. Educational creators may examine whether comments on specific formats more often combine questions about explanations with discussion of pacing or voice and whether persona focused expressions occur alongside requests for help. These patterns can identify priorities for lesson design audits and targeted follow up studies. They should not be interpreted as evidence that changing an avatar or delivery feature will improve learning.

5.4. Limitations and future research

Several limitations follow from the proposed observational design. All publicly available comments on eligible videos are retained, but comments may contain fandom, promotion, jokes, or unrelated exchanges. Automated dictionaries and translated text can misclassify evaluation targets; an independent precision audit and sensitivity analysis are therefore important. Metadata

derived topics represent the subjects described by creators rather than verified learning content. Comment cooccurrence, network communities, and optional predictions represent associations rather than psychological mechanisms or causal effects. The absence of conventional YouTuber controls prevents claims that the patterns are unique to VTubers. Search ranking, accessibility and high activity channels may affect generalizability. Future research should validate constructs through surveys and test instructional outcomes using experiments.

6. Conclusion

TEMPLATE. This design combines discovery of educational VTuber videos with metadata topic modeling, automated analysis of audience comments, relational network analysis, and a heterogeneous GNN. Its potential contribution lies in showing how instructional, media, and persona features coexist in naturally occurring discussions of learning. Rewrite the conclusions, limitations of generalization, and recommendations after the results are available.

TEMPLATE. This study is designed to map educational VTuber subjects, characterize audience evaluations, and investigate whether instructional, multimedia and persona related aspects form stable connected configurations within public comments. The theoretical contribution will depend on how the observed relationships confirm, qualify or challenge propositions from the three chosen perspectives. The final conclusion must be rewritten after empirical data are collected and analyzed.

[ ]: Conceptualization, Methodology, [ ]. [ ]: [ ].

Declaration of competing interest

[ ]

Funding

[ ]

Data availability

The query registry, search vocabulary, processing code, aspect dictionaries, anonymized aggregate tables, and network specifications will be deposited in [repository]. Comment identifiers and text will be shared only as permitted by platform terms and applicable ethical safeguards.

Declaration of generative AI and AI assisted technologies in the writing process

During the preparation of this work the author(s) used [ ] in order to [ ]. After using this tool or service, the author(s) reviewed and edited the content as needed and take(s) full responsibility for the content of the publication.

Acknowledgements

[ ]

References

Alemdag, E. (2022). Effects of instructor-present videos on learning, cognitive load, motivation, and social presence: A meta-analysis. *Education and Information Technologies, 27*(9), 12713–12742. https://doi.org/10.1007/s10639-022-11154-w

Anderson, T., Rourke, L., Garrison, D. R., & Archer, W. (2001). Assessing teaching presence in a computer conferencing context. *Journal of Asynchronous Learning Networks, 5*(2), 1–17. https://doi.org/10.24059/olj.v5i2.1875

Barbieri, F., Camacho-Collados, J., Espinosa Anke, L., & Neves, L. (2020). TweetEval: Unified benchmark and comparative evaluation for tweet classification. In *Findings of the Association for Computational Linguistics: EMNLP 2020* (pp. 1644–1650). https://doi.org/10.18653/v1/2020.findings-emnlp.148

Blei, D. M., Ng, A. Y., & Jordan, M. I. (2003). Latent Dirichlet allocation. *Journal of Machine Learning Research, 3*, 993–1022.

Chalkias, I., Tzafilkou, K., Karapiperis, D., & Tjortjis, C. (2023). Learning analytics on YouTube educational videos: Exploring sentiment analysis methods and topic clustering. *Electronics, 12*(18), Article 3949. https://doi.org/10.3390/electronics12183949

Chang, J., Boyd-Graber, J., Gerrish, S., Wang, C., & Blei, D. M. (2009). Reading tea leaves: How humans interpret topic models. In *Advances in Neural Information Processing Systems 22* (pp. 288–296).

Chen, H.-J., & Yang, J. C. (2025). Unveiling virtual charisma: Exploring VTuber avatars in EFL presentations. *Computer Assisted Language Learning*. Advance online publication. https://doi.org/10.1080/09588221.2025.2599153

Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement, 20*(1), 37–46. https://doi.org/10.1177/001316446002000104

Dalipi, F., Zdravkova, K., & Ahlgren, F. (2021). Sentiment analysis of students' feedback in MOOCs: A systematic literature review. *Frontiers in Artificial Intelligence, 4*, Article 728708. https://doi.org/10.3389/frai.2021.728708

Dibble, J. L., Hartmann, T., & Rosaen, S. F. (2016). Parasocial interaction and parasocial relationship: Conceptual clarification and a critical assessment of measures. *Human Communication Research, 42*(1), 21–44. https://doi.org/10.1111/hcre.12063

Dieng, A. B., Ruiz, F. J. R., & Blei, D. M. (2020). Topic modeling in embedding spaces. *Transactions of the Association for Computational Linguistics, 8*, 439–453. https://doi.org/10.1162/tacl_a_00325

Dubovi, I., & Tabak, I. (2020). An empirical analysis of knowledge co-construction in YouTube comments. *Computers & Education, 156*, Article 103939. https://doi.org/10.1016/j.compedu.2020.103939

Fey, M., & Lenssen, J. E. (2019). *Fast graph representation learning with PyTorch Geometric* (arXiv:1903.02428). arXiv. https://doi.org/10.48550/arXiv.1903.02428

franzke, a. s., Bechmann, A., Zimmer, M., Ess, C., & the Association of Internet Researchers. (2020). *Internet research: Ethical guidelines 3.0*. https://aoir.org/reports/ethics3.pdf

Garrison, D. R., Anderson, T., & Archer, W. (2000). Critical inquiry in a text-based environment: Computer conferencing in higher education. *The Internet and Higher Education, 2*(2–3), 87–105. https://doi.org/10.1016/S1096-7516(00)00016-6

Garrison, D. R., Anderson, T., & Archer, W. (2001). Critical thinking, cognitive presence, and computer conferencing in distance education. *American Journal of Distance Education, 15*(1), 7–23. https://doi.org/10.1080/08923640109527071

Gilmer, J., Schoenholz, S. S., Riley, P. F., Vinyals, O., & Dahl, G. E. (2017). Neural message passing for quantum chemistry. In *Proceedings of the 34th International Conference on Machine Learning* (pp. 1263–1272). PMLR.

Google for Developers. (2026a, September 15). *Captions: download*. YouTube Data API. Retrieved October 16, 2026, from https://developers.google.com/youtube/v3/docs/captions/download

Google for Developers. (2026b, September 14). *Search: list*. YouTube Data API. Retrieved October 16, 2026, from https://developers.google.com/youtube/v3/docs/search/list

Griffiths, T. L., & Steyvers, M. (2004). Finding scientific topics. *Proceedings of the National Academy of Sciences, 101*(Suppl. 1), 5228–5235. https://doi.org/10.1073/pnas.0307752101

Henderson, M. L., & Schroeder, N. L. (2021). A systematic review of instructor presence in instructional videos: Effects on learning and affect. *Computers and Education Open, 2*, Article 100059. https://doi.org/10.1016/j.caeo.2021.100059

Horton, D., & Wohl, R. R. (1956). Mass communication and para-social interaction: Observations on intimacy at a distance. *Psychiatry, 19*(3), 215–229. https://doi.org/10.1080/00332747.1956.11023049

Hu, Z., Dong, Y., Wang, K., & Sun, Y. (2020). Heterogeneous graph transformer. In *Proceedings of The Web Conference 2020* (pp. 2704–2710). https://doi.org/10.1145/3366423.3380027

Hutto, C., & Gilbert, E. (2014). VADER: A parsimonious rule-based model for sentiment analysis of social media text. *Proceedings of the International AAAI Conference on Web and Social Media, 8*(1), 216–225. https://doi.org/10.1609/icwsm.v8i1.14550

Kipf, T. N., & Welling, M. (2017). Semi-supervised classification with graph convolutional networks. In *Proceedings of the 5th International Conference on Learning Representations*. https://doi.org/10.48550/arXiv.1609.02907

Lin, Y., Chen, H., Xia, W., Lin, F., Wang, Z., & Liu, Y. (2023). *A comprehensive survey on deep learning techniques in educational data mining* (arXiv:2309.04761). arXiv. https://doi.org/10.48550/arXiv.2309.04761

Liu, H., & Zhao, J. (2025). VTuber attractiveness and its effect on viewer gifting. *International Journal of Human–Computer Interaction, 41*(20), 12868–12883. https://doi.org/10.1080/10447318.2025.2465866

Liu, T., Deng, L., & Zhou, Y. (2026). Unpacking self-regulation and social interaction in "Study With Me" videos through large-scale analytics. *Computers & Education, 241*, Article 105488. https://doi.org/10.1016/j.compedu.2025.105488

Lu, Z., Shen, C., Li, J., Shen, H., & Wigdor, D. (2021). More kawaii than a real-person live streamer: Understanding how the otaku community engages with and perceives virtual YouTubers. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (pp. 1–14). https://doi.org/10.1145/3411764.3445660

Lv, Q., Ding, M., Liu, Q., Chen, Y., Feng, W., He, S., Zhou, C., Jiang, J., Dong, Y., & Tang, J. (2021). Are we really making much progress? Revisiting, benchmarking, and refining heterogeneous graph neural networks. In *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery and Data Mining* (pp. 1150–1160). https://doi.org/10.1145/3447548.3467350

Mayer, R. E. (2021). *Multimedia learning* (3rd ed.). Cambridge University Press. https://doi.org/10.1017/9781316941355

Mayer, R. E., Sobko, K., & Mautone, P. D. (2003). Social cues in multimedia learning: Role of speaker's voice. *Journal of Educational Psychology, 95*(2), 419–425. https://doi.org/10.1037/0022-0663.95.2.419

Mehrotra, R., Sanner, S., Buntine, W., & Xie, L. (2013). Improving LDA topic models for microblogs via tweet pooling and automatic labeling. In *Proceedings of the 36th International ACM SIGIR Conference on Research and Development in Information Retrieval* (pp. 889–892). https://doi.org/10.1145/2484028.2484166

Mimno, D., Wallach, H. M., Talley, E., Leenders, M., & McCallum, A. (2011). Optimizing semantic coherence in topic models. In *Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing* (pp. 262–272). Association for Computational Linguistics.

Nakagawa, H., Iwasawa, Y., & Matsuo, Y. (2021). Graph-based knowledge tracing: Modeling student proficiency using graph neural networks. *Web Intelligence, 19*(1–2), 87–102. https://doi.org/10.3233/WEB-210458

Řehůřek, R., & Sojka, P. (2010). Software framework for topic modelling with large corpora. In *Proceedings of the LREC 2010 Workshop on New Challenges for NLP Frameworks* (pp. 45–50). ELRA.

Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V., Vanderplas, J., Passos, A., Cournapeau, D., Brucher, M., Perrot, M., & Duchesnay, É. (2011). Scikit-learn: Machine learning in Python. *Journal of Machine Learning Research, 12*, 2825–2830.

Rieder, B., Matamoros-Fernández, A., & Coromina, Ò. (2018). From ranking algorithms to 'ranking cultures': Investigating the modulation of visibility in YouTube search results. *Convergence, 24*(1), 50–68. https://doi.org/10.1177/1354856517736982

Rieder, B., Padilla, A., & Coromina, Ò. (2025). *Forgetful by design? A critical audit of YouTube's Search API for academic research* (arXiv:2506.11727). arXiv. https://doi.org/10.48550/arXiv.2506.11727

Röder, M., Both, A., & Hinneburg, A. (2015). Exploring the space of topic coherence measures. In *Proceedings of the Eighth ACM International Conference on Web Search and Data Mining* (pp. 399–408). https://doi.org/10.1145/2684822.2685324

Rourke, L., Anderson, T., Garrison, D. R., & Archer, W. (1999). Assessing social presence in asynchronous text-based computer conferencing. *Journal of Distance Education, 14*(2), 50–71.

Schlichtkrull, M., Kipf, T. N., Bloem, P., van den Berg, R., Titov, I., & Welling, M. (2018). Modeling relational data with graph convolutional networks. In *The Semantic Web: ESWC 2018* (pp. 593–607). Springer. https://doi.org/10.1007/978-3-319-93417-4_38

Schroeder, N. L., Adesope, O. O., & Gilbert, R. B. (2013). How effective are pedagogical agents for learning? A meta-analytic review. *Journal of Educational Computing Research, 49*(1), 1–39. https://doi.org/10.2190/EC.49.1.a

Sievert, C., & Shirley, K. (2014). LDAvis: A method for visualizing and interpreting topics. In *Proceedings of the Workshop on Interactive Language Learning, Visualization, and Interfaces* (pp. 63–70). https://doi.org/10.3115/v1/W14-3110

Sundararajan, M., Taly, A., & Yan, Q. (2017). Axiomatic attribution for deep networks. In *Proceedings of the 34th International Conference on Machine Learning* (pp. 3319–3328). PMLR.

Yin, M., Shen, C., & Xiao, R. (2025). Entertainers between real and virtual: Investigating viewer interaction, engagement, and relationships with avatarized virtual livestreamers. In *Proceedings of the 2025 ACM International Conference on Interactive Media Experiences (IMX '25)*. ACM. https://doi.org/10.1145/3706370.3727866

Ying, R., Bourgeois, D., You, J., Zitnik, M., & Leskovec, J. (2019). GNNExplainer: Generating explanations for graph neural networks. In *Advances in Neural Information Processing Systems 32* (pp. 9240–9251).

Zhang, R., & Wu, Q. (2024). Impact of using virtual avatars in educational videos on user experience. *Scientific Reports, 14*, Article 6592. https://doi.org/10.1038/s41598-024-56716-9

Zhang, W., Li, X., Deng, Y., Bing, L., & Lam, W. (2023). A survey on aspect-based sentiment analysis: Tasks, methods, and challenges. *IEEE Transactions on Knowledge and Data Engineering, 35*(11), 11019–11038. https://doi.org/10.1109/TKDE.2022.3230975

Appendix A. Video search protocol and keywords

Search terms combine a presenter identity expression, such as VTuber or virtual YouTuber, with a general instructional activity expression, such as lesson, tutorial, or explained. Equivalent expressions in [other languages] are listed in the supplementary query registry. Academic disciplines are excluded from queries because identifying them is the objective of RQ1. Query logs and exclusion decisions are retained, and optional exclusion terms are evaluated in pilot searches to avoid removing relevant lessons.

A.1. Keyword families

Table A1. Search keyword families.

Family	Examples
Presenter identity	VTuber; virtual YouTuber; virtual teacher
Instructional activity	lesson; tutorial; teaching; explained; lecture
Pilot exclusions only	Live2D; rigging; avatar creation; fan clip

Exclusion terms are tested in the pilot rather than applied to every query, because some legitimate lessons mention software or other excluded expressions.

A.2. Illustrative queries

Table A2 lists illustrative queries; the registered search list, dates, parameters, and results will be reported after collection. The OR operator (|) is URL encoded as %7C when sent to the API (Google for Developers, 2026b).

Table A2. Illustrative broad search queries without subject restrictions.

No.	Illustrative query	Purpose
Q1	VTuber (lesson|tutorial|teaching)	Broad video discovery
Q2	"virtual YouTuber" (lesson|explained|lecture)	Alternative identity wording
Q3	"VTuber teacher"|"educational VTuber"	Channel discovery
Q4 to Qn	Equivalent queries in [other languages]	Retrieval of videos in other languages for translation

A.3. API parameters

Video searches used the search.list endpoint with type = video, maxResults = 50, and pagination through nextPageToken. English queries used relevanceLanguage = en with regionCode = US and GB, and queries in other languages used the corresponding relevanceLanguage and regionCode values. Each query was run with order = relevance and order = date, and the search period was divided into yearly windows with publishedAfter and publishedBefore so that older videos were not crowded out by recent ones. Channel discovery used Q3 and equivalent identity expressions with type = channel. Because search.list is limited to 100 calls per day (Google for Developers, 2026b), queries were scheduled over several days, beginning with channel discovery. Uploads of verified channels were retrieved through the uploads playlist (channels.list and playlistItems.list), metadata through videos.list, and comments through commentThreads.list and comments.list.

A.4. Channel discovery and stopping rule

Channels were also discovered by snowball sampling: featured channels and collaboration partners of each verified channel were inspected and added when they met the verification criterion. Query variants were added during the pilot until a new variant contributed fewer than 5% new eligible videos, at which point the keyword set was frozen.

A.5. Records kept

For every query run, the registry stored the query identifier, q string, parameters, date and time, page tokens, number of returned items, and video or channel identifiers. For every candidate, the screening log stored the identifier, title, channel, decision, exclusion reason, and coder. Full registry and screening records: [ ]

Appendix B. LDA details

Each topic k is a distribution over words drawn from a Dirichlet prior with parameter β, and each document d has topic proportions θd drawn from a Dirichlet prior with parameter α; each word is generated by choosing a topic from θd and a word from that topic (Blei et al., 2003). An

asymmetric α was learned from the data, and β was tuned on held out documents. Collapsed Gibbs sampling (Griffiths & Steyvers, 2004) served as a robustness check on the variational estimates, and a model fitted only to originally English documents served as a sensitivity analysis for translation effects.

Model selection results by K (coherence, diversity, stability, perplexity) and translation sensitivity: [ ]

Appendix C. Comment level relational networks and optional prediction

The primary analysis constructs a binary comment by aspect incidence matrix, links comments to their videos, and connects videos with topic probabilities, format, original language, and creator channel. For each aspect pair, observed and expected cooccurrences, their ratio or log odds ratio, confidence intervals from channel bootstrap sampling, and permutation null comparisons are calculated. Robustness tests vary detection thresholds and exclude dominant channels. The derived network is visualized with clear distinction between frequency and normalized association. Any neural graph extension must rely on independent target observations and should not use outcomes or evaluate edges from the target window as input.

Network thresholds, bootstrap intervals, and community stability results: [ ]

Appendix D. Translation, sentiment, and aspect dictionaries

Translation service and version, translation check results, glossary, English aspect dictionary, pretrained sentiment model identifier, negation rules, and versioned extraction scripts: [ ]

Model output distributions and sensitivity checks for original and translated comments: [ ]