

MongoDB Assessment

Database Name

```
use food_delivery_assessment_db
```

Collection Name

```
restaurants
```

Insert Dataset

Create the collection by inserting the following data:

```
db.restaurants.insertMany([
  {
    restaurant_id: 1,
    name: "Spice Hub",
    city: "Hyderabad",
    cuisine: "Indian",
    rating: 4.5,
    avg_order_value: 450,
    delivery_available: true,
    tags: ["biryani", "north indian", "family"],
    contact: {
      phone: "9876543210",
      email: "spicehub@mail.com"
    }
  },
  {
    restaurant_id: 2,
    name: "Pizza Corner",
    city: "Bangalore",
```

```
cuisine: "Italian",
rating: 4.2,
avg_order_value: 600,
delivery_available: true,
tags: ["pizza", "fast food", "cheese"],
contact: {
  phone: "9876543211",
  email: "pizza@mail.com"
}
},
{
  restaurant_id: 3,
  name: "Green Bowl",
  city: "Chennai",
  cuisine: "Healthy",
  rating: 4.7,
  avg_order_value: 350,
  delivery_available: false,
  tags: ["salad", "vegan", "healthy"],
  contact: {
    phone: null,
    email: "greenbowl@mail.com"
  }
},
{
  restaurant_id: 4,
  name: "Burger Street",
  city: "Hyderabad",
  cuisine: "Fast Food",
  rating: 3.9,
  avg_order_value: 300,
  delivery_available: true,
  tags: ["burger", "fries", "fast food"],
  contact: {
    phone: "9876543213",
    email: null
  }
},
{
  restaurant_id: 5,
  name: "Royal Tandoor",
  city: "Delhi",
  cuisine: "Indian",
  rating: 4.8,
```

```
    avg_order_value: 800,  
    delivery_available: true,  
    tags: ["tandoor", "north indian", "premium"],  
    contact: {  
      phone: "9876543214",  
      email: "royal@mail.com"  
    }  
  },  
  {  
    restaurant_id: 6,  
    name: "Tea Tales",  
    city: "Pune",  
    cuisine: "Cafe",  
    rating: 4.1,  
    avg_order_value: 200,  
    delivery_available: false,  
    tags: ["tea", "snacks", "cafe"],  
    contact: {  
      phone: "9876543215",  
      email: "tea@mail.com"  
    }  
  },  
  {  
    restaurant_id: 7,  
    name: "Ocean Grill",  
    city: "Mumbai",  
    cuisine: "Seafood",  
    rating: 4.6,  
    avg_order_value: 900,  
    delivery_available: true,  
    tags: ["fish", "grill", "premium"],  
    contact: {  
      phone: "9876543216",  
      email: "ocean@mail.com"  
    }  
  },  
  {  
    restaurant_id: 8,  
    name: "Dosa Point",  
    city: "Chennai",  
    cuisine: "South Indian",  
    rating: 4.3,  
    avg_order_value: 250,  
    delivery_available: true,
```

```
tags: ["dosa", "idli", "breakfast"],
contact: {
  phone: null,
  email: null
}
})
```

Assessment Questions

Basic Find Queries

1. Display all restaurants.
2. Display only:

```
name
city
cuisine
```

Do not show `_id`.

3. Find all restaurants from Hyderabad.
 4. Find all Indian cuisine restaurants.
 5. Find restaurants where delivery is available.
-

Comparison Operators

6. Find restaurants with rating greater than 4.5.
 7. Find restaurants where average order value is less than ₹400.
 8. Find restaurants where rating is between 4.0 and 4.7.
 9. Find restaurants where average order value is greater than or equal to ₹600.
-

Logical Operators

10. Find restaurants from Hyderabad with delivery available.
 11. Find restaurants that are either from Chennai or cuisine is Indian.
 12. Find restaurants where delivery is not available.
-

IN / NOT IN

13. Find restaurants from these cities:

Hyderabad

Delhi

Mumbai

14. Find restaurants whose cuisine is either:

Indian

Italian

Cafe

15. Find restaurants not located in:

Hyderabad

Bangalore

LIKE Equivalent / Regex

16. Find restaurants whose name starts with `P`.
 17. Find restaurants whose name contains `Point`.
 18. Find restaurants whose cuisine contains `Food`.
-

NULL Handling

19. Find restaurants where contact phone is null.
 20. Find restaurants where contact email is null.
 21. Find restaurants where either phone or email is null.
-

Arrays

22. Find restaurants having tag `premium`.
23. Find restaurants having tag `fast food`.
24. Find restaurants having both tags:

```
north indian
premium
```

Sorting and Limit

25. Sort restaurants by rating descending.
 26. Display top 3 highest rated restaurants.
 27. Sort restaurants by average order value ascending.
 28. Display top 2 expensive restaurants by average order value.
-

Update Operations

29. Update `Burger Street` rating to `4.0`.
30. Change `Tea Tales` delivery availability to `true`.
31. Add a new field to all restaurants:

```
active: true
```

32. Add a new tag `popular` to `Spice Hub`.

33. Remove the field `active` from all restaurants.

Delete Operations

34. Delete the restaurant whose `restaurant_id` is `6`.

35. Delete all restaurants where rating is less than `4.0`.

Count and Distinct

36. Count total restaurants.

37. Count restaurants where delivery is available.

38. Display distinct cities.

39. Display distinct cuisines.

Aggregation

40. Count restaurants by city.

41. Count restaurants by cuisine.

42. Find average rating by cuisine.

43. Find average order value by city.

44. Find highest average order value by cuisine.

45. Show cuisines having more than one restaurant.
