

Log Analysis Report

ADMIN

Production • Last 15 day(s)

Report Date

13 May 2026, 06:10 UTC

Generated At

13 May 2026, 06:10 UTC

Role: ADMIN | Env: Production

Services (All Services — Admin Access)

Service	Errors	Warnings	Req Approved	Req Rejected	Users Added
log-controller-service	9	6	0	0	0
asset-management-service	1	0	0	0	0
inventory-service	1	0	0	0	0
ide-service	1	0	0	0	0
hrms-service	1	0	0	0	0

System Health Overview

505	13	6	486	HEALTHY
Total Logs	Errors	Warnings	Info	Overall Status

Key Insights

■ Elevated Error Rate

Error rate is 2.6% (13/505 logs) — above the 1% caution threshold. Monitor closely.

■ Dominant Error Pattern

'GET /api/services — user='thaniyarasik@gmail.com' role=ADMIN returnedS' accounts for 62% of all errors (8 occurrences). Resolving this single error type would eliminate the majority of error volume.

■ Cross-Service Impact



5 service(s) are currently reporting errors or warnings. Review the service dependency graph for potential cascading failures.

Top Errors (by Frequency)

#	Error Message	Service	Category	Count	% of Total
---	---------------	---------	----------	-------	------------

1	GET /api/services — user='thaniyarasik@gmail...	log-controller-service	Application	8	61.5%
2	Aggregated 9370 earlier error logs	log-controller-service	Application	1	7.7%
3	Aggregated 2245 earlier error logs	asset-management-service	Application	1	7.7%
4	Aggregated 389 earlier error logs	inventory-service	Application	1	7.7%
5	Aggregated 13 earlier error logs	ide-service	Application	1	7.7%
6	Aggregated 6 earlier error logs	hrms-service	Application	1	7.7%

■ Analysis Visualisations



Recommendations & Fixes

MEDIUM

1. GET /api/services — user='thaniyarasik@gmail.com' role=ADMIN retu [log-controller-service] (8 occurrences)

Why it happened: Application-level error — exact root cause requires log inspection to identify the originating module.

How to fix:

- 1 Search for the full stack trace of 'GET /api/services — user='thaniyarasik@gmail.com' role=' in the log management system.
- 2 Identify the service, class, and method that originates this error.
- 3 Determine if the error is transient (add retry with exponential back-off) or deterministic (fix the root cause directly).
- 4 Add a targeted alert rule so future occurrences are flagged immediately.

HIGH

2. Aggregated 9370 earlier error logs [\[log-controller-service\]](#) (1 occurrences)

Why it happened: The log-controller-service batched a large number of historical entries into a single event — typically caused by a log pipeline restart or catch-up flush after a service crash or rolling restart.

How to fix:

- 1 Cross-reference the timestamp with recent deployments, pod restarts, or crash events: `kubectl describe pod` .
.
- 2 Check log-controller-service buffer config (`max_buffer_size`, `flush_interval`) — large buffers produce bulk flushes on restart.
.
- 3 Review container restart history to confirm whether a crash triggered the flush.
.
- 4 If recurring, reduce the buffer window or migrate to a real-time log shipper (Fluentd / Logstash) to avoid batching.
.

LOW

3. Operational Recommendation

How to fix:

- 1 Inspect recent log-controller-service deploys, dependencies, and retries if its error count keeps rising.
.

LOW

4. Operational Recommendation

How to fix:

- 1 Correlate the top error message with infrastructure changes and upstream service failures.
.