HyreNet

Thanmai

Hcl-guvi Drive

Hartford-.netfsd-weekly-assessment-12-feb Results

Score Summary



Total Score:	54	/ 170
Objective Score:	54	/ 70
Programming Score:	0	/ 100

Candidate Information

Name:	**Thanmai**
Email:	**Dandakrishnathanmai@gmail.com**
Current Status:	**Completed**
Objective Score:	**54**
Programming Score:	**0**
Overall Score:	**54**
Overall Time:	**90 Minutes**
Gender:	**Female**
Experience:	**0**
Contact Number:	**6281332238**

Objective Section

Total Questions:	**35**
Time Duration:	**45 Minutes**
Total Earned Objective Score:	**54**

Question: 1 **Score: 2**

What will be the output of this program?

```
using System;

namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            Type t1 = typeof(int);
            Type t2 = typeof(string);

            Console.WriteLine(t1.BaseType?.Name ?? "null");
            Console.WriteLine(t2.BaseType?.Name ?? "null");

            string s1 = new string("test".ToCharArray());
            string s2 = "test";

            Console.WriteLine(object.ReferenceEquals(s1, s2));
        }
    }
}
```

Option A: ValueType

Object

True

Option B: Object

Object

False

Option C: ValueType

Object

False

Option D: Int32

String

True

Answer: C **Selected: D** **Score earned: 0**

Question: 2 **Score: 2**

What is the output order?

```
using System;

namespace DemoApp
{
    class A
    {
        static A()
        {
            Console.Write("StaticA ");
        }

        public A()
```

```
        {
            Console.Write("InstanceA ");
        }
    }

    class Program
    {
        static void Main()
        {
            Console.Write("Start ");
            A a1 = new A();
            A a2 = new A();
            Console.Write("End");
        }
    }
}
```

Option A: Start InstanceA InstanceA StaticA End

Option B: Start StaticA InstanceA InstanceA End

Option C: StaticA Start InstanceA InstanceA End

Option D: StaticA StaticA InstanceA InstanceA

Answer: B **Selected: B** **Score earned: 2**

Question: 3 **Score: 2**

What will be printed?

```
using System;

namespace DemoApp
{
```

```
class Program
{
    static void Main()
    {
        int a = 8;
        object obj = a;

        Console.WriteLine("Initial: " + obj);

        a = 20;

        Console.WriteLine("Object value: " + obj);
        Console.WriteLine("Variable a: " + a);
    }
}
}
```

Option A: Initial: 8

Object value: 20

Variable a: 20

Option B: Initial: 8

Object value: 8

Variable a: 20

Option C: Initial: 8

Object value: 20

Variable a: 8

Option D: Compilation Error

Answer: B **Selected: B** **Score earned: 2**

Question: 4 **Score: 2**

What value does c get printed?

```
using System;

namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            int a = 10;
            int b = 20;

            int c = (a > b) ? a :
                    (b > 15 ? b : a);

            Console.WriteLine("Result = " + c);
        }
    }
}
```

Option A: 10

Option B: 20

Option C: 0

Option D: Compilation Error

Answer: B **Selected: B** **Score earned: 2**

Question: 5 **Score: 2**

What happens when MaxValue is incremented in unchecked block?

```
using System;

namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            int x = int.MaxValue;

            Console.WriteLine("Before: " + x);

            unchecked
            {
                x = x + 1;
            }

            Console.WriteLine("After: " + x);
        }
    }
}
```

Option A: OverflowException

Option B: 2147483648

Option C: -2147483648

Option D: 0

Answer: C **Selected: D** **Score earned: 0**

Question: 6 **Score: 2**

What is the output of the expression?

```
using System;

namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            int x = 5;
            int y = ++x + x++;

            Console.WriteLine("x final = " + x);
            Console.WriteLine("y = " + y);
        }
    }
}
```

Option A: x final = 6, y = 11

Option B: x final = 7, y = 12

Option C: x final = 7, y = 11

Option D: x final = 6, y = 12

Answer: B **Selected: D** **Score earned: 0**

Question: 7 **Score: 2**

What happens when unboxing object to int?

```
using System;
```

```
namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            object a = 5;   // boxing
            int b = (int)a; // unboxing

            Console.WriteLine("Value = " + b);
        }
    }
}
```

Option A: 5

Option B: InvalidCastException

Option C: 0

Option D: Compilation Error

Answer: A **Selected: A** **Score earned: 2**

Question: 8 **Score: 2**

What will this loop print?

```
using System;

namespace DemoApp
{
    class Program
    {
        static void Main()
```

```
        {
            for (int i = 0; i < 3; i++)
            {
                if (i == 1)
                    continue;

                Console.Write(i);
            }
            Console.Write(" Done");
        }
    }
}
```

Option A: 012 Done

Option B: 02 Done

Option C: 01

Option D: 0

Answer: B **Selected: B** **Score earned: 2**

Question: 9 **Score: 2**

What wil be printed?

```
using System;
using System.Text;

namespace DemoApp
{
    class Program
    {
        static void Main()
```

```
        {
            StringBuilder sb = new StringBuilder("Hi");
            sb.Append(" There");
            sb.Replace("Hi", "Hello");

            Console.WriteLine(sb.ToString());
        }
    }
}
```

Option A: Hi There

Option B: Hello There

Option C: There

Option D: Compilation Error

Answer: B **Selected: B** **Score earned: 2**

Question: 10 **Score: 2**

What is printed?

```
using System;
using System.Collections.Generic;

namespace DemoApp
{
    class Program
    {
        static void Main()
        {
            List<int> list = new List<int>() { 1, 2, 3 };
```

```
            list.ForEach(x => Console.Write(x));

            list.Add(4);

            Console.Write(" | Count = " + list.Count);
        }
    }
}
```

Option A: 123 | Count = 4

Option B: 1234 | Count = 4

Option C: 123 | Count = 3

Option D: 1234 | Count = 3

Answer: A **Selected: A** **Score earned: 2**

Question: 11 **Score: 2**

What will generic method print?

```
using System;

namespace DemoApp
{
    class Generic<T>
    {
        public void Print<U>(T t, U u)
        {
            Console.WriteLine($"{t} {u}");
        }
    }
```

```
    class Program
    {
        static void Main()
        {
            Generic<int> g = new Generic<int>();
            g.Print(5, "Hi");
        }
    }
}
```

Option A: 5 Hi

Option B: Compilation Error

Option C: Runtime Error

Option D: Hi 5

Answer: A **Selected: A** **Score earned: 2**

Question: 12 **Score: 2**

What is the output of this program?

```
using System;
using System.Windows.Forms;

class MyForm : Form
{
    public MyForm()
    {
        this.Text = "Demo";
        this.Width = 400;
        this.Height = 300;
    }
```

```
}

class Program
{
    [STAThread]
    static void Main()
    {
        Application.EnableVisualStyles();
        Application.Run(new MyForm());
        Console.WriteLine("Completed");
    }
}
```

Option A: Prints “Completed” in console

Option B: Opens a WinForm titled Demo

Option C: Compilation Error

Option D: Runtime Exception

Answer: B **Selected: B** **Score earned: 2**

Question: 13 **Score: 2**

What is printed?

```
using System;

class Person
{
    private string name;

    public string Name
    {
```

```
        get { return name.ToUpper(); }
        set { name = value + "!"; }
    }

    public Person(string name)
    {
        Name = name;
    }
}

class Program
{
    static void Main()
    {
        Person p = new Person("John");
        Console.WriteLine(p.Name);
    }
}
```

Option A: John

Option B: JOHN

Option C: JOHN!

Option D: Compilation Error

Answer: C **Selected: C** **Score earned: 2**

Question: 14 **Score: 2**

What is Test.Count?

```
using System;
```

```
class Test
{
    public static int Count;

    public Test()
    {
        Count++;
    }

    static Test()
    {
        Count = 1;
    }
}

class Program
{
    static void Main()
    {
        new Test();
        new Test();
        Console.WriteLine(Test.Count);
    }
}
```

Option A: 1

Option B: 2

Option C: 3

Option D: 0

Answer: C **Selected: A** **Score earned: 0**

Question: 15 **Score: 2**

What is the output?

```
using System;

class Demo
{
    private int x;

    public int X
    {
        get { return x + 1; }
        set { x = value * 2; }
    }
}

class Program
{
    static void Main()
    {
        Demo d = new Demo();
        d.X = 5;
        Console.WriteLine(d.X);
    }
}
```

Option A: 5

Option B: 10

Option C: 11

Option D: 6

Answer: C **Selected: C** **Score earned: 2**

Question: 16 **Score: 2**

What is the output?

```
using System;
using System.Linq;

class Program
{
    static void Main()
    {
        var nums = new[] { 1, 2, 3, 4 };

        var result = nums
            .Where(x => x % 2 == 0)
            .Select(x => x + 5)
            .Sum();

        Console.WriteLine(result);
    }
}
```

Option A: 14

Option B: 18

Option C: 16

Option D: 22

Answer: C **Selected: C** **Score earned: 2**

Question: 17 **Score: 2**

What is printed?

```
using System;
```

```
static class Ext
{
    public static int Square(this int x)
    {
        return (x + 1) * (x + 1);
    }
}

class Program
{
    static void Main()
    {
        int n = 4;
        Console.WriteLine(n.Square());
    }
}
```

Option A: 16

Option B: 20

Option C: 25

Option D: Error

Answer: C **Selected: C** **Score earned: 2**

Question: 18 **Score: 2**

What is the output?

```
using System;

class Publisher
```

```
{
    public event Action OnAction;

    public void Raise()
    {
        Console.Write("Before ");
        OnAction?.Invoke();
        Console.Write("After");
    }
}

class Program
{
    static void Main()
    {
        Publisher p = new Publisher();
        p.OnAction += () => Console.Write("Event ");
        p.Raise();
    }
}
```

Option A: Event

Option B: Before Event After

Option C: After Event Before

Option D: Compilation Error

Answer: B **Selected: B** **Score earned: 2**

Question: 19 **Score: 2**

What does indexer return?

```
using System;

class Demo
{
    int[] arr = { 3, 6, 9 };

    public int this[int i]
    {
        get { return arr[i] - 2; }
        set { arr[i] = value + 4; }
    }
}

class Program
{
    static void Main()
    {
        Demo d = new Demo();
        d[0] = 5;
        d[1] = 7;

        Console.WriteLine(d[0] + " " + d[1]);
    }
}
```

Option A: 7 9

Option B: 9 11

Option C: 5 7

Option D: Error

Answer: A **Selected: A** **Score earned: 2**

Question: 20 **Score: 2**

What is the output?

```
using System;

class Box<T>
{
    public T Value;
    public T Get() => Value;
}

class Program
{
    static void Main()
    {
        Box<int> b = new Box<int>();
        b.Value = 0;
        b.Value += 5;
        Console.WriteLine(b.Get());
    }
}
```

Option A: 0

Option B: 5

Option C: Error

Option D: Null

Answer: B **Selected: B** **Score earned: 2**

Question: 21 **Score: 2**

What is the output?

```
using System;
using System.Linq;

class Program
{
    static void Main()
    {
        var nums = new[] { 1, 2, 3 };

        var query = nums.Select(x => x * 2);

        nums[0] = 10;

        foreach (var n in query)
        {
            Console.Write(n);
        }
    }
}
```

Option A: 246

Option B: 2046

Option C: 260

Option D: 2460

Answer: B **Selected: B** **Score earned: 2**

Question: 22 **Score: 2**

What is the output?

```
using System;
```

```
using System.Linq;

class Program
{
    static void Main()
    {
        var nums = new[] { 1, 2, 3, 4 };

        var result = nums.Where(x => x > 1)
                         .Select(x => x * 2)
                         .Aggregate((a, b) => a + b);

        Console.WriteLine(result);
    }
}
```

Option A: 14

Option B: 12

Option C: 18

Option D: 8

Answer: C **Selected: C** **Score earned: 2**

Question: 23 **Score: 2**

What is the output?

```
using System;

static class Ext
{
    public static int Square(this int x)
```

```
    {
        return x * x;
    }
}

class Program
{
    static void Main()
    {
        int? n = 3;
        int result = n.Value.Square();
        Console.WriteLine(result);
    }
}
```

Option A: 3

Option B: 6

Option C: 9

Option D: Error

Answer: C **Selected: C** **Score earned: 2**

Question: 24 **Score: 2**

What is the output?

```
using System;

static class Ext
{
    public static string Format(this int n)
    {
```

```
        if (n % 2 == 0)
            return "Even-" + (n * 2);
        else
            return "Odd-" + (n + 1);
    }
}

class Program
{
    static void Main()
    {
        int a = 3;
        int b = 4;

        string r1 = a.Format();
        string r2 = b.Format();

        Console.Write(r1 + " | " + r2);
    }
}
```

Option A: Odd-4 | Even-8

Option B: Odd-3 | Even-4

Option C: Even-6 | Odd-5

Option D: Compilation Error

Answer: A **Selected: A** **Score earned: 2**

Question: 25 **Score: 2**

What is the output?

```
using System;

static class Ext
{
    public static string Repeat(this string s, int n)
    {
        string result = "";
        for (int i = 0; i < n; i++)
        {
            result += s;
        }
        return result + "!";
    }
}

class Program
{
    static void Main()
    {
        Console.WriteLine("Hi".Repeat(2));
    }
}
```

Option A: HiHi

Option B: Hi

Option C: Compilation Error

Option D: HiHi!

Answer: D **Selected: D** **Score earned: 2**

Question: 26 **Score: 2**

What is the output?

```
using System;
using System.Collections;

class Program
{
    static void Main()
    {
        ArrayList arr = new ArrayList();
        arr.Add("Hello");
        arr.Add(10);
        arr.Insert(1, "Hi");
        Console.WriteLine(arr[1]);
    }
}
```

Option A: 10

Option B: Hi

Option C: Runtime Error

Option D: Hello

Answer: B **Selected: A** **Score earned: 0**

Question: 27 **Score: 2**

What is printed?

```
using System;

class A
{
```

```
    public virtual string Name => "A";
}

class B : A
{
    public override string Name => base.Name + "B";
}

class C : B
{
    public override string Name => "X" + base.Name + "C";
}

class Program
{
    static void Main()
    {
        A obj = new C();
        Console.WriteLine(obj.Name);
    }
}
```

Option A: A

Option B: ABC

Option C: XABC

Option D: XAC

Answer: C **Selected: C** **Score earned: 2**

Question: 28 **Score: 2**

Which method executes?

```
using System;

class Logger
{
    public virtual void Log(string msg)
    {
        Console.Write("Base ");
    }
}

class FileLogger : Logger
{
    public override void Log(string msg)
    {
        Console.Write("Derived ");
    }
}

class Program
{
    static void Main()
    {
        Logger log = new FileLogger();
        log.Log("Hi");
    }
}
```

Option A: Base

Option B: Derived

Option C: Runtime Error

Option D: Compilation Error

Answer: B **Selected: C** **Score earned: 0**

Question: 29 **Score: 2**

Which value is actually returned by the Area() method at runtime?

```
using System;

interface IShape
{
    double Area();
}

class Square : IShape
{
    public double Side { get; set; }

    public double Area()
    {
        double extra = Side * 0.5;
        return (Side * Side) + extra;
    }
}

class Program
{
    static void Main()
    {
```

```
        IShape s = new Square { Side = 4 };
        double result = s.Area();
        Console.WriteLine(result);
    }
}
```

Option A: 20

Option B: 18

Option C: 16

Option D: Error

Answer: B **Selected: B** **Score earned: 2**

Question: 30 **Score: 2**

Which catch executes?

```
using System;

class Program
{
    static void Main()
    {
        try
        {
            int x = int.Parse("abc");
        }
        catch (Exception)
        {
            Console.Write("General ");
        }
        catch (FormatException)
```

```
        {
            Console.Write("Format ");
        }
    }
}
```

Option A: Format

Option B: General

Option C: Both execute

Option D: Compilation Error

Answer: D **Selected: C** **Score earned: 0**

Question: 31 **Score: 2**

What exactly will be printed when this program runs?

```
using System;

class ResourceA : IDisposable
{
    public void Dispose()
    {
        Console.Write("DisposeA ");
    }
}

class ResourceB : IDisposable
{
    public void Dispose()
    {
        Console.Write("DisposeB ");
```

```
    }
}

class Program
{
    static void Main()
    {
        try
        {
            using (var a = new ResourceA())
            {
                Console.Write("Start ");

                using (var b = new ResourceB())
                {
                    Console.Write("Inside ");
                    throw new Exception();
                }
            }
        }
        catch
        {
            Console.Write("Caught ");
        }
        finally
        {
            Console.Write("Finally");
        }
    }
}
```

Option A: Start Inside Caught Finally

Option B: Start Inside DisposeB DisposeA Caught Finally

Option C: Start Inside DisposeA DisposeB Caught Finally

Option D: Start DisposeB Inside Caught Finally

Answer: B **Selected: B** **Score earned: 2**

Question: 32 **Score: 2**

What is printed?

```
using System;

class Program
{
    static void Process()
    {
        try
        {
            Console.Write("Try ");
            throw new Exception("X");
        }
        finally
        {
            Console.Write("Finally ");
        }
    }

    static void Main()
    {
        try
```

```
        {
            Process();
        }
        catch
        {
            Console.Write("Caught ");
        }
        Console.Write("End");
    }
}
```

Option A: Try Finally End

Option B: Try Finally Caught End

Option C: Try Caught Finally End

Option D: Finally Try Caught End

Answer: B **Selected: A** **Score earned: 0**

Question: 33 **Score: 2**

What is printed?

```
using System;

delegate int Calc(int a, int b);

class Program
{
    static int total = 0;

    static int Add(int x, int y)
    {
```

```
        total += x + y;
        Console.Write("Add ");
        return total;
    }

    static int Multiply(int x, int y)
    {
        total += x * y;
        Console.Write("Mul ");
        return total;
    }

    static void Main()
    {
        Calc c = Add;
        c += Multiply;
        c += Add;

        int result = c(2, 3);

        Console.WriteLine();
        Console.WriteLine("Total = " + total);
        Console.WriteLine("Result = " + result);
    }
}
```

Option A: Add Mul Add

Total = 10

Result = 10

Option B: Add Mul Add

Total = 16

Result = 16

Option C: Mul Add Add

Total = 16

Result = 11

Option D: Add Add Mul

Total = 11

Result = 11

Answer: B **Selected: B** **Score earned: 2**

Question: 34 **Score: 2**

What is printed?

```
using System;

class Publisher
{
    public event Action E;

    public void Raise()
    {
        Console.Write("Start ");
        E?.Invoke();
        Console.Write("End");
    }
}

class Program
{
    static void Main()
```

```
    {
        Publisher p = new Publisher();
        p.E += delegate { Console.Write("Hello "); };
        p.Raise();
    }
}
```

Option A: Hello

Option B: Nothing

Option C: Start Hello End

Option D: Compilation Error

Answer: C **Selected: C** **Score earned: 2**

Question: 35 **Score: 2**

What is the output?

```
using System;

delegate void MyDel();

class Program
{
    static void Main()
    {
        MyDel d = () => Console.Write("Lambda ");
        d += () => Console.Write("Delegate ");
        d += () => Console.Write("Chain");

        d();
        Console.WriteLine();
```

```
    }
}
```

Option A: Lambda Delegate

Option B: Delegate Lambda

Option C: Lambda Delegate Chain

Option D: Compilation Error

Answer: C **Selected: C** **Score earned: 2**

Programming Section

Total Questions:	**1**
Total Earned Programming Score:	**0**
Time Duration:	**45 Minutes**

Question: 1 **Score: 100**

Banking SystemProblem Statement:Develop a banking system using OOP principles. The system should handle accounts, deposits, withdrawals, and balance inquiries. Description:Your task is to create a Program that models a banking system. You need to create a class BankAccount with attributes like accountNumber, balance, and methods like deposit(), withdraw(), and getBalance(). The system should allow the user to perform these operations based on the account number. Input Format:The first line contains an integer N, the number of operations.The next N lines contain operations in the format create <accountNumber>, deposit <accountNumber> <amount>, withdraw <accountNumber> <amount>, or balance <accountNumber>. Output Format:Print the result of each operation. For create, print "Account created". For deposit, print "Deposit successful". For withdraw, print "Withdrawal successful" or "Insufficient funds". For balance, print the account balance. Sample Input:5create 12345deposit 12345 1000withdraw 12345 500balance 12345withdraw 12345 600 Sample Output:Account createdDeposit successfulWithdrawal successfulBalance: 500.0Insufficient funds

Candidate Answer

C#

```
using System;
public class Hello {
    public class BankAccount{
        public int accountNumber{get;set;}
        public int amount{get;set;}
        public void create(int accno){
            accountNumber=accno;
            Console.WriteLine("Account created");
        }
        public void deposit(int accno,int amt){
            amount+=amt;
```

C#

```
                Console.WriteLine("Deposit
    successful");
            }
            public void withdraw(int accno,int amt){
                amount-=amt;
                if(amount>0)
                {Console.WriteLine("Withdrawal
    successful");
                }
                else{
                    Console.WriteLine("Insufficient
    funds");
                }
            }
            public void getBalance(int accno){
                Console.WriteLine("Balance:
    "+amount);
            }

        }
        public static void Main() {
            //A Simple Hello World Program
            string[] s=Console.ReadLine().Split();


            //Getting input via STDIN
            string userInput =
    System.Console.ReadLine();
            System.Console.WriteLine("The Input
    Provided is: " + userInput);
        }
```

C#

```
    }
```

Passed All Test Cases: FALSE **Score earned: 0/100**