Experiment 1: Responsive Class Time Table using Bootstrap Grid System

CODE:

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
sRIl4kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
crossorigin="anonymous">

  <title>Web page</title>

  <style>

    body {

      background-color: #f8f9fa;

      font-size: large;

    }

    .display-1{

      color: #343a40;

      text-align: center;

      margin-top: 20px;

      margin-bottom: 40px;

    }

    .col {

      color: #343a40;

      text-align: center;

      padding: 30px;

      border: 1.5px solid black;

    }
```

```
    .head{
      background-color: #343a40;
      color: white;
      font-weight: bold;
    }
    </style>
  </head>
  <body>
    <h1 class="display-1">IT-2 TimeTable</h1>
    <div class="container text-center">
      <div class="row row-cols-7">
        <div class="col head">Period/Day</div>
        <div class="col head">I</div>
        <div class="col head">II</div>
        <div class="col head">III</div>
        <div class="col head">IV</div>
        <div class="col head">V</div>
        <div class="col head">VI</div>
      </div>
      <div class="row row-cols-7">
        <div class="col head">Monday</div>
        <div class="col">PE-1</div>
        <div class="col">EEA</div>
        <div class="col">PQT</div>
        <div class="col">DBMS</div>
        <div class="col">LIBRARY</div>
        <div class="col">SPORTS</div>
      </div>
      <div class="row row-cols-7">
```

```
  <div class="col head">Tuesday</div>
  <div class="col">EAD</div>
  <div class="col">DBMS</div>
  <div class="col">EEA</div>
  <div class="col">EA</div>
  <div class="col">SPORTS</div>
  <div class="col">LIBRARY</div>
</div>
<div class="row row-cols-7">
  <div class="col head">Wednesday</div>
  <div class="col">PQT</div>
  <div class="col">EEA</div>
  <div class="col">DBMS</div>
  <div class="col">LIBRARY</div>
  <div class="col">SPORTS</div>
  <div class="col">EAD</div>
</div>
<div class="row row-cols-7">
  <div class="col head  ">Thursday</div>
  <div class="col">PQT</div>
  <div class="col">EEA</div>
  <div class="col">DBMS</div>
  <div class="col">LIBRARY</div>
  <div class="col">SPORTS</div>
  <div class="col">EAD</div>
</div>
<div class="row row-cols-7">
  <div class="col head">Friday</div>
  <div class="col">PQT</div>
```

```
        <div class="col">EEA</div>

        <div class="col">DBMS</div>

        <div class="col">LIBRARY</div>

        <div class="col">SPORTS</div>

        <div class="col">EAD</div>

      </div>

    </div>

  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
ENjdO4Dr2bkBIFxQpeoTz1HIcje39Wm4jDKdf19U8gI4ddQ3GYNS7NTKfAdVQSZe"
crossorigin="anonymous"></script>

</body>

</html>
```

OUTPUT:

IT-2 TimeTable

Period/Day	I	II	III	IV	V	VI
Monday	PE-1	EEA	PQT	DBMS	LIBRARY	SPORTS
Tuesday	EAD	DBMS	EEA	EA	SPORTS	LIBRARY
Wednesday	PQT	EEA	DBMS	LIBRARY	SPORTS	EAD
Thursday	PQT	EEA	DBMS	LIBRARY	SPORTS	EAD
Friday	PQT	EEA	DBMS	LIBRARY	SPORTS	EAD

Experiment 2: Responsive Student Registration Form using Bootstrap Components

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
rel="stylesheet">

<title>Student Registration</title>

<style>

body{

background: linear-gradient(to right,#74ebd5,#ACB6E5);

margin:30px;

}

h1{

text-align:center;

margin-bottom:30px;

color:#0d3b66;

}

.form-box{

background:white;

padding:25px;

border-radius:12px;

box-shadow:0px 10px 20px rgba(0,0,0,0.2);

}

</style>

</head>

<body>

<h1>Student Registration Form</h1>
```

```
<div class="container form-box">
<form class="row g-3">
<div class="col-md-6">
<label class="form-label">Student Name</label>
<input type="text" class="form-control" value="Thanmai">
</div>
<div class="col-md-6">
<label class="form-label">Student Roll Number</label>
<input type="number" class="form-control" value="160124737095">
</div>
<div class="col-md-6">
<label class="form-label">Student Email</label>
<input type="email" class="form-control" value="thanmai@gmail.com">
</div>
<div class="col-md-6">
<label class="form-label">Password</label>
<input type="password" class="form-control" placeholder="Enter Password">
</div>
<div class="col-12">
<label class="form-label">Address</label>
<input type="text" class="form-control" placeholder="Apartment, street, area">
</div>
<div class="col-md-6">
<label class="form-label">City</label>
<input type="text" class="form-control" placeholder="Enter City">
</div>
<div class="col-md-4">
<label class="form-label">State</label>
<select class="form-select">
```

```
<option selected>Select State</option>

<option>Telangana</option>

<option>Andhra Pradesh</option>

<option>Karnataka</option>

<option>Tamil Nadu</option>

</select>

</div>

<div class="col-md-2">

<label class="form-label">Zip</label>

<input type="text" class="form-control" placeholder="Zip Code">

</div>

<div class="col-12">

<div class="form-check">

<input class="form-check-input" type="checkbox">

<label class="form-check-label">

Agree to Terms and Conditions

</label>

</div>

</div>

<div class="col-12">

<button type="submit" class="btn btn-success">Register</button>

</div>

</form>

</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></sc
ript>

</body>

</html>
```

OUTPUT:



TM
BHARATHI
INSTITUTE OF TECHNOLOGY
స్వయం తేజస్విన్ భవ
1979

Experiment 3: Responsive College Website Navigation using Bootstrap Navbar, Carousel and Modals

Code:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>CBIT College</title>

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">

</head>

<body>

<nav class="navbar navbar-expand-lg navbar-dark bg-primary">

<div class="container">

<a class="navbar-brand" href="#">Chaitanya Bharathi Institute of Technology</a>

<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">

<span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse" id="navbarNav">

<ul class="navbar-nav ms-auto">

<li class="nav-item">

<a class="nav-link active" href="#">Home</a>

</li>

<li class="nav-item">

<a class="nav-link" href="#">About</a>

</li>

<li class="nav-item">
```

```
<a class="nav-link" href="#">Courses</a>

</li><li class="nav-item">

<a class="nav-link" href="#">Contact</a>

</li></ul></div></div></nav>

<div id="carouselExample" class="carousel slide" data-bs-ride="carousel">

<div class="carousel-inner">

<div class="carousel-item active">

<img src="https://images.unsplash.com/photo-1576495199011-eb94736d05d6" class="d-
block w-100" height="400">

</div>

<div class="carousel-item">

<img src="https://images.unsplash.com/photo-1580582932707-520aed937b7b" class="d-
block w-100" height="400">

</div>

<div class="carousel-item">

<img src="https://images.unsplash.com/photo-1576495199011-eb94736d05d6" class="d-
block w-100" height="400">

</div>

</div>

<button class="carousel-control-prev" type="button" data-bs-target="#carouselExample"
data-bs-slide="prev">

<span class="carousel-control-prev-icon"></span>

</button>

<button class="carousel-control-next" type="button" data-bs-target="#carouselExample"
data-bs-slide="next">

<span class="carousel-control-next-icon"></span>

</button></div>

<div class="container mt-5">

<div class="row text-center">

<div class="col-md-4">

<img src="https://images.unsplash.com/photo-1524995997946-a1c2e315a42f"
class="img-fluid rounded mb-3">
```

```
<h3>Departments</h3>

<p>CBIT offers Computer Science, Mechanical, Civil and Electronics departments.</p>

<button class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#infoModal">More
Info</button></div>

<div class="col-md-4">

<img src="https://images.unsplash.com/photo-1524995997946-a1c2e315a42f"
class="img-fluid rounded mb-3">

<h3>Facilities</h3>

<p>Modern labs, digital libraries, smart classrooms and sports facilities.</p>

<button class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#infoModal">More
Info</button></div>

<div class="col-md-4">

<img src="https://images.unsplash.com/photo-1551836022-d5d88e9218df" class="img-
fluid rounded mb-3">

<h3>Placements</h3>

<p>Top companies visit CBIT campus every year for placements.</p>

<button class="btn btn-primary" data-bs-toggle="modal" data-bs-target="#infoModal">More
Info</button></div></div></div>

<div class="modal fade" id="infoModal">

<div class="modal-dialog">

<div class="modal-content">

<div class="modal-header">

<h5 class="modal-title">CBIT Information</h5>

<button type="button" class="btn-close" data-bs-dismiss="modal"></button>

</div>

<div class="modal-body">

Chaitanya Bharathi Institute of Technology (CBIT) provides quality education with modern
infrastructure and excellent placement opportunities.

</div>

<div class="modal-footer">

<button class="btn btn-secondary" data-bs-dismiss="modal">Close</button>

</div></div></div></div>
```

```
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/js/bootstrap.bundle.min.js"></sc
ript>

</body>

</html>
```

OUTPUT:



TM
BHARATHI
INSTITUTE OF TECHNOLOGY
స్వయం తేజస్విన్ భవ
1979