



TRƯỜNG ĐẠI HỌC
QUỐC TẾ
MIỀN ĐÔNG

EASTERN
INTERNATIONAL
UNIVERSITY

BECAMEX BUSINESS SCHOOL

ASSIGNMENT 1

Basic SQL Install and Load Database with PostgreSQL

Course: MIS 443 - BUSINESS DATA MANAGEMENT

Lecturer: Mr. Dang Thai Doan

Student: Than Que Ngoc - 2232300060

Quarter 4, Academic Year 2025-2026

Activity 1

You have set up your working environment. You have got PostgreSQL up and running. You have even installed the sqlda database. Now it is time to take a look at the data you have in hand and identify its characteristics.


Please create SQL statements to fetch the first 20 rows of each table in your sqlda database. Please answer the following two questions:

Which table is empty?

Which table has fewer than 20 records?

Answer

First, use the `SELECT` statement to retrieve the first 20 rows of each table (there are a total of 13 tables) in the sqlda database, fulfilling the first requirement of Activity 1.



The screenshot shows the pgAdmin 4 interface. The left sidebar displays the database structure, including the 'public' schema with 13 tables. The main query editor shows a series of SQL statements to fetch the first 20 rows of each table. A red box highlights the following queries:


```
-- QUESTION: Please create SQL statements to fetch the first 20 rows of each table
SELECT * FROM public.closest_dealerships LIMIT 20;
SELECT * FROM public.countries LIMIT 20;
SELECT * FROM public.customer_sales LIMIT 20;
SELECT * FROM public.customer_sales_copy LIMIT 20;
SELECT * FROM public.customer_survey LIMIT 20;
SELECT * FROM public.customers LIMIT 20;
SELECT * FROM public.dealerships LIMIT 20;
SELECT * FROM public.emails LIMIT 20;
SELECT * FROM public.products LIMIT 20;
SELECT * FROM public.public_transportation_by_zip LIMIT 20;
SELECT * FROM public.sales LIMIT 20;
SELECT * FROM public.salespeople LIMIT 20;
SELECT * FROM public.top_cities_data LIMIT 20;
```

The 'Data Output' tab shows the results of the first query, displaying a table with 4 columns: city, number_of_customers, female, and male. The table contains 2 rows of data.


city	number_of_customers	female	male
Washington	1447	734	713
Houston	904	446	458

The status bar at the bottom indicates 'Total rows: 20' and 'Query complete 00:00:00.074'.

After running each table in the first request, only the "countries" table returned 0 rows (Total rows: 0), while the other tables all returned rows, indicating that the "countries" table contains no data. This is the answer to Question 1: Which table is empty?



Regarding the Question 2, the "countries" table also has fewer than 20 rows



The "products" table returns 12 rows (Total rows: 12), while the other tables all have 20 rows (because the initial request only asked for the first 20 rows).

The screenshot shows the pgAdmin 4 interface. The left sidebar displays the database structure, including the 'public' schema and its tables. The main pane shows a SQL query window with the following content:

```
Query Query History
13 SELECT * FROM public.customer_survey LIMIT 20;
14 SELECT * FROM public.customers LIMIT 20;
15 SELECT * FROM public.dealerships LIMIT 20;
16 SELECT * FROM public.emails LIMIT 20;
17 SELECT * FROM public.products LIMIT 20;
18 SELECT * FROM public.public_transportation_by_zip LIMIT 20;
19 SELECT * FROM public.sales LIMIT 20;
20 SELECT * FROM public.salespeople LIMIT 20;
21 SELECT * FROM public.top_cities_data LIMIT 20;
22
23 -- Q1: which table is empty?
24 SELECT * FROM public.countries LIMIT 20;
25 -- ANSWER: The "countries" table is empty (0 rows returned)
26
27 -- Q2: which table has fewer than 20 records?
28 SELECT * FROM public.countries LIMIT 20;
29 SELECT * FROM public.products LIMIT 20;
30 -- ANSWER: The "countries" table has fewer than 20 records (0 rows returned)
31 -- The "products" table has fewer than 20 records (only 12 rows returned)
32
```

The 'Data Output' pane shows the results of the query. The first table has 12 rows, and the second table has 0 rows. The 'Total rows: 12' is highlighted in red. The query is complete, and the status bar shows 'Query complete 00:00:00.050'.

product_id	model	year	product_type	base_msrp	production_start_date	production_end_date
1	Lemon	2016	scooter	399.99	2015-10-28 00:00:00	2018-02-03 00:00:00
2	Lemon Limited Edition	2017	scooter	799.99	2016-08-30 00:00:00	2016-11-24 00:00:00

Conclusion

Q1: Which table is empty?

- Countries

Q2: Which table has fewer than 20 records?

- Countries
- Products