

R - Mean, Median and Mode x Create a new R program - myCo x +

myCompiler.io/new/r

myCompiler Guides Recent Login Sign up

MEAN

R

```
1 x <- c(12,7,3,4,2,18,2,54,-21,8,-5)
2
3 # Find Mean.
4 result.mean <- mean(x)
5 print(result.mean)
6
```

Run Save

Program input

Output

```
[1] 8.22

[Execution complete with exit code 0]
```

88°F Partly sunny

18:18 12-09-2022

R - Mean, Median and Mode x Create a new R program - myCo x +

myCompiler.io/new/r

myCompiler Guides Recent Login Sign up

MEDIAN

R

```
1 x <- c(12,7,3,4,2,18,2,54,-21,8,-5)
2
3 # Find the median.
4 median.result <- median(x)
5 print(median.result)
```

Run Save Ctrl+Enter

Program input

Output

```
[1] 5.6

[Execution complete with exit code 0]
```

88°F Partly sunny

18:19 12-09-2022

R - Mean, Median and ModeCreate a new R program - myCo

mycompiler.io/new/r

GmailYouTubeMapsNew Tabpython online com...Meet - kit-homk-zmMicrosoft Word - D...Meet - guq-nope-t...Welcome to Virtual...EPFO

myCompiler

GuidesRecentLoginSign up

MODE

Ctrl+Enter

RunSave

```
1 getmode <- function(v) {
2   uniqv <- unique(v)
3   uniqv[which.max(tabulate(match(v, uniqv)))]
4 }
5
6 # Create the vector with numbers.
7 v <- c(2,1,2,3,1,2,3,4,1,5,5,3,2,3)
8
9 # Calculate the mode using the user function.
10 result <- getmode(v)
11 print(result)
12
13 # Create the vector with characters.
14 charv <- c("o","it","the","it","it")
15
16 # Calculate the mode using the user function.
17 result <- getmode(charv)
18 print(result)
```

Program input

Output

```
[1] 2
[1] "it"
```

[Execution complete with exit code 0]

88°F  
Partly sunny

ENG  
IN

18:20  
12-09-2022