Pattern Programs:

```
for i in range(1,6,1):
  for j in range(1,6,1):
     if(i==1 or i==5 or j==1 or j==5):
        print('*',end=' ')
     else:
        print(' ',end=' ')
  print()
o/p:
for i in range(1,6,1):
  for j in range(5,i,-1):
     print('-',end=' ')
  for k in range(1,i+1,1):
     print('*',end=' ')
  print()
```

```
o/p:
for i in range(1,6,1):
  for j in range(1,i+1,1):
     print('*',end=' ')
  print()
for x in range(1,5,1):
  for y in range(5,x,-1):
     print('*',end=' ')
  print()
o/p:
```

```
for i in range(1,6,1):
  print('*'*i, end=' ')
  print(' '*(2*(5-i)),end=' ')
  print('*'*i, end=' ')
  print()
o/p:
for i in range(1,6,1):
  print('*'*i,end=' ')
  print(' '*(2*(5-i)),end=' ')
  print('*'*i,end=' ')
  print()
for j in range(4,0,-1):
  print('*'*j,end=' ')
  print(' '*(2*(5-j)),end=' ')
  print('*'*j,end=' ')
  print()
```

o/p:

*

** **

*** ***

**** ****

**** ****

*** ***

** **

* *