





To be replaced with a female DSUB 9 mounted on PCB backside ?


CONNECTOR TO WEATHER SHIELD VF

10 pin flat cable to PCB with: D-Sub 9 pin vert solder IP67 SDF-V09-113L011




FEATHER BASE VF5
APR 2024 P1/3
CHRISTIAN FIOT

VF4 to VF5
Change for vertical SD connector I



Clock & Timer Development Tools Adafruit
PCF8523 RTC Breakout Board
Part# 3295



Enclosure NBF-32410
NEMA with Clear Polycarbonate Door (5.9 X 5.9 X 3.5 In)

SOLAR


CHARGER VA
DEC 2021
CHRISTIAN FIOT

HEATSINK
508500B00000G
Epoxy Attach-On for DIPs,
Horizontal, 34 C/W, 31.75mm

BATTERY
3.7V 30Ah
Ternary Lithium Battery

USB C - Power & Data
Receptacle / Female
Vertical

FEATHER BASE VF5
APR 2024 P2/3
CHRISTIAN FIOT






Battery charge, reduce power loss

Add pin#3 MS1 power GPS antenna (Terra modem).

Add J10 & J11 to open RST & LOAD

Add RSTI2C IO15 controlled by ESP

Control power to modem



FEATHER BASE VF5
APR 2024 P3/3
CHRISTIAN FIOT

Feather socket

LTE Module:
qTop LTE GNSS BG95/BG96 AFC shield
<https://www.iot-bots.com/products/qtop-adafruit-feather-compatible-lte-cat-m1-nb-iot-gnss-shield>

