MERN STACK

TRAINING TR-103 REPORT DAY 6

1 July 2026

Overview:

Today I learned about CSS Positioning and the z-index property. I learned how different positioning values control the placement of elements on a webpage and how offset properties such as top, bottom, left, and right are used to adjust their positions. The session also introduced the z-index property, which controls the stacking order of overlapping elements. Practical examples helped us understand how to create flexible and well-structured webpage layouts.

Learning Objectives:

- Understand the concept of CSS Positioning.
- Learn different values of the `position` property.
- Understand the use of offset properties.
- Learn how to position elements using CSS.
- Understand the purpose of the `z-index` property.
- Create webpage layouts using different positioning techniques.

CSS Positioning

CSS Positioning is used to control the placement of elements on a webpage. It allows elements to be positioned differently from the normal document flow, making it easier to design flexible and responsive layouts.

Types of CSS Position

The **position property** specifies how an element is placed on a webpage.

- static – Default position; follows the normal document flow.
- relative – Positions an element relative to its normal position.
- absolute – Positions an element relative to its nearest positioned parent.
- fixed – Positions an element relative to the browser window and remains fixed while scrolling.
- sticky – Acts like relative until a scroll point is reached, then becomes fixed.

CSS Offset Properties

Offset properties are used to move positioned elements from their reference point.

Properties:

- top – Moves the element downward.
- bottom – Moves the element upward.
- left – Moves the element to the right.
- right – Moves the element to the left.

CSS z-index

The z-index property controls the stacking order of overlapping elements. An element with a higher z-index value appears in front of an element with a lower value.

Features:

- Controls the stacking order of elements.
- Used when elements overlap.
- Higher z-index values appear in front of lower values.

Task:

```
<div class="nav">
    <div class="logo">
        <span class="logo-text">Tours</span>
    </div>

    <ul class="nav-link">
        <li><a href="#" class="active">Home</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">Tours</a></li>
        <li><a href="#">Blog <i class="fa-solid fa-angle-down"></i></a></li>
        <li><a href="#">Pages <i class="fa-solid fa-angle-down"></i></a></li>
        <li><a href="#">Contact</a></li>
    </ul>

    <div class="nav-right">
        <div class="search-box">
            <input type="text" placeholder="Enter keyword...">
            <button class="search-btn">
                <i class="fa-solid fa-magnifying-glass"></i>
            </button>
        </div>

        <div class="theme-toggle">
            <i class="fa-solid fa-circle-half-stroke"></i>
        </div>
    </div>
</div>

<div class="middle">
    <div class="img">
        <img src="
        <h1> Your journey begins</h1>
        <p> Take advantage of this amazing exclusive offers</p>
        <button> Explore more</button>

        <div class="circle">
            <div class="ac"><i class="fa-solid fa-arrow-left"></i></div>
            <div class="ca"><i class="fa-solid fa-arrow-right"></i>
</div>
        </div>
    </div>
</div>

    <div class="sel">
    <form>
        <div class="a"><label>Date from: <input type="date"></label></div>
        <div class="b"><label>Destination: <select>
            <option>Select your option</option>
            <option>Srinagar</option>
            <option>Leh Ladakh</option>
            <option>shimla</option>
        </select></label></div>
        <div class="c"><label>Activity:<select>
            <option>Select any</option>
        </select></label></div>
        <div class="d">
        <label>
            Guests:<input type="number">
        </label></div>

        <button class="e">Find Tour</button>
</form>
</div>
```

Output:



Conclusion:

By the end of Day 6, I understood how CSS positioning controls the placement of elements on a webpage and learned to use different position values effectively. I also learned how offset properties and the `z-index` property help create well-structured, responsive, and visually organized web page layouts.