

VT STYLES

HAIR STYLE SOLUTIONS FOR HIM AND HER

A Mini Project Report

Submitted for the partial fulfillment for the award of degree of

BACHELOR OF COMPUTER APPLICATIONS

By

R.THARANISHVARAN (A22CADA46)

B.VIJAYARAGAVAN (A22CADA49)

B.VELMURUGAN (A22CADA48)

under the guidance of

Dr. A. LOURDU CAROLINE, M.C.A., M.Phil., Ph.D.,

Assistant Professor, PG Department of Computer Applications



PG DEPARTMENT OF COMPUTER APPLICATIONS

ST. JOSEPH'S COLLEGE OF ARTS & SCIENCE (AUTONOMOUS)

(Affiliated to Annamalai University, Annamalai nagar)

CUDDALORE – 607001

APRIL-2025

CERTIFICATE

This is to certify that the Mini Project entitled

VT STYLES HAIR STYLES SOLUTIONS FOR HIM AND HER

being submitted to the

St. Joseph's College of Arts & Science (Autonomous)

(Affiliated to Annamalai University, Annamalai nagar)

By

R.THARANISHVARAN(A22CADA46)

B.VIJAYARAGAVAN(A22CADA49)

B.VELMURUGAN(A22CADA48)

for the partial fulfillment for the award of degree of

BACHELOR OF COMPUTER APPLICATIONS

is a bonafide record of work carried out by
them, under my guidance and supervision.

INTERNAL GUIDE

HEAD OF THE DEPARTMENT

Submitted for the viva-voce examination held on _____

Examiners:

1. _____

2. _____

ACKNOWLEDGEMENT

It is our earnest and sincere desire and ambition to acquire profound knowledge in the study of Computer Applications. We are grateful to God, the almighty who has blessed us abundantly and guide us to complete this work.

It is our pleasure to acknowledge the help and guidance that we had received from different personal and to thank them individually.

We grab this opportunity to thank **Rev. Fr. Dr.M.SWAMINATHAN D.C.L., D.JURIS.,** Secretary, **Dr. M. ARUMAI SELVAM, M.Sc., M.Phil., Ph.D.,** Principal, St. Joseph's College of Arts & Science (Autonomous), Cuddalore for giving us an opportunity for submitting this project.

We take immense pleasure in conveying our sincere and heartfelt gratitude to **Dr. A. JOHN PRADEEP EBENEZER, M.C.A., M.Phil., Ph.D.,** Head, PG Department of Computer Applications for extending the laboratory facilities and moral support.

We are greatly indented and truly feel privileged to extend our thanks to our guide. **Dr. A. LOURDU CAROLINE, M.C.A., M.Phil., Ph.D.,** Assistant Professor, PG Department of Computer Applications for the able guidance and constant encouragement to complete our project.

At the outset we take pleasure to extend our sincere gratitude to all our Teachers who had taken pains to shape and model us in all our endeavours, We bound to express our sincere and hearty gratitude to our dear parent for their financial and material support which helped us to do make this project a successful one. Last but not the least we place deepest sense of gratitude to all our friends

R.THARANISHVARAN(A22CADA46)

B.VIJAYARAGAVAN(A22CADA49)

B.VELMURUGAN(A22CADA48)

TABLE OF CONTENTS

CHAPTER NO	NAME OF THE TOPIC	PAGE NO
1	ABSTRACT	1
2	SOFTWARE DESCRIPTION 2.1 FRONT END-WINFORMS GUI 2.2 BACK END- SQL SERVER	2
3	HARDWARE AND SOFTWARE CONFIGURATION	5
4	SOURCE CODE	6
5	OUTPUT SCREEN	29
6	CONCLUSION	51

CHAPTER 1

ABSTRACT

The "VT Styles" is a powerful C# Windows Forms application designed to revolutionize the process of booking hairstyles for both men and women. This application boasts a sleek and intuitive interface, ensuring a seamless experience for users. New customers can easily register through a dedicated sign-up form, while returning users can securely access their accounts via a login system that includes robust data validation. The main page acts as a navigation hub, providing access to sections like Home, Styles, Products, and About Us. Users can explore available hairstyles and products, with the added option to click on images for an enlarged view, offering greater clarity and detail.

One of the standout features is the Booking Page, where users can select a specific date for their appointment, tailoring the experience to their personal schedules. This feature ensures flexibility and convenience, enabling customers to plan their visits effortlessly. Once a date is chosen, users can confirm their bookings, receiving real-time updates and feedback on the status of their appointments. The admin panel complements this functionality by empowering administrators to review and either accept or reject these appointment requests efficiently.

Additionally, the admin panel encompasses several management components, including employee management, product catalog management, and admin account supervision. This ensures a streamlined approach to backend operations. Through its combination of advanced features and user-friendly design, the VT Styles Booking and Management System not only redefines the booking experience for clients but also offers a robust administrative framework to enhance operational efficiency and management. It represents a harmonious blend of technology and convenience, catering to both user and administrative needs alike.

CHAPTER-2

SOFTWARE DESCRIPTION

2.1 WINFORMS GUI

Windows Forms (WinForms) is a graphical user interface (GUI) framework in C# used for building desktop applications. It is part of the .NET framework and provides a rich set of tools and controls to create interactive and user-friendly Windows applications. WinForms allows developers to design graphical interfaces using drag-and-drop components, making it easy to create forms, buttons, labels, text boxes, and other controls. It is widely used for building applications that require a desktop environment, such as business management systems, inventory applications, and booking systems.

The WinForms GUI development process involves designing the interface and writing C# code to handle events and interactions. The form designer in Visual Studio allows developers to visually create the layout by adding and arranging controls. Each control has properties, methods, and events that can be customized. For example, buttons have click events, text boxes handle textchanged events, and combo boxes respond to selectedindexchanged events. WinForms applications support a wide range of built-in controls, such as label, button, textbox, combobox, listbox, and datagridview.

These controls help display and interact with data. The datagridview control, for instance, is commonly used to display data from SQL Server databases. Developers can bind it to data sources, allowing real-time data retrieval and display.

Event handling is a key feature of WinForms. By writing event-driven code, developers can execute specific actions based on user interactions. For example, clicking a button may trigger SQL queries, form navigation, or calculations. Event handlers are written in C# to define the application's behavior.

WinForms also supports multi-form applications, where multiple forms are used to create a multi-screen interface. By using the `form.show()` and `form.hide()` methods, developers can navigate between forms. For example, in an appointment booking application, the main form may contain customer details, while a second form displays the appointment status.

WinForms provides extensive customization options through properties and methods. Developers can modify the appearance by changing colors, fonts, and styles. The framework also supports custom controls, enabling the creation of reusable components. Additionally, developers can use error handling techniques such as try-catch blocks to manage exceptions and prevent application crashes.

Overall, Windows Forms GUI in C# is a powerful framework for building desktop applications. It offers a simple and flexible environment with a variety of controls and event-driven programming capabilities. WinForms is ideal for creating data-driven, user-interactive applications with rich visual interfaces, making it a popular choice for desktop development in C#.

3.2 SQL SERVER

SQL Server is a robust relational database management system (RDBMS) developed by Microsoft, commonly used in C# Windows Forms applications for managing and storing data. When building desktop applications with C# (using Windows Forms), SQL Server serves as the back-end database, allowing the application to store, retrieve, and manipulate data efficiently. It supports Structured Query Language (SQL) for performing operations such as inserting, updating, deleting, and querying data. By integrating SQL Server with C#, developers can create dynamic and data-driven Windows applications with enhanced functionality.

To connect SQL Server with a C# Windows application, the ADO.NET framework is used. It provides classes and methods to interact with the database. The `SqlConnection` class establishes a connection, while the `SqlCommand` class is used to execute SQL queries. Data from SQL tables can be fetched using `SqlDataReader` for read-only access or `SqlDataAdapter` for disconnected data access, which allows populating controls like `DataGridView`, `ComboBox`, and `ListBox` in Windows Forms.

In C# Windows applications, SQL Server databases typically store application data such as user records, appointments, sales information, or other business-related data. The database schema consists of tables, columns, and data types like INT, VARCHAR, DATE, and BIT. To ensure data integrity, developers use primary keys, foreign keys, and constraints. Relationships between tables help manage complex data structures efficiently.

SQL Server offers advanced features such as stored procedures and functions to execute pre-defined SQL logic, improving performance by reducing redundant query execution. In C# Windows applications, stored procedures are called using SqlCommand objects, providing faster and more secure interactions with the database. Security is a key consideration when using SQL Server in Windows applications. Developers often use parameterized queries to prevent SQL injection attacks. Connection strings, containing authentication details, are stored securely in configuration files or encrypted to protect sensitive information.

For example, in a C# Windows Forms appointment booking application, SQL Server can store customer details, appointment dates, and statuses. The application uses SQL queries to insert new bookings, update appointment statuses, and retrieve booking history. The results are displayed in the Windows Forms UI, such as in DataGridView or Label controls.

Overall, SQL Server integration in C# Windows applications provides a reliable and scalable solution for data management. It ensures efficient storage, retrieval, and modification of data, making it ideal for developing desktop applications that require structured data handling and complex business logic.

CHAPTER 3

SYSTEM SPECIFICATIONS

HARDWARE REQUIREMENTS

System : ASUS VIVOBOK 15

Disk : 512GB

Monitor : 14. LCD.

Mouse : TOUCHPAD

RAM : 8GB

SOFTWARE REQUIREMENTS

Operating System : WINDOWS 11

Language : C#

Database : SQL SERVER

Compiler : C# COMPILER

CHAPTER 4

SOURCE CODE

LOGIN PAGE :

```
using System;

using System.Windows.Forms;

using System.Data.SqlClient;

namespace VT_STYLES
{
    public partial class Form1 : Form
    {
        SqlConnection con;

        SqlCommand cmd;

        SqlDataReader dr;

        public Form1()
        {
            InitializeComponent();
        }

        private void Form1_Load(object sender, EventArgs e)
        {

```

```

        con = new SqlConnection(@"Data Source=tharanishvaran\SQLEXPRESS01;Initial
Catalog=tempdb;Integrated Security=True");

    }

    private void button1_Click(object sender, EventArgs e)

    {

        con.Open();

        cmd = new SqlCommand("select * from login where uname = '"+textBox1.Text+"' and
password='"+textBox2.Text+"'",con);

        dr = cmd.ExecuteReader();

        if (string.IsNullOrEmpty(textBox1.Text))

        {

            MessageBox.Show("Fill The Details", "Error", MessageBoxButtons.OK,
MessageBoxIcon.Error);

        }

        else if (dr.Read())

        {

            MessageBox.Show("success","",MessageButtons.OK,MessageBoxIcon.Information);

            WEBSITE WS = new WEBSITE();

            WS.Show();

            string phoneNumber = textBox1.Text;

            string password = textBox1.Text;

        }

```

```

else

{

    MessageBox.Show("Invalid login. Please try again.", "Login Failed",
    MessageBoxButtons.OK, MessageBoxIcon.Error);

}

con.Close();

}

```

NEW USER CODE :

```

private void NEW_USER_Load(object sender, EventArgs e)

{

    con = new SqlConnection(@"Data Source=tharanishvaran\SQLEXPRESS01;Initial
    Catalog=tempdb;Integrated Security=True");

}

private void button1_Click(object sender, EventArgs e)

{

    if (string.IsNullOrEmpty(textBox1.Text) || string.IsNullOrEmpty(textBox2.Text) ||
    string.IsNullOrEmpty(textBox3.Text) || string.IsNullOrEmpty(textBox4.Text) ||
    string.IsNullOrEmpty(textBox5.Text) || string.IsNullOrEmpty(textBox6.Text))

    {

        MessageBox.Show("Fill The Details", "Error", MessageBoxButtons.OK,
        MessageBoxIcon.Error);
    }
}

```

```

        return;
    }

    string email = textBox4.Text;

    string emailpattern = @"^[^@\s]+@^[^@\s]+\.[^@\s]+$";

    if (!Regex.IsMatch(email, emailpattern))
    {
        MessageBox.Show("in correct email", "failed", MessageBoxButtons.OKCancel,
        MessageBoxIcon.Error);

        return;
    }

    string phonenumber = textBox3.Text;

    string phonepattern = @"^\+?[0-9]{10,15}$";

    if (!Regex.IsMatch(phonenumber, phonepattern))
    {
        MessageBox.Show("in correct phone number", "failed", MessageBoxButtons.OKCancel,
        MessageBoxIcon.Error);

        return;
    }

    if (textBox2.Text == textBox6.Text)
    {
        con.Open();
    }

```

```

        cmd = new SqlCommand("Insert into login values('" + textBox1.Text + "','" +
textBox2.Text + "','" + textBox3.Text + "','" + textBox4.Text + "','" + textBox5.Text + "')", con);

        cmd.ExecuteNonQuery();

        MessageBox.Show("User Created", "Success", MessageBoxButtons.OK,
MessageBoxIcon.Information);

        textBox1.Text = "";
        textBox2.Text = "";
        textBox3.Text = "";
        textBox4.Text = "";
        textBox5.Text = "";
        textBox6.Text = "";

    }

    else

    {

        MessageBox.Show("Check
password", "Error", MessageBoxButtons.OK, MessageBoxIcon.Error);

    }

    con.Close();

}

}

```

MAIN PAGE CODE :

```
public partial class WEBSITE : Form
{
    public WEBSITE()
    {
        InitializeComponent();
    }

    private void label9_Click(object sender, EventArgs e)
    {
        adminlogin al = new adminlogin();
        al.Show();
    }

    private void label10_Click(object sender, EventArgs e)
    {
        stylists s = new stylists();
        s.Show();
        this.Close();
    }

    private void label8_Click(object sender, EventArgs e)
    {
        productw pw = new productw();
```

```

        pw.Show();

        this.Close();
    }

    private void label11_Click(object sender, EventArgs e)
    {
        reviews rr = new reviews();

        rr.Show();

        this.Close();
    }
}

```

STYLES PAGE CODE :

```

namespace VT_STYLES
{
    public partial class stylists : Form
    {
        public stylists()
        {
            InitializeComponent();
        }
    }
}

```



```
private void pictureBox2_Click(object sender, EventArgs e)

{

    men m = new men();

    m.Show();

    this.Close();

}
```

```
private void pictureBox3_Click(object sender, EventArgs e)

{

    wmediumlayers ml = new wmediumlayers();

    ml.Show();

    this.Close();

}
```

```
private void label6_Click(object sender, EventArgs e)

{

    WEBSITE w = new WEBSITE();

    w.Show();

    this.Close();

}
```

```
private void label9_Click(object sender, EventArgs e)
```

```

{
    adminlogin al = new adminlogin();
    al.Show();
    this.Close();
}
}
}

```

BOOKING PAGE CODE :

```

public partial class booking : Form
{
    SqlCommand cmd;
    SqlConnection con;

    public booking(string receivedstyle, int receivedprice)
    {
        InitializeComponent();

        textBox2.Text = receivedstyle;

        textBox4.Text = receivedprice.ToString();

        double discount = receivedprice - (receivedprice * 0.15);

        textBox6.Text = discount.ToString("f2");
    }
}

```

```

private void button2_Click(object sender, EventArgs e)

{

    stylists s = new stylists();

    s.Show();

    this.Close();

}

private void booking_Load(object sender, EventArgs e)

{

    con = new SqlConnection(@"Data Source=tharanishvaran\SQLEXPRESS01;Initial
Catalog=tempdb;Integrated Security=True");

}

private void button1_Click(object sender, EventArgs e)

{

    if (string.IsNullOrEmpty(textBox1.Text) || string.IsNullOrEmpty(textBox3.Text)
|| string.IsNullOrEmpty(comboBox1.Text) || string.IsNullOrEmpty(textBox5.Text))

    {

        MessageBox.Show("Fill The Details", "failed", MessageBoxButtons.OKCancel,
MessageBoxIcon.Error);

        return;

    }

    string email1 = textBox5.Text;

    string emailpattern = @"^[^@\s]+@[^@\s]+\.[^@\s]+$";

```

```

        if (!Regex.IsMatch(email1, emailpattern))
        {
            MessageBox.Show("in correct email", "failed", MessageBoxButtons.OKCancel,
            MessageBoxIcon.Error);

            return;
        }

string phonenumber = textBox3.Text;

string phonepattern = @"^\+?[0-9]{10,15}$";

if (!Regex.IsMatch(phonenumber, phonepattern))
{
    MessageBox.Show("in correct phone number", "failed", MessageBoxButtons.OKCancel,
    MessageBoxIcon.Error);

    return;
}

try
{
    con.Open();

    string datevalue = dateTimePicker1.Value.ToString("yyyy-MM-dd");

    string query = "insert into
appointment(name,phoneno,gender,date,email,style,totalprice,status)" +
"values(@name,@phoneno,@gender,@date,@email,@style,@totalprice,null)";

    using (SqlCommand cmd = new SqlCommand(query, con))

```

```

    {
        cmd.Parameters.AddWithValue("@name", textBox1.Text);

        cmd.Parameters.AddWithValue("@phoneno", textBox3.Text);

        cmd.Parameters.AddWithValue("@gender", comboBox1.Text);

        cmd.Parameters.AddWithValue("@date", dateTimePicker1.Value.ToString("yyyy-
MM-dd"));

        cmd.Parameters.AddWithValue("@email", textBox5.Text);

        cmd.Parameters.AddWithValue("@style", textBox2.Text);

        cmd.Parameters.AddWithValue("@totalprice", textBox6.Text);

        cmd.ExecuteNonQuery();

        MessageBox.Show("Successfully Submitted We Will Send Email For Confirmation",
"BOOKED", MessageBoxButtons.OK, MessageBoxIcon.Information);

    }

}

catch (Exception ex)

{

    MessageBox.Show("error" + ex);

}

}

}

public partial class adminpanel : Form

{

```

```
SqlConnection con;
```

```
SqlCommand cmd;
```

```
SqlDataAdapter da;
```

```
public adminpanel()
```

```
{
```

```
    InitializeComponent();
```

```
}
```

ADMIN PAGE CODE :

```
private void adminpanel_Load(object sender, EventArgs e)
```

```
{
```

```
    con = new SqlConnection(@"Data Source=tharanishvaran\SQLEXPRESS01;Initial  
Catalog=tempdb;Integrated Security=True);
```

```
}
```

```
private void button1_Click(object sender, EventArgs e)
```

```
{
```

```
    con.Open();
```

```
    cmd = new SqlCommand("insert into employe  
values('"+textBox1.Text+"','"+textBox2.Text+"','"+textBox3.Text+"','"+comboBox2.Text+"','"+tex  
tBox4.Text+"','"+textBox5.Text+"','"+textBox6.Text+"')",con);
```

```
    cmd.ExecuteNonQuery();
```

```

        MessageBox.Show("insert successfully");

        con.Close();
    }

    private void button4_Click(object sender, EventArgs e)
    {
        con.Open();

        cmd = new SqlCommand("select * from employe",con);

        da = new SqlDataAdapter(cmd);

        DataTable dt = new DataTable();

        da.Fill(dt);

        dataGridView1.DataSource = dt;

        con.Close();
    }

    private void button3_Click(object sender, EventArgs e)
    {
        con.Open();

        cmd = new SqlCommand("delete employe where id='"+textBox1.Text+"'",con);

        cmd.ExecuteNonQuery();

        con.Close();

        MessageBox.Show("deleted successfully");
    }

    private void button2_Click(object sender, EventArgs e)

```

```

{

    con.Open();

    cmd = new SqlCommand("update employe set
name='"+textBox2.Text+"',phoneno='"+textBox3.Text+"',gender='"+comboBox2.Text+"',salary='"+
textBox4.Text+"',address='"+textBox5.Text+"',email='"+textBox6.Text+" where
id='"+textBox1.Text+"'",con);

    cmd.ExecuteNonQuery();

    MessageBox.Show("SUCCESSFULLY UPDATED");

    con.Close();

}

private void label2_Click(object sender, EventArgs e)

{

    app a = new app();

    a.Show();

}

private void label4_Click(object sender, EventArgs e)

{

    product p = new product();

    p.Show();

    this.Close();

}

private void label5_Click(object sender, EventArgs e)

```



```

{
    manageadmin ma = new manageadmin();

    ma.Show();

    this.Close();
}

private void label6_Click(object sender, EventArgs e)
{
    adminlogin a = new adminlogin();

    a.Show();
}

```

APPOINTMENT ACCEPT AND REJECT CODE :

```

public partial class app : Form
{
    SqlConnection con;

    SqlCommand cmd;

    SqlDataAdapter da;

    private string connectionString = @"Data Source=tharanishvaran\SQLEXPRESS01;Initial
Catalog=tempdb;Integrated Security=True";

    public app()
    {

```

```

InitializeComponent();

loadappointments();

loadacceptappointments();
}

private void loadacceptappointments()
{
    try
    {
        using (SqlConnection connection = new SqlConnection(connectionString))
        {
            connection.Open();

            string query = "SELECT name, phoneno, gender, date, email, style, totalprice FROM
ACCEPT";

            SqlDataAdapter dataAdapter = new SqlDataAdapter(query, connection);

            DataTable dataTable = new DataTable();

            dataAdapter.Fill(dataTable);

            // Bind DataTable to DataGridView2

            dataGridView2.DataSource = dataTable;
        }
    }

    catch (Exception ex)

```

```

    {
        MessageBox.Show("Error loading accepted appointments: " + ex.Message);
    }
}

private void loadappointments()
{
    try
    {
        using (SqlConnection connection = new SqlConnection(connectionString))
        {
            connection.Open();

            string query = "SELECT name, phoneno, gender, date, email, style, totalprice FROM
APPOINTMENT";

            SqlDataAdapter dataAdapter = new SqlDataAdapter(query, connection);

            DataTable dataTable = new DataTable();

            dataAdapter.Fill(dataTable);

            // Bind DataTable to DataGridView

            dataGridView1.DataSource = dataTable;

        }
    }

    catch (Exception ex)
    {

```

```

        MessageBox.Show("Error loading appointments: " + ex.Message);
    }
}

private void button4_Click(object sender, EventArgs e)
{
    string query = "select * from appointment";
    using (SqlConnection connection = new SqlConnection(connectionString))
    {
        connection.Open();

        SqlDataAdapter dataadapter = new SqlDataAdapter(query, connection);

        DataTable datatable = new DataTable();

        dataadapter.Fill(datatable);

        dataGridView1.DataSource = datatable;
    }
}

private bool ValidateUserLogin(string phoneno, string password)
{
    string connectionString = @"Data Source=tharanishvaran\SQLEXPRESS01;Initial
Catalog=tempdb;Integrated Security=True";

    using (SqlConnection connection = new SqlConnection(connectionString))
    {
        try

```

```

{
    connection.Open();

    string query = "SELECT COUNT(*) FROM login WHERE phoneno = @phoneno AND
password = @Password";

    SqlCommand command = new SqlCommand(query, connection);

    command.Parameters.AddWithValue("@phoneno", phoneno);

command.Parameters.AddWithValue("@Password", password);

    int userCount = (int)command.ExecuteScalar();

    return userCount > 0;
}

catch (SqlException ex)
{
    MessageBox.Show("db error"+ex.Message);

    return false;
}
}

private void button1_Click(object sender, EventArgs e)
{
    try
    {
        // Get the phoneno from the TextBox

```

```

string phonenumber = textBox3.Text.Trim();

if (string.IsNullOrEmpty(phonenumber))

{

    MessageBox.Show("Please enter a phone number.");

    return;

}

// Step 1: Fetch the row from APPOINTMENTS table using phoneno

string selectQuery = "SELECT name, phoneno, gender, date, email, style, totalprice
FROM APPOINTMENT WHERE phoneno = @phoneno";

using (SqlConnection connection = new SqlConnection(connectionString))

{

    connection.Open();

    // Fetch the row

    using (SqlCommand selectCommand = new SqlCommand(selectQuery, connection))

    {

        selectCommand.Parameters.AddWithValue("@phoneno", phonenumber);

        using (SqlDataReader reader = selectCommand.ExecuteReader())

        {

            if (reader.Read())

            {

                string name = reader["name"].ToString();

```

```

string gender = reader["gender"].ToString();

DateTime date = Convert.ToDateTime(reader["date"]);

string email = reader["email"].ToString();

string style = reader["style"].ToString();

string totalprice = reader["totalprice"].ToString();

reader.Close();

// Step 2: Insert the row into ACCEPT table

string insertQuery = @"

    INSERT INTO ACCEPT (name, phoneno, gender, date, email, style,
totalprice)

    VALUES (@name, @phoneno, @gender, @date, @email, @style,
@totalprice)";

using (SqlCommand insertCommand = new SqlCommand(insertQuery,
connection))

{

    insertCommand.Parameters.AddWithValue("@name", name);

    insertCommand.Parameters.AddWithValue("@phoneno", phonenumber);

    insertCommand.Parameters.AddWithValue("@gender", gender);

    insertCommand.Parameters.AddWithValue("@date", date);

    insertCommand.Parameters.AddWithValue("@email", email);

    insertCommand.Parameters.AddWithValue("@style", style);

    insertCommand.Parameters.AddWithValue("@totalprice", totalprice);

```

```

int rowsAffected = insertCommand.ExecuteNonQuery();

if (rowsAffected > 0)
{
    string deletequery = "delete from appointment where
phoneno=@phoneno";

    using (SqlCommand deletecommand = new SqlCommand(deletequery,
connection))
    {
        deletecommand.Parameters.AddWithValue("@phoneno",
phonenummer);

        int deleteRowsaffected = deletecommand.ExecuteNonQuery();

        if (deleteRowsaffected > 0)
        {

            MessageBox.Show("Appointment Moved sucessfully !");

            loadacceptappointments();// Refresh DataGridView2

        }
    }
else

```



```

        {
            MessageBox.Show("failed to delete original appointment");
        }
    }
}

else
{
    MessageBox.Show("Failed to accept appointment.");
}
}

else
{
    MessageBox.Show("Appointment not found.");
}
}

}

}

}

catch (Exception ex)
{
    MessageBox.Show("Error: " + ex.Message);
}

```

```

    }

}

private void button2_Click(object sender, EventArgs e)

{

    string phoneno = textBox1.Text; // Assuming the phone number is entered in a TextBox
named txtPhoneNo

    if (string.IsNullOrEmpty(phoneno))

    {

        MessageBox.Show("Please enter a phone number.");

        return;

    }

    try

    {

        using (SqlConnection connection = new SqlConnection(connectionString))

        {

            connection.Open();

            // SQL query to delete the row with the specified phone number

            string deleteQuery = "DELETE FROM accept WHERE phoneno = @phoneno";

            using (SqlCommand deleteCommand = new SqlCommand(deleteQuery, connection))

            {

                // Add the phone number parameter

                deleteCommand.Parameters.AddWithValue("@phoneno", phoneno);

```

```

        // Execute the delete command

        int rowsAffected = deleteCommand.ExecuteNonQuery();

        if (rowsAffected > 0)
        {
            MessageBox.Show("Appointment deleted successfully!");

            LoadAppointments(); // Refresh the DataGridView or any UI component
        }
        else
        {
            MessageBox.Show("No appointment found with the provided phone number.");
        }
    }
}

catch (SqlException ex)
{
    MessageBox.Show("An error occurred while deleting the appointment: " + ex.Message);
}

catch (Exception ex)
{
    MessageBox.Show("An unexpected error occurred: " + ex.Message);
}

```

```

    }

}

private void LoadAppointments()

{
    // Implement this method to refresh the UI (e.g., reload DataGridView)

    // Example:

    // dataGridView1.DataSource = GetAppointmentsFromDatabase();
}


private void button5_Click(object sender, EventArgs e)

{
    string query = "select * from accept";

    using (SqlConnection connection = new SqlConnection(connectionString))

    {
        connection.Open();

        SqlDataAdapter dataadapter = new SqlDataAdapter(query, connection);

        DataTable datatable = new DataTable();

        dataadapter.Fill(datatable);

        dataGridView2.DataSource = datatable;

    }

}

```

```

private void button3_Click(object sender, EventArgs e)
{

    string phonenumber = textBox3.Text; // Assuming the phone number is entered in a
    TextBox named txtPhoneNo

    if (string.IsNullOrEmpty(phonenumber))
    {
        MessageBox.Show("Please enter a phone number.");
        return;
    }

    try
    {
        using (SqlConnection connection = new SqlConnection(connectionString))
        {
            connection.Open();

            // SQL query to delete the row with the specified phone number
            string deleteQuery = "DELETE FROM appointment WHERE phoneno = @phoneno";

```

```

using (SqlCommand deleteCommand = new SqlCommand(deleteQuery, connection))
{
    // Add the phone number parameter
    deleteCommand.Parameters.AddWithValue("@phoneno", phonenumber);

    // Execute the delete command
    int rowsAffected = deleteCommand.ExecuteNonQuery();

    if (rowsAffected > 0)
    {
        MessageBox.Show("APPOINTMENT DELETED SUCCESSFULLY","deleted",
        MessageBoxButtons.OK, MessageBoxIcon.Information);

        LoadAppointments(); // Refresh the DataGridView or any UI component
    }
    else
    {
        MessageBox.Show("No appointment found with the provided phone
number. ","error", MessageBoxButtons.OK, MessageBoxIcon.Error);
    }
}

```

```

    }

}

catch (SQLException ex)

{

    MessageBox.Show("An error occurred while deleting the appointment: " + ex.Message);

}

catch (Exception ex)

{

    MessageBox.Show("An unexpected error occurred: " + ex.Message);

}

}

```

EMAIL CODE :

```

using System.Windows.Forms;

using System.Net.Mail;

namespace VT_STYLES

{

    public partial class temp : Form

    {

        public temp()

        {

```

```

        InitializeComponent();
    }

    private void button1_Click(object sender, EventArgs e)
    {
        try
        {
            MailMessage mm = new MailMessage();

            SmtpClient sc = new SmtpClient("smtp.gmail.com");

            mm.From = new MailAddress("tharanishvarantharani@gmail.com");

            mm.To.Add(textBox3.Text);

            mm.Subject = textBox4.Text;

            mm.Body = textBox5.Text;

            sc.Port = 587;

            sc.Credentials = new
System.Net.NetworkCredential("tharanishvarantharani@gmail.com", "password");

            sc.EnableSsl = true;

            sc.Send(mm);

            MessageBox.Show("email
sent", "sucess", MessageBoxButtons.OKCancel, MessageBoxIcon.Information);

        catch (Exception ex)
        {


            MessageBox.Show("error" + ex.Message);  }}}

```


CHAPTER – 6

OUTPUT SCREEN

Login page:



The login page has a light blue background. At the top center is a logo consisting of a stylized 'V' and 'T' in red, white, and yellow on a black square. Below the logo is the word 'STYLES' in a black, italicized serif font. In the top right corner, the word 'admin' is written in a black, italicized serif font. The login form is centered and includes a yellow circular profile icon to the left of a white text input field. Below this is a red circular padlock icon to the left of another white text input field. To the right of the password field is a blue square icon with a white eye, indicating a toggle for password visibility. Below the input fields is a green rectangular button with the word 'LOGIN' in black capital letters. At the bottom of the form, the text 'NO ACCOUNT' is followed by a blue underlined link that says 'NEW USER'.

admin

STYLES



LOGIN

NO ACCOUNT [NEW USER](#)

New User page:

**STYLES**






NEW USER LOGIN FORM

	NAME		PASSWORD		PHONE NO
	EMAIL		CONFIRM PASS		ADDRESS
<input type="submit" value="SUBMIT"/>					

Admin Login page:



The image shows a screenshot of an Admin Login page. The page is divided into two main sections: a blue header area on the left and a light purple login area on the right.

Blue Header Area:

- Top left: A logo featuring a stylized 'VT' in red and yellow on a black background.
- Top right: The text 'VT STYLES' in a black, serif font.
- Center: A circular icon with a green border, containing a black and white line drawing of a computer monitor displaying a bar chart and a line graph.
- Bottom: The text 'ADMIN LOGIN FORM' in a black, serif font.

Light Purple Login Area:

- Top center: A circular icon with a blue background, featuring a stylized orange person silhouette and a yellow padlock.
- Below the icon: Two white input fields for username and password, each with a blue underline.
- Left of the first input field: A circular icon with a yellow background and a black person silhouette.
- Left of the second input field: A circular icon with a red background and a yellow padlock.
- Right of the second input field: A small black eye icon with a diagonal line through it, indicating a toggle for password visibility.
- Bottom left: A black icon of a document with a blue arrow pointing right.
- Bottom right: A green rectangular button with the text 'LOGIN' in black, bold, uppercase letters.

Main page:



[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [ABOUTUS](#)

TV Styles was a unique beautician shop catering to both men and women





- # Offering a modern yet welcoming atmosphere where beauty and grooming took center stage . Known for its innovative approach ,it combined traditional beauty techniques with contemporary Trends to deliver personalized services for every client
- # The shop was equiped with the state of art tools and a diverse team of skilled stylists ,barbers and cosmetologists who specialized in haircuts ,styling,coloring,skincare and grooming for both genders
- # Its unisex appeal was reflected in its chic decor ,blending neutral tones with stylish accents to create an inclusive space . whether clients sought a classic haircut , a bold new look ,or expert skincare

CONTACT NUMBER 9994421390

VT STYLES @ EMAIL

INSTAGRAM @ VTSTYLES

Styles page:



[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [STATUS](#)

TV Styles was a unique beautician shop catering to both men and women

MEN





WOMEN



CONTACT NUMBER 9994421390

VT STYLES @ EMAIL

INSTAGRAM @ VTSTYLES

Male Styles page:



[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [STATUS](#)

SEARCH 

BOX HAIRCUT

PRICE : ₹200  RATINGS : 



[BOOK](#)

Certainly! The box haircut for men is a classic and versatile hairstyle that has been a staple in men's grooming for decades. Characterized by its clean, sharp lines, the box haircut typically features a straight, horizontal cut across the top of the head, with the sides and back cut shorter to create a box-like shape. This haircut is often associated with a neat and tidy appearance, making it a popular choice for both professional and casual settings.

The box haircut can be adapted to suit different hair types and personal styles. For those with straight hair, the cut emphasizes the sharp, geometric lines, while men with curly or wavy hair can add texture and volume to the look. The length on top can vary, with some opting for a shorter, more uniform cut, while others prefer a longer top that can be styled in various ways, such as a quiff or pompadour.

CONTACT NUMBER 9994421390 VT STYLES @ EMAIL INSTAGRAM @ VTSTYLES

Female Styles page:



[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [STATUS](#)

SEARCH 

MEDIUM LAYERS



PRICE : ₹350  **RATINGS :** ★★★★★

A medium layers haircut for women offers a perfect balance between length and style, providing a versatile and modern look. This haircut involves cutting the hair into layers of varying lengths, which can add volume and movement while enhancing the natural texture. Medium layers can be styled in numerous ways, from sleek and straight to tousled and wavy, allowing for effortless transitions between casual and formal occasions. The layering technique helps to frame the face beautifully, complementing different face shapes and adding dimension to the overall appearance. Maintenance of a medium layers haircut involves regular trims to keep the layers defined and the ends healthy. This haircut is an excellent choice for those who want a stylish, manageable, and adaptable look that can be easily personalized to reflect their individual personality and preferences.

[BOOK](#)

CONTACT NUMBER 9994421390 VT STYLES @ EMAIL INSTAGRAM @ VTSTYLES

Employee Management page:



DASHBOARD



MANAGE EMPLOYEE



APPOINTMENTS



PRODUCT



MANAGE ADMIN



LOGOUT

EMPLOYEE MANAGEMENT



ID

NAME

PHONENO

GENDER

SALARY

ADDRESS

EMAIL

ADD

SHOW

EDIT

DELETE

	id	name	phoneno	gender	salary	address	email
▶	1	seenuvasan	7678356756	MALE	20000	cuddalore	seenu@gmail.com
	2	gokulraj	8985789658	MALE	15000	cuddalore	gokul@gmail.com
	3	rubesh	8985789657	MALE	15000	cuddalore	ruban@gmail.com
	4	gowtham	8985789655	MALE	15000	cuddalore	gowtham@gmail.com
*							

Appointment page:



DASHBOARD



MANAGE EMPLOYEE



APPOINTMENTS



PRODUCT



MANAGE ADMIN



LOGOUT

APPOINTMENTS



TOTAL SALES : 935.00

PHONENO

[SEND MAIL](#)
[MOVE](#)
[REFRESH](#)
[DELETE](#)

	name	phoneno	gender	date	email	style	totalprice
»							

PHONENO

ACCEPTED APPOINTMENTS

[SHOW](#)
[DELETE](#)

	name	phoneno	gender	date	email	style	totalprice
►	tharani	3796875689	MALE	17-03-2025	th@gmail.com	BOX HAIRCUT	170.00
	koushik	4873678687	MALE	28-03-2025	spkoushik997616404...	BOX HAIRCUT	170.00
	vijaya	9876894576	FEMALE	26-03-2025	vijay@gmail.com	LONG HAIR STYLING	595.00
*							

Product management page:

**DASHBOARD**

**MANAGE EMPLOYEE**

**APPOINTMENTS**

**PRODUCT**

**MANAGE ADMIN**

**LOGOUT**

PRODUCT MANAGEMENT

ID	NAME	PRICE	SELLER																					
QUANTITY	DATE																							
ADD VIEW UPDATE DELETE																								
<table><thead><tr><th></th><th>id</th><th>name</th><th>price</th><th>seller</th><th>quantity</th><th>date</th></tr></thead><tbody><tr><td>▶</td><td>1</td><td>haircolor</td><td>1200</td><td>SEENU</td><td>3</td><td>2025-03-19</td></tr><tr><td>*</td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>					id	name	price	seller	quantity	date	▶	1	haircolor	1200	SEENU	3	2025-03-19	*						
	id	name	price	seller	quantity	date																		
▶	1	haircolor	1200	SEENU	3	2025-03-19																		
*																								

Manage Admin page:

**DASHBOARD**

**MANAGE EMPLOYEE**

**APPOINTMENTS**

**PRODUCT**

**MANAGE ADMIN**

**LOGOUT**

MANAGE ADMIN



ID

NAME

PHONE NO

PASSWORD

GENDER

CONFIRM PASSWORD

ADD

EDIT

SHOW

DELETE

	id	name	phoneno	password	gender	confirmpassword
▶	1	tharanish	8576854767	10435	MALE	10435
	2	vel	8576854767	48	MALE	48
	3	vijay	9897698759	49	MALE	49
*						

Product page:




[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [STATUS](#)

 **PRODUCT PAGE**

**HAIR TRIMMER**

**HAIR DRYER**

**GRAND CHAIRS**

**HAIR COMBS**

**LACER**

**HIGH LEVEL AC**

**SHAVING CREAM**

**HAIR SCISORS**

**HAIR GEL**

CONTACT NUMBER 9994421390 **VT STYLES @ EMAIL** **INSTAGRAM @ VTSTYLES**

Reviews page:



[HOME](#) [STYLES](#) [PRODUCTS](#) [ADMIN](#) [REVIEWS](#) [STATUS](#)

REVIEWS





The box haircut can be styled in various ways, from a clean, polished look to a more edgy, bold appearance.

★★★★★



the bobcut is a sophisticated and adaptable hairstyle that can suit a wide range of preferences and lifestyles. Whether you prefer a classic blunt bob or a more modern textured look

★★★★★



bangs can add a fun and dynamic element to your hairstyle, allowing you to experiment with different looks. Whether you prefer a bold

★★★★★



Overall, medium layered hairstyles offer a great balance of style and practicality

★★★★★



Overall, the mullet is a fun and versatile hairstyle that can make a strong fashion

★★★★★



Overall, the men's spike haircut is a fantastic choice for those looking to add some flair and edge to their look. Have you ever tried this style

★★★★★

CONTACT NUMBER 9994421390

VT STYLES @ EMAIL

INSTAGRAM @ VTSTYLES

Email Sending Page :

EMAIL CONFIRMATION 



TO

tharanish@gmail.com

SUBJECT

Booking message from VT Styles

BODY

booking successful |

CLEAR

SUBMIT

CHAPTER - 7

CONCLUSION

VT Styles is a comprehensive and efficient solution designed to streamline business operations through its advanced features and user-friendly interface. Developed using C# Windows Forms with a SQL Server backend, the system provides a seamless experience for businesses by integrating essential management functionalities into a single platform. The booking management module allows users to efficiently schedule and track appointments, ensuring smooth and organized operations. Additionally, the admin panel plays a crucial role in overseeing bookings by securely transmitting booking information, enabling administrators to monitor and manage transactions with ease. The system also incorporates robust employee management capabilities, allowing businesses to keep track of staff details, roles, and performance, thereby improving workforce organization. Moreover, product management features facilitate the seamless handling of inventory, ensuring accurate stock levels and efficient product tracking.

The inclusion of a secure admin user login management system further enhances data protection and access control, reinforcing the security and integrity of business operations. By consolidating these vital functionalities, VT Styles significantly reduces manual effort, optimizes workflow, and improves operational efficiency. Its structured design, coupled with a user-friendly interface, ensures that businesses can efficiently manage their day-to-day tasks with minimal complexity. Whether it is handling bookings, managing employees, overseeing products, or securing user access, VT Styles offers a well-rounded, reliable, and scalable solution tailored to modern business needs. Through its seamless integration of multiple management tools, the system not only enhances productivity but also fosters a more organized and effective business environment, making it an indispensable asset for businesses seeking an all-in-one management solution.

