
Welcome to SWI-Prolog (threaded, 64 bits, version 8.2.3)
SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.
Please run `?- license.` for legal details.

For online help and background, visit <https://www.swi-prolog.org>
For built-in help, use `?- help(Topic).` or `?- apropos(Word).`

`?- [PCE error: process ->initialise: Missing argument 1 (command): `char_array' expected]`
`?- consult(['ht2']).`
true.

`?- parent(john,mary).`
true .

`?- parent(john,X).`
`X = mary .`

`?- sibling(mary,james).`
true

Welcome to SWI-Prolog (threaded, 64 bits, version 8.2.3)

SWI-Prolog comes with ABSOLUTELY NO WARRANTY. This is free software.

Please run `?- license.` for legal details.

For online help and background, visit <https://www.swi-prolog.org>

For built-in help, use `?- help(Topic).` or `?- apropos(Word).`

?- [PCE error: process ->initialise: Missing argument 1 (command): `char_array' expected]

[PCE error: process ->initialise: Missing argument 1 (command): `char_array' expected]

?- consult(['ht1']).

true.

?- delete_kth_element([a, b, c, d, e], 3, Result).

Result = [a, b, d, e]