```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [2]: df=pd.read\_csv(r'C:\Users\user\Desktop\rainfall\WEST UTTAR PRADESH.csv')
 df

### Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9
115 rows x 20 columns													

115 rows × 20 columns

```
In [3]: df=df.dropna()
df
```

### Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9

#### 115 rows × 20 columns

In [4]: | df.columns


```
In [5]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
dtype	es: float64(1	7), int64(2), ob	ject(1)					
memory usage: 18.9+ KB								


# In [6]: | df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

### Out[10]: <AxesSubplot:>





In [11]: df.plot.box()

## Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





```
In [13]: df.plot.scatter(x='JAN',y='JUL')
```

Out[13]: <AxesSubplot:xlabel='JAN', ylabel='JUL'>




In [14]: df.describe()

## Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11!
mean	1184.000000	1958.000000	17.666087	17.893913	11.461739	6.253043	12.306087	7
std	33.341666	33.341666	15.791531	19.972785	14.286434	10.015552	11.528510	5!
min	1127.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	;
25%	1155.500000	1929.500000	4.100000	3.450000	1.700000	0.750000	3.750000	3!
50%	1184.000000	1958.000000	14.200000	10.400000	5.700000	3.100000	8.100000	6
75%	1212.500000	1986.500000	28.100000	25.600000	18.350000	6.750000	18.300000	9(
max	1241.000000	2015.000000	68.600000	89.900000	66.800000	69.000000	52.000000	29

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x14725d72400>




In [16]: | sns.distplot(df['NOV'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[16]: <AxesSubplot:xlabel='NOV', ylabel='Density'>



In [17]: sns.heatmap(df.corr())

Out[17]: <AxesSubplot:>



In [ ]: