```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [2]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\WEST RAJASTHAN.csv')
 df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1817	WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1
1	1818	WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8
2	1819	WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1
3	1820	WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4
4	1821	WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0
110	1927	WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1
111	1928	WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9
112	1929	WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1
113	1930	WEST RAJASTHAN	2014	8.0	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5
114	1931	WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1

115 rows × 20 columns

localhost:8888/notebooks/day14_WR_35.ipynb

```
In [3]: df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1817	WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1
1	1818	WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8
2	1819	WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1
3	1820	WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4
4	1821	WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0
110	1927	WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1
111	1928	WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9
112	1929	WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1
113	1930	WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5
114	1931	WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1

115 rows × 20 columns

In [4]: df.columns


```
In [5]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
dtyp	es: float64(1	7), int64(2), o	bject(1)					
memory usage: 18.9+ KB								


In [6]: | df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

Out[10]: <AxesSubplot:>





In [11]: df.plot.box()

Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





In [13]: df.plot.scatter(x='AUG',y='MAR')

Out[13]: <AxesSubplot:xlabel='AUG', ylabel='MAR'>




In [14]: df.describe()

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11!
mean	1874.000000	1958.000000	3.327826	4.930435	3.986087	3.571304	9.443478	28
std	33.341666	33.341666	4.551914	7.858800	7.813965	5.916803	10.853168	2:
min	1817.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	(
25%	1845.500000	1929.500000	0.350000	0.200000	0.200000	0.400000	1.950000	1;
50%	1874.000000	1958.000000	1.600000	1.300000	1.100000	1.400000	6.100000	2
75%	1902.500000	1986.500000	4.000000	5.950000	5.200000	3.750000	12.150000	3!
max	1931.000000	2015.000000	21.400000	39.100000	59.000000	36.100000	56.800000	14;
4								

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x1a6e661e7c0>




In [17]: | sns.distplot(df['JUN'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[17]: <AxesSubplot:xlabel='JUN', ylabel='Density'>



In [18]: sns.heatmap(df.corr())

Out[18]: <AxesSubplot:>



In []: