

```
In [1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

```
In [2]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\PUNJAB.csv')
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7
1	1473	PUNJAB	1902	0.0	0.8	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0
2	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9
3	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4
4	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0
111	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2
112	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2
113	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0
114	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0

115 rows × 20 columns



```
In [3]: df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1472	PUNJAB	1901	55.7	50.1	25.2	2.1	25.2	10.4	178.2	145.0	24.4	3.7
1	1473	PUNJAB	1902	0.0	0.8	9.9	10.9	29.6	49.9	125.6	94.9	67.2	9.0
2	1474	PUNJAB	1903	29.5	0.5	45.0	1.3	9.2	5.2	212.2	119.1	132.5	6.9
3	1475	PUNJAB	1904	24.2	1.7	87.8	1.2	13.8	22.0	59.9	124.0	73.8	7.4
4	1476	PUNJAB	1905	53.0	40.3	24.3	0.5	2.2	19.2	122.6	50.3	111.1	1.2
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1582	PUNJAB	2011	3.5	35.6	8.2	17.8	18.9	162.9	120.9	193.5	140.2	0.0
111	1583	PUNJAB	2012	62.6	3.2	1.9	31.1	1.6	11.9	120.2	135.1	112.3	2.2
112	1584	PUNJAB	2013	9.3	50.1	11.6	3.4	3.6	120.3	117.9	217.1	24.4	16.2
113	1585	PUNJAB	2014	21.8	20.1	30.3	24.5	20.8	20.6	76.3	41.9	105.8	6.0
114	1586	PUNJAB	2015	17.7	31.3	68.5	29.8	16.7	48.3	130.2	88.6	69.2	9.0

115 rows × 20 columns



```
In [4]: df.columns
```


Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY', 'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb', 'Mar-May', 'Jun-Sep', 'Oct-Dec'], dtype='object')

In [5]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column                Non-Null Count  Dtype
---  -
0   index                  115 non-null    int64
1   SUBDIVISION            115 non-null    object
2   YEAR                   115 non-null    int64
3   JAN                    115 non-null    float64
4   FEB                    115 non-null    float64
5   MAR                    115 non-null    float64
6   APR                    115 non-null    float64
7   MAY                    115 non-null    float64
8   JUN                    115 non-null    float64
9   JUL                    115 non-null    float64
10  AUG                    115 non-null    float64
11  SEP                    115 non-null    float64
12  OCT                    115 non-null    float64
13  NOV                    115 non-null    float64
14  DEC                    115 non-null    float64
15  ANNUAL                 115 non-null    float64
16  Jan-Feb               115 non-null    float64
17  Mar-May               115 non-null    float64
18  Jun-Sep               115 non-null    float64
19  Oct-Dec               115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```


In [6]: `df.plot.line(subplots=True)`

Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)




In [7]: `df.plot.line()`

Out[7]: `<AxesSubplot:>`




In [8]: `df.plot.bar()`

Out[8]: `<AxesSubplot:>`




```
In [9]: df.plot.hist()
```

```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```




```
In [10]: df.plot.area()
```

```
Out[10]: <AxesSubplot:>
```



```
In [11]: df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```




```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```








64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114

```
In [13]: df.plot.scatter(x='DEC',y='JAN')
```

Out[13]: <AxesSubplot:xlabel='DEC', ylabel='JAN'>




```
In [14]: df.describe()
```

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11
mean	1529.000000	1958.000000	25.246087	26.786957	23.651304	12.660000	14.136522	4
std	33.341666	33.341666	22.306656	23.473612	22.890109	16.751778	15.185232	3
min	1472.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.100000	
25%	1500.500000	1929.500000	7.250000	5.650000	6.900000	2.550000	3.350000	2
50%	1529.000000	1958.000000	21.600000	21.300000	15.800000	6.700000	9.200000	4
75%	1557.500000	1986.500000	36.100000	40.600000	33.650000	15.700000	19.700000	6
max	1586.000000	2015.000000	112.100000	96.000000	108.500000	113.200000	98.300000	16

```
In [15]: sns.pairplot(df)
```

```
Out[15]: <seaborn.axisgrid.PairGrid at 0x1d1e87c7040>
```




```
In [16]: sns.distplot(df['FEB'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


```
warnings.warn(msg, FutureWarning)
```

```
Out[16]: <AxesSubplot:xlabel='FEB', ylabel='Density'>
```



```
In [17]: sns.heatmap(df.corr())
```

```
Out[17]: <AxesSubplot:>
```



```
In [ ]:
```

