```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [2]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\SAURASHTRA KUTCH.csv')
 df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5
1	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11,1
2	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3
3	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4
4	2397	SAURASHTRA & KUTCH	1906	0.9	28.2	0.0	0.0	0.0	126.0	161.0	152.2	56.6	14.9
109	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2
110	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4
111	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6
112	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2
113	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	8.0	112.6	226.7	10.6	79.9	3.3

114 rows × 20 columns

localhost:8888/notebooks/day14_SK_27.ipynb

In [3]: df=df.dropna()
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	2393	SAURASHTRA & KUTCH	1902	0.1	0.0	0.0	0.5	1.1	14.4	92.9	160.0	123.9	1.5
1	2394	SAURASHTRA & KUTCH	1903	0.5	0.0	1.7	0.0	3.1	10.5	337.9	96.1	61.9	11.1
2	2395	SAURASHTRA & KUTCH	1904	1.4	5.8	17.5	0.0	0.0	9.5	111.2	9.4	28.9	0.3
3	2396	SAURASHTRA & KUTCH	1905	1.5	1.0	0.6	0.4	0.0	6.4	254.5	12.3	12.8	0.4
4	2397	SAURASHTRA & KUTCH	1906	0.9	28.2	0.0	0.0	0.0	126.0	161.0	152.2	56.6	14.9
109	2502	SAURASHTRA & KUTCH	2011	0.0	1.4	0.0	0.0	0.0	26.0	212.7	290.9	210.1	1.2
110	2503	SAURASHTRA & KUTCH	2012	0.0	0.0	0.0	0.2	0.1	22.4	34.7	34.5	228.5	2.4
111	2504	SAURASHTRA & KUTCH	2013	1.7	0.2	0.1	8.5	0.1	127.7	171.2	83.3	260.2	28.6
112	2505	SAURASHTRA & KUTCH	2014	0.3	0.0	0.1	0.5	2.1	17.3	137.7	118.8	99.2	5.2
113	2506	SAURASHTRA & KUTCH	2015	0.9	0.0	4.4	2.1	0.8	112.6	226.7	10.6	79.9	3.3

114 rows × 20 columns

In [4]: df.columns


```
In [5]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	114 non-null	int64
1	SUBDIVISION	114 non-null	object
2	YEAR	114 non-null	int64
3	JAN	114 non-null	float64
4	FEB	114 non-null	float64
5	MAR	114 non-null	float64
6	APR	114 non-null	float64
7	MAY	114 non-null	float64
8	JUN	114 non-null	float64
9	JUL	114 non-null	float64
10	AUG	114 non-null	float64
11	SEP	114 non-null	float64
12	OCT	114 non-null	float64
13	NOV	114 non-null	float64
14	DEC	114 non-null	float64
15	ANNUAL	114 non-null	float64
16	Jan-Feb	114 non-null	float64
17	Mar-May	114 non-null	float64
18	Jun-Sep	114 non-null	float64
19	Oct-Dec	114 non-null	float64
dtyp	es: float64(1	7), int64(2), o	bject(1)
memo	ry usage: 18.	7+ KB	


In [6]: df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

Out[10]: <AxesSubplot:>




In [11]: df.plot.box()

Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





In [13]: df.plot.scatter(x='DEC',y='NOV')

Out[13]: <AxesSubplot:xlabel='DEC', ylabel='NOV'>




In [14]: df.describe()

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11-
mean	2449.500000	1958.500000	1.132456	1.629825	1.307018	1.192105	4.675439	7.
std	33.052988	33.052988	2.384110	4.286714	5.715554	6.185340	16.659891	6
min	2393.000000	1902.000000	0.000000	0.000000	0.000000	0.000000	0.000000	
25%	2421.250000	1930.250000	0.000000	0.000000	0.000000	0.000000	0.000000	2
50%	2449.500000	1958.500000	0.150000	0.000000	0.000000	0.000000	0.500000	6:
75%	2477.750000	1986.750000	1.000000	0.575000	0.400000	0.500000	2.575000	11
max	2506.000000	2015.000000	12.500000	28.200000	46.200000	64.400000	131.900000	32
4								

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x1b691b133d0>




In [16]: | sns.distplot(df['NOV'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[16]: <AxesSubplot:xlabel='NOV', ylabel='Density'>



In [17]: sns.heatmap(df.corr())

Out[17]: <AxesSubplot:>



In []: