```
In [1]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [2]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\COASTAL ANDHRA PRADESH.csv')
 df

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1
0	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.(
1	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
2	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.(
4	3087	COASTAL ANDHRA PRADESH	1906	3.9	23.5	9.9	2.3	11.0	252.6	155.8	241.1	126.9	92.1
109	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
110	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
111	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
112	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
113	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

114 rows × 20 columns

localhost:8888/notebooks/day14_CAP_6.ipynb

In [3]: df=df.dropna()
df

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OC1
0	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.(
1	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
2	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.(
4	3087	COASTAL ANDHRA PRADESH	1906	3.9	23.5	9.9	2.3	11.0	252.6	155.8	241.1	126.9	92.1
109	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
110	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
111	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
112	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
113	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

114 rows × 20 columns

In [4]: df.columns


```
In [5]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype
0	index	114 non-null	int64
1	SUBDIVISION	114 non-null	object
2	YEAR	114 non-null	int64
3	JAN	114 non-null	float64
4	FEB	114 non-null	float64
5	MAR	114 non-null	float64
6	APR	114 non-null	float64
7	MAY	114 non-null	float64
8	JUN	114 non-null	float64
9	JUL	114 non-null	float64
10	AUG	114 non-null	float64
11	SEP	114 non-null	float64
12	OCT	114 non-null	float64
13	NOV	114 non-null	float64
14	DEC	114 non-null	float64
15	ANNUAL	114 non-null	float64
16	Jan-Feb	114 non-null	float64
17	Mar-May	114 non-null	float64
18	Jun-Sep	114 non-null	float64
19	Oct-Dec	114 non-null	float64
dtype	es: float64(1	7), int64(2), o	bject(1)
memoi	ry usage: 18.	7+ KB	


In [6]: | df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

Out[10]: <AxesSubplot:>




In [11]: df.plot.box()

Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





In [13]: df.plot.scatter(x='JUN',y='JUL')

Out[13]: <AxesSubplot:xlabel='JUN', ylabel='JUL'>




In [14]: df.describe()

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	114.000000	11
mean	3139.500000	1958.500000	7.384211	12.327193	13.274561	26.723684	62.495614	12
std	33.052988	33.052988	11.526142	19.030773	20.116633	21.404161	63.998420	5
min	3083.000000	1902.000000	0.000000	0.000000	0.000000	1.100000	10.500000	4
25%	3111.250000	1930.250000	0.200000	0.425000	1.525000	12.925000	31.275000	8
50%	3139.500000	1958.500000	2.000000	5.100000	5.650000	21.150000	44.250000	11
75%	3167.750000	1986.750000	10.125000	17.375000	14.575000	35.175000	69.900000	15
max	3196.000000	2015.000000	54.100000	127.100000	96.600000	112.200000	507.700000	30

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x201ba7bfd60>




In [16]: | sns.distplot(df['JUN'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[16]: <AxesSubplot:xlabel='JUN', ylabel='Density'>



In [17]: sns.heatmap(df.corr())

Out[17]: <AxesSubplot:>



In []: