In [2]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

In [3]:
```
df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\HARYANA DELHI  CHANDIGARH.csv'
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7

115 rows × 20 columns

In [4]:
```
df=df.dropna()
df
```

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1	13.2	126.4	151.5	10.5	2.0
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8	74.6	149.3	97.1	59.8	9.3
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5	8.6	151.6	138.2	97.7	4.0
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3	34.3	109.7	162.9	102.3	1.5
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4	20.1	93.6	23.1	92.6	0.0
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7	94.4	85.0	127.3	133.1	0.0
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8	5.3	68.1	196.6	90.7	2.4
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4	62.1	96.5	161.9	42.8	10.9
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3	25.9	72.3	34.8	67.3	10.5
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4	43.7	130.3	89.2	32.1	3.7

115 rows × 20 columns

In [5]:
```
df.columns
```

Out[5]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [6]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   index        115 non-null    int64  
 1   SUBDIVISION  115 non-null    object 
 2   YEAR         115 non-null    int64  
 3   JAN          115 non-null    float64
 4   FEB          115 non-null    float64
 5   MAR          115 non-null    float64
 6   APR          115 non-null    float64
 7   MAY          115 non-null    float64
 8   JUN          115 non-null    float64
 9   JUL          115 non-null    float64
 10  AUG          115 non-null    float64
 11  SEP          115 non-null    float64
 12  OCT          115 non-null    float64
 13  NOV          115 non-null    float64
 14  DEC          115 non-null    float64
 15  ANNUAL       115 non-null    float64
 16  Jan-Feb      115 non-null    float64
 17  Mar-May      115 non-null    float64
 18  Jun-Sep      115 non-null    float64
 19  Oct-Dec      115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [7]:
```
df.plot.line(subplots=True)
```

Out[7]:
```
array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



In [8]:
```
df.plot.line()
```

Out[8]:
```
<AxesSubplot:>
```



In [9]:
```
df.plot.bar()
```

Out[9]:
```
<AxesSubplot:>
```



In [10]:
```
df.plot.hist()
```

Out[10]:
```
<AxesSubplot:ylabel='Frequency'>
```



In [11]:
```
df.plot.area()
```

Out[11]:
```
<AxesSubplot:>
```



```
In [12]: df.plot.box()
```

```
Out[12]: <AxesSubplot:>
```



```
In [13]: df.plot.pie(y='ANNUAL')

Out[13]: <AxesSubplot:ylabel='ANNUAL'>
```


ANNUAL
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63


64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114

```
In [14]: df.plot.scatter(x='DEC',y='JAN')

Out[14]: <AxesSubplot:xlabel='DEC', ylabel='JAN'>
```



```
In [15]: df.describe()

Out[15]:
```

	index	YEAR	JAN	FEB	MAR	APR	MAY	
count	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11
mean	1414.000000	1958.000000	16.889565	17.433913	12.935652	7.633913	14.533913	4
std	33.341666	33.341666	15.514478	18.893422	15.251840	12.847533	15.900347	3
min	1357.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	
25%	1385.500000	1929.500000	3.550000	2.250000	2.100000	0.800000	3.700000	2
50%	1414.000000	1958.000000	14.300000	12.100000	7.200000	2.800000	7.900000	4
75%	1442.500000	1986.500000	25.150000	27.850000	17.700000	8.750000	20.700000	6
max	1471.000000	2015.000000	66.500000	91.000000	71.800000	82.500000	72.900000	19

In [16]:
```
sns.pairplot(df)
```

Out[16]:
```
<seaborn.axisgrid.PairGrid at 0x149a4caf6d0>
```



```
In [17]: sns.distplot(df['DEC'])
```

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut
ureWarning: `distplot` is a deprecated function and will be removed in a futu
re version. Please adapt your code to use either `displot` (a figure-level fu
nction with similar flexibility) or `histplot` (an axes-level function for hi
stograms).
  warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='DEC', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```



```
In [ ]:
```