```
In [2]: import numpy as np
   import pandas as pd
   import matplotlib.pyplot as plt
   import seaborn as sns
```

In [4]: df=pd.read_csv(r'C:\Users\user\Desktop\rainfall\EAST RAJASTHAN.csv')
df

Out[4]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	9.8
1	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14.4
2	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17.8
3	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1.5
4	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	0.0
110	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	0.0
111	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	0.5
112	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30.6
113	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3.2
114	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	5.0
115 rows x 20 columns													

115 rows × 20 columns

localhost:8888/notebooks/day14_ER_9.ipynb

```
In [3]: df=df.dropna()
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	1932	EAST RAJASTHAN	1901	21.6	8.9	2.9	0.7	5.0	15.0	164.8	175.6	7.5	9.8
1	1933	EAST RAJASTHAN	1902	4.1	0.7	0.0	1.8	9.9	34.6	247.6	116.7	145.6	14.4
2	1934	EAST RAJASTHAN	1903	1.9	0.7	1.3	0.1	12.9	15.6	238.2	229.1	168.5	17.8
3	1935	EAST RAJASTHAN	1904	4.3	5.5	21.7	0.2	27.5	49.9	289.7	223.5	50.2	1.5
4	1936	EAST RAJASTHAN	1905	4.1	8.8	3.2	1.6	2.0	14.4	130.5	30.9	83.8	0.0
110	2042	EAST RAJASTHAN	2011	0.0	11.2	0.2	0.5	5.1	140.9	193.6	284.1	166.4	0.0
111	2043	EAST RAJASTHAN	2012	1.9	0.0	0.0	3.6	9.5	11.2	170.5	365.0	131.3	0.5
112	2044	EAST RAJASTHAN	2013	1.4	21.7	0.4	3.2	1.0	90.6	319.0	278.5	88.0	30.6
113	2045	EAST RAJASTHAN	2014	28.4	10.0	6.4	7.3	8.4	23.5	197.1	261.0	136.9	3.2
114	2046	EAST RAJASTHAN	2015	12.1	0.1	55.9	15.9	3.5	96.4	297.6	142.8	20.1	5.0

115 rows × 20 columns

In [4]: df.columns


```
In [5]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
dtyp	es: float64(1	7), int64(2), o	bject(1)					
memory usage: 18.9+ KB								


In [6]: df.plot.line(subplots=True)

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




In [7]: df.plot.line()

Out[7]: <AxesSubplot:>




In [8]: df.plot.bar()

Out[8]: <AxesSubplot:>




In [9]: df.plot.hist()

Out[9]: <AxesSubplot:ylabel='Frequency'>




In [10]: df.plot.area()

Out[10]: <AxesSubplot:>





In [11]: df.plot.box()

Out[11]: <AxesSubplot:>




```
In [12]: df.plot.pie(y='ANNUAL')
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





In [13]: df.plot.scatter(x='APR',y='MAY')

Out[13]: <AxesSubplot:xlabel='APR', ylabel='MAY'>




In [14]: df.describe()

Out[14]:

	index	YEAR	JAN	FEB	MAR	APR	MAY	
coun	t 115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	115.000000	11!
mea	1989.000000	1958.000000	6.422609	5.417391	4.516522	3.144348	9.820000	6:
st	33.341666	33.341666	8.223832	7.470142	9.145835	5.938592	12.256507	4:
mi	1932.000000	1901.000000	0.000000	0.000000	0.000000	0.000000	0.000000	ţ
25%	1960.500000	1929.500000	0.700000	0.450000	0.150000	0.200000	2.450000	3(
50%	1989.000000	1958.000000	3.600000	2.300000	1.300000	1.100000	5.700000	5:
75%	2017.500000	1986.500000	8.600000	8.650000	4.100000	3.150000	12.700000	8!
ma	2046.000000	2015.000000	39.200000	35.700000	57.400000	43.200000	90.900000	20!
4								

In [5]: sns.pairplot(df)

Out[5]: <seaborn.axisgrid.PairGrid at 0x2673e4b03d0>




In [6]: sns.distplot(df['APR'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: Fut ureWarning: `distplot` is a deprecated function and will be removed in a futu re version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[6]: <AxesSubplot:xlabel='APR', ylabel='Density'>



In [7]: sns.heatmap(df.corr())

Out[7]: <AxesSubplot:>



In []: