

Topological and Historical Considerations for Infectious Disease Transmission among Injecting Drug Users in Bushwick, Brooklyn (USA)

Kirk Dombrowski^{1*}, Richard Curtis¹, Samuel Friedman², Bilal Khan¹

¹Social Networks Research Group, John Jay College CUNY, New York, USA; ²National Development Research Institute, New York, USA.

Email: *kdombrowski@jjay.cuny.edu

Received December 13th, 2012; revised January 22nd, 2013; accepted January 31st, 2013

ABSTRACT

Recent interest by physicists in social networks and disease transmission factors has prompted debate over the topology of degree distributions in sexual networks. Social network researchers have been critical of "scale-free" Barabasi-Albert approaches, and largely rejected the preferential attachment, "rich-get-richer" assumptions that underlie that model. Instead, research on sexual networks has pointed to the importance of homophily and local sexual norms in dictating degree distributions, and thus disease transmission thresholds. Injecting Drug User (IDU) network topologies may differ from the emerging models of sexual networks, however. Degree distribution analysis of a Brooklyn, NY, IDU network indicates a different topology than the spanning tree configurations discussed for sexual networks, instead featuring comparatively short cycles and high concurrency. Our findings suggest that IDU networks do in some ways conform to a "scale-free" topology, and thus may represent "reservoirs" of potential infection despite seemingly low transmission thresholds.

Keywords: Social Network Analysis; Injecting Drug Users; Scale-Free Networks

1. Introduction

Recent interest by physicists in social networks and their relationship with disease transmission factors has prompted debate among social network theorists over the extent to which social networks conform more closely to general structural principles or to local social norms. This paper examines a smaller subset of this debate, and asks whether Injecting Drug User (IDU) networks responsible for the transmission of sexually transmitted and bloodborne diseases look more like topologies recently labeled "scale-free" by network theorists [1], or whether they are more like sexual networks, which have been shown to conform mainly to social principles like homophily and other specifically local norms [2]. This is important because the answer to this question bears strongly on intervention, prevention, and treatment strategies as they apply to IDU networks, and, to the extent that IDU networks continue to overlap with larger society in critical health related ways, bears on larger questions of public health and disease transmission more generally [3].

What follows is a reanalysis of data collected between 1991 and 1993 in the Bushwick neighborhood of Brook-

lyn, New York, on the social networks of injecting drug users (IDUs) [4]. Our analysis employs analytical strategies developed in the last few years by physicists working on what have come to be called "scale-free" networks, as developed by Barabasi and Albert [5,6]. Partly because our data were not collected with such an analysis in mind, throughout the paper we pose the findings and conclusions as "suggested," noting that several problems preclude more firm conclusions, and likewise note that this comparison leaves many aspects of IDU networks unexplained. Yet the apparent similarities between the network structure of the Bushwick IDU network and structures examined by Barabasi, Albert and others, prompt us to conclude that scale-free modeling can help elicit critical differences between IDU network topologies and those associated with sexual networks. Our results indicate that IDU networks may in fact represent the sorts of structural reservoirs of HIV and other bloodborne and sexually transmitted diseases at issue in the debates between physicists and sociologists, and thus require special consideration for prevention/transmission/ intervention planners. What's more, if IDU networks do in fact conform more closely to general structural principles than to local norms, police intervention strategies of

Copyright © 2013 SciRes. W.JA

^{*}Corresponding author.

- A. N. Amaral, "Social Networks (Communication Arising): Sexual Contacts and Epidemic Thresholds," *Nature*, Vol. 423, No. 6940, 2003, p. 606. doi:10.1038/423606a
- [15] D. Hamilton and M. S. Handcock, "Degree Distributions of Sexual Networks: Should We Buy Scale Free?" Paper Presented at the International Sun Belt Social Network Conference, Vancouver, May 2006.
- [16] S. R. Friedman, A. Neigus, B. Jose, R. Curtis, M. Goldstein, G. Ildefonso, R. B. Rothenberg and D. C. Des Jarlais, "Sociometric Risk Networks and Risk for HIV Infection," *American Journal of Public Health*, Vol. 87, No. 8, 1997, pp. 1289-1296. doi:10.2105/AJPH.87.8.1289
- [17] S. R. Friedman, B. J. Kottiri, A. Neaigus, R. Curtis, S. H. Vermund and D. C. Des Jarlais, "Network-Related Mechanisms May Help Explain Long-Term HIV-1 Seroprevalence Levels That Remain High but Do Not Approach Population-Group Saturation," *American Journal of Epidemiology*, Vol. 152, No. 10, 2000, pp. 913-922. doi:10.1093/aje/152.10.913
- [18] R. Curtis, S. R. Friedman, A. Neaigus, B. Jose, M. Goldstein and G. Ildefonso, "Street-Level Drug Markets: Network Structure and HIV Risk," *Social Networks*, Vol. 17, No. 3-4, 1995, pp. 229-249. doi:10.1016/0378-8733(95)00264-O
- [19] P. V. Marsden, "Recent Developments in Network Measurement," In: P. Carrington, J. Scott and S. Wasserman, Eds., Models and Methods in Social Network Analysis, Cambridge University Press, Cambridge, 2005, pp. 8-30. doi:10.1017/CBO9780511811395.002
- [20] G. Ildefonso, S. Friedman, R. Curtis, A. Neaigus, B. Jose, and D. C. Des Jarlais, "Chapter 13. Appendix: Methods for Assigning Linkages in Studies of Drug Injector Networks," In: S. Friedman, Ed., Social Networks, Drug Injectors' Lives, and HIV/AIDS, Kluwer Academic/Plenum Publishers, Berlin, 1999, pp. 239-254.
- [21] A. Neigus, S. R. Friedman and M. Goldstein, "Using Dyadic Data for a Network Analysis of HIV Infection and Risk Behaviors among Injecting Drug Users," In: R. Needle, Ed., Social Networks, Drug Abuse and HIV Transmission, National Institute on Drug Abuse, Rockville, 1995, pp. 20-37.

- [22] D. J. Watts, "Small Worlds," Princeton University Press, Princeton, 1999.
- [23] R. Pastor-Satorras and A. Vespignani, "Epidemic Spreading in Scale-Free Networks," *Physical Review Letters*, Vol. 86, No. 14, 2001, pp. 3200-3203. doi:10.1103/PhysRevLett.86.3200
- [24] R. M. May and A. L. Lloyd, "Infection Dynamics on Scale-Free Networks," *Physical Review E*, Vol. 64, No. 6, 2001, Article ID: 066112. doi:10.1103/PhysRevE.64.066112
- [25] S. R. Friedman, P. L. Flom, B. J. Kottiri, J. Zenilman, R. Curtis, A. Neaigus, M. Sandoval, T. Quinn and D. C. Des Jarlais, "Drug Use Patterns and Infection with Sexually Transmissible Agents among Young Adults in a High-Risk Neighborhood in New York City," *Addiction*, Vol. 98, No. 2, 2003, pp. 159-169. doi:10.1046/j.1360-0443.2003.00271.x
- [26] R. Curtis, "The Improbable Transformation of Inner-City Neighborhoods: Crime, Violence, Drugs and Youth in the 1990s," *The Journal of Criminal Law and Criminology*, Vol. 88, No. 4, 1998, pp. 1233-1276. doi:10.2307/1144256
- [27] R. Curtis, "The War on Drugs in Brooklyn, New York: Street-Level Drug Markets and the Tactical Narcotics Team," Doctoral Dissertation, Columbia University, New York, 1996.
- [28] R. Curtins and M. Sviridoff, "The Social Organization of Street-Level Drug Markets and Its Impact on the Displacement Effect," In: R. McNamara, Ed., Crime Displacement: The Other Side of Prevention, Cummings and Hathaway Publishers, New York, 1994, pp. 155-171.
- [29] R. Curtis, "The Changing Drug Scene in Brooklyn, NY Neighborhoods," In: A. Karmen, Ed., Crime and Justice in New York City, McGraw Hill, New York, 1998.
- [30] K. Dombrowski, B. Khan, K. McLean, R. Curtis, T. Wendel, E. Misshula and S. Friedman, "A Re-Examination of Connectivity Trends via Exponential Random Graph Modeling in Two IDU Risk Networks," Substance Use and Misuse, Vol. 49, 2013.