

ADDITIVE OPERATIONS ON FLOW GRAPHS

BILAL KHAN

Department of Mathematics and Computer Science

John Jay College (CUNY)

New York, USA.

e-mail: bkhan@jjay.cuny.edu

and

KIRAN R. BHUTANI

Department of Mathematics

The Catholic University of America

Washington DC, USA.

e-mail: bhutani@cua.edu

Communicated by: S. Arumugam

Received 17 January 2013; revised 22 November 2013; accepted 18 March 2014

Abstract

This paper extends the theory of *graphic arithmetic*, an extension of classical arithmetic on \mathbb{N} to a larger model \mathcal{F} defined on the set of all flow graphs—finite directed connected multigraphs having a pair of distinguished vertices. We give a graph-theoretic characterization for a flow graph to be reducible into a proper sum, and use this to develop a canonical decomposition of flow graphs into irreducible summands. Such decompositions enable us to characterize commutativity conditions for addition, which in turn, reveal the structure of additive centralizers in \mathcal{F} .

Keywords: multi-graphs, flow graphs, canonical decomposition, graph arithmetic.

2010 Mathematics Subject Classification: 05C99.

1. Introduction

There have been previous attempts to define algebraic structures on the set of all graphs, notably via ordinals and partially ordered sets [3, 4, 11, 13, 8], the classical operations on graphs [15], including graph products [6]. In considering binary operations on graphs, considerable prior work has addressed the Cartesian product [12], Kronecker products [14], tensor products [1], zig-zag and sandwich products [10], and the rooted product [5], and others. For each of these, there is, of course, a corresponding nascent algebraic theory. With respect to Cartesian products, for example, Li considers the problem of enumerating prime graphs [9], while Kaveh and Laknejadi recently addressed issues surrounding factorization [7]. In our own prior work [2], we generalized arithmetic (classically defined over

- [2] K. Bhutani, B. Khan and D. Kahrobaei, A graphic generalization of arithmetic, *INTEGERS*, **7** (2007), #A12.
- [3] G. Cantor, *Über unendliche, lineare Punktmannigfaltigkeiten, Arbeiten zur Mengenlehre aus dem Jahren 1872-1884*, Teubner-Archiv zur Mathematik, Leipzig, Germany, 1884.
- [4] K. Ciesielski, *Set Theory for the Working Mathematician*, Cambridge University Press, 1997.
- [5] C. Godsil and B. McKay, A new graph product and its spectrum, *Bull. Aust. Math. Soc.*, **18** (1978), 21–28.
- [6] W. Imrich and S. Klavzar, *Product Graphs, Structure and Recognition*, John Wiley & Sons Inc., 2000.
- [7] A. Kaveh and K. Laknejadi, Factorization of product graphs for partitioning and domain decomposition, *Finite Elem. Anal. Des.*, **45**(6-7) (2009), 476–483.
- [8] L. Kirby, Ordinal operations on graph representations of sets, *Mathematical Logic Quarterly*, **59**(1) (2013), 19–26.
- [9] J. Li, Prime graphs and exponential composition of species, *J. Combin. Theory Ser. A*, **115** (8) (2008), 1374–1401.
- [10] D. M. Monarres and M. E. O’Sullivan, *A generalization of the zig-zag graph product by means of the sandwich product*, In Proceedings of the 18th International Symposium on Applied Algebra, Algebraic Algorithms and Error-Correcting Codes, AAECC-18 ’09, Berlin, Heidelberg, Springer-Verlag, (2009), 231–234.
- [11] J. E. Rubin, *Theory for the Mathematician*, Holden-Day, New York, 1967.
- [12] G. Sabidussi, Graph multiplication, *Mathematische Zeitschrift*, **72** (1959), 446–457.
- [13] P. Suppes, *Axiomatic Set Theory*, Dover, New York, 1972.
- [14] P. M. Weichsel, The Kronecker Product of Graphs, *Proc. Amer. Math. Soc.*, **13** (1) (1962), 47–52.
- [15] D. B. West, *Introduction to Graph Theory*, Prentice Hall, 2nd edition, 2001.