

STATUTORY OCCUPATIONAL HEALTH & SAFETY (OHS) MASTER FILE

HIGH-VOLUME COMMERCIAL BEAUTY, NAIL & AESTHETICS SALON

LEGAL ENTITY: In the Name of Our Love (Pty) Ltd

REGISTRATION NUMBER: 2021/894102/07

PHYSICAL LOCATION: Shop G-14, Rosebank Mall, Cnr Oxford Rd & Baker St, Rosebank, Johannesburg, 2196, South Africa

GOVERNING LEGISLATION: Occupational Health & Safety Act (Act 85 of 1993), Ergonomics Regulations (2019), Regulations for Hazardous Chemical Substances (HCS), Environmental Regulations for Workplaces, National Environmental Management: Waste Act (NEMWA Act 59 of 2008), and Local Municipal Public Health Bylaws.

DIGITAL INTEGRATION PLATFORM: ErgoSafe Reborn V3 (incorporating FoodSafe AI Sanitation Engine & Nelly AI Health Assistant)

DOSSIER VERSION: 3.4.0-LEGAL-RELEASE

EFFECTIVE DATE: 03 September 2026

DOCUMENT CONTROL REF: INOL-OHS-MF-2026-V3

DOCUMENT CONTROL & REVISION LOG

Revision	Effective Date	Section(s) Modified	Summary of Changes / Statutory Alignment	Approved By (CEO)
v1.0.0	15 Jan 2023	All Sections	Initial Statutory Dossier Establishment	Desigan Tharmen
v2.0.0	10 Feb 2024	Section 2, 3	Integration of ErgoSafe V2 & HCS OEL Updates	Desigan Tharmen
v3.0.0	12 Nov 2025	Section 4, 5	Autoclave Class B Log & Electrical Inspection Update	Desigan Tharmen
v3.4.0	03 Sep 2026	Full Master File	Complete Audit Alignment for High-Volume Salon & ErgoSafe Reborn V3 Integration	Desigan Tharmen

SECTION 1: STATUTORY APPOINTMENTS & SALON GOVERNANCE (OHSA 85 OF 1993)

1.1 SECTION 16(1) CEO / OWNER RESPONSIBILITY STATEMENT

OCCUPATIONAL HEALTH AND SAFETY ACT, 1993 (ACT NO. 85 OF 1993)

STATEMENT OF EXECUTIVE OBLIGATION AND OHSA 16(1) COMMITMENT

I, the undersigned, **Desigan Tharmen**, in my capacity as Chief Executive Officer and Managing Director of **In the Name of Our Love (Pty) Ltd**, hereby solemnly accept total statutory accountability for ensuring a healthy, ergonomically safe, and chemically safe working environment for all employees, technicians, contractors, and visiting clients in accordance with Section 16(1) of the Occupational Health and Safety Act (Act 85 of 1993).

Executive Commitments:

- 1. Chemical Air Quality & Ventilation Governance:** Ensure all nail technician stations, hair styling booths, and aesthetics rooms are equipped with operational, multi-stage Local Exhaust Ventilation (LEV) systems featuring HEPA particulate filtration and dual activated-carbon chemical vapor absorption filters.
- 2. Ergonomic Workstation Engineering:** Guarantee that 100% of nail technicians, pedicurists, and aestheticians are provided with ergonomically engineered, height-adjustable pneumatic seating, chest-supported posture chairs, lumbo-sacral support cushions, and motorized height-adjustable manicure/pedicure tables conforming to the Ergonomics Regulations (2019).
- 3. Clinical Sterilization & Infection Control:** Enforce hospital-grade sterilization protocols using SABS/SANS-certified Class B vacuum autoclaves (134°C cycles) for all reusable cuticle pushers, nippers, and diamond drill bits, backed by digital batch logging via ErgoSafe Reborn V3.
- 4. Personal Protective Equipment (PPE):** Provide premium chemical-resistant Nitrile gloves (minimum 0.12mm thickness), FFP2/N95 respirator masks, eye protection (EN166 rated), and protective aprons at zero cost to salon staff.
- 5. Continuous Staff Competency:** Allocate budget and operational time for mandatory monthly OHS re-training, ergonomic decompression sessions via Nelly AI, and certified First Aid and Fire Warden training.

Signed on this 3rd day of September 2026 at Rosebank, Johannesburg.

DESIGAN THARMEN
Chief Executive Officer & Managing Director
In the Name of Our Love (Pty) Ltd

1.2 SECTION 16(2) SALON FLOOR MANAGER DESIGNATION

FORMAL DELEGATION OF RESPONSIBILITY IN TERMS OF SECTION 16(2)

APPOINTOR: Desigan Tharmen (CEO - Section 16(1))

APPOINTEE: Lerato Mokoena (Salon Floor Manager)

ENTITY: In the Name of Our Love (Pty) Ltd

EFFECTIVE DATE: 03 September 2026

1. Designation Scope:

In terms of Section 16(2) of the Occupational Health and Safety Act, 1993, you, **Lerato Mokoena**, are hereby appointed as the Salon Floor Manager for **In the Name of Our Love (Pty) Ltd**. You are assigned the

responsibility of maintaining operational OHS compliance across all treatment stations, salon floors, wash basins, and storage facilities.

2. Specific Operational Duties:

- Enforce mandatory technician adherence to LEV dust collection units and chemical extraction hoods during acrylic, gel, and chemical hair treatments.
- Conduct daily morning pre-shift floor safety inspections covering electrical cord routing, emergency exit pathway clearance, and chemical container cap integrity.
- Oversee the 24-Hour SLA Ergonomic Escalation Register within **ErgoSafe Reborn V3**, ensuring technician posture complaints are immediately addressed with equipment adjustments or duty rotations.
- Monitor Personal Protective Equipment (PPE) compliance, ensuring zero technician performs e-filing or chemical monomer application without FFP2 masks and Nitrile gloves.
- Enforce immediate cleanup and logging of chemical liquid monomer or acetone spills in accordance with Section 3 SOPs.

3. Acceptance of Designation:

I, **Lerato Mokoena**, hereby accept the designation as Section 16(2) Salon Floor Manager for **In the Name of Our Love (Pty) Ltd**, acknowledging my statutory responsibilities and reporting duties to the CEO.

Appointee Signature: _____ Date: 03/09/2026
Appointor Signature: _____ Date: 03/09/2026

1.3 SALON HEALTH & SAFETY COMMITTEE & REPS

A. SECTION 17 HEALTH & SAFETY REPRESENTATIVE APPOINTMENT

- **Appointee Name:** Nomvula Khumalo (Lead Nail Technician & Senior Aesthetician)
- **Appointed Scope:** Nail Care, Aesthetics, and Pedicure Treatment Zone.
- **Statutory Role & Powers:**
 - Perform digital weekly workstation ergonomic & chemical safety audits using **ErgoSafe Reborn V3**.
 - Represent salon technicians during quarterly OHS committee review meetings.
 - Inspect treatment stations following any reported sharp tool needle-stick, chemical burn, or repetitive wrist pain incident.
 - Review LEV filter status indicators and request carbon filter replacements upon chemical odor detection.

B. FIRST AID LEVEL 1 APPOINTMENT (OHS GENERAL SAFETY REGULATIONS 3)

- **Appointee Name:** Anschen Van Zyl (Senior Hair Stylist & Aesthetic Practitioner)
- **Certification Ref:** SA-STJOHN-FA1-89402 (Valid to: 14 November 2027)
- **Statutory Duties:**
 - Maintain the salon's primary First Aid Box (located at main reception & chemical preparation dispensary).
 - Provide immediate clinical response for salon-specific injuries: chemical eye splashes (EMA monomer/acetone), cut wounds from cuticle nippers/e-file bits, thermal burns from wax heaters/flat irons,

and fainting or allergic hyper-reactivity.

- Execute emergency eye-wash protocols using the wall-mounted sterile saline eye wash station.
- Maintain digital incident reports in **ErgoSafe Reborn V3** for all treated injuries.

C. FIRE WARDEN APPOINTMENT (OHSA ENVIRONMENTAL REGULATIONS FOR WORKPLACES)

- **Appointee Name:** Sipho Cele (Salon Operations Coordinator & Senior Technician)
- **Certification Ref:** JHB-FIRE-W1-44109 (Valid to: 28 June 2028)
- **Statutory Duties:**
 - Conduct weekly inspection of the 2x 4.5kg Dry Chemical Powder (DCP) fire extinguishers and 1x 2kg CO2 extinguisher.
 - Execute immediate electrical isolation during fire alarms: depress master isolator switches for hairdryers, UV/LED nail lamps, autoclaves, wax heaters, and facial steamers.
 - Clear emergency egress routes, unlatch final exit push-bars, and lead salon clients and staff to the Rosebank Mall Assembly Point Alpha.
 - Perform final salon room sweep (treatment suites, spray tan booths, staff tearoom, and restrooms) prior to exiting.

SECTION 2: ERGONOMIC RISK ASSESSMENT FOR BEAUTY TECHNICIANS (ERGONOMICS REGULATIONS 2019)

2.1 TECHNICIAN BASELINE ERGONOMIC ASSESSMENT

Engine Linkage: ErgoSafe Reborn V3 Assessment Module

Ergonomic hazard assessments were conducted across all salon work categories using the REBA (Rapid Entire Body Assessment) and RULA (Rapid Upper Limb Assessment) methodologies, integrated into the **ErgoSafe Reborn V3** real-time vision and telemetry engine.

ERGO-RISK MATRIX BY ROLE			
Operational Role	Primary Hazard Mode	Bio-Mechanical Impact Zone	REBA/RULA Risk Level & Action
Nail Technicians (Manicure & E-File)	* Forward neck flex (>35° angle) * Static arm pinch grip on e-file * Repetitive wrist flexion/extension	* Cervical Spine (C4-C7) * Median Nerve (Carpal Tunnel) * Extensor Carpi Radialis	RULA Score: 6 HIGH RISK Immediate Chair & Armrest Mod Mandated.
Pedicurists (Foot Care & Bath)	* Severe lumbar flexion (>45°) * Low stool hip hyper-flexion * Static torso twist	* Lumbar L4/L5 & L5/S1 Discs * Femoral Veins (Circulation) * Quadratus L.	REBA Score: 9 VERY HIGH RISK Motorized Bath Lift Required.
Lash & Facial Aestheticians	* Extended static cervical extension * Static shoulder elevation (>30°)	* Thoracic Spine (T1-T12) * Trapezius & Levator Scap.	RULA Score: 5 MEDIUM-HIGH Magnifier Arm & Saddle Chair.

Detailed Bio-Mechanical Hazard Profiles:

1. Nail Technicians (Nail Art, Acrylic Application, E-Filing):

- **Cervical Spine Strain:** Average neck inclination during detailed nail art is 42° forward flexion, exceeding the 15° safe threshold. Over an 8-hour shift, cervical spinal load reaches 22kg, causing chronic neck spasms and trapezius strain.
- **Carpal Tunnel Syndrome (CTS):** Sustained pinch force of 4.5 N applied to electric nail files combined with high-frequency micro-vibrations (25,000 RPM) causes median nerve compression within the carpal tunnel.
- **Forearm Tendonitis:** High-speed manual buffing creates up to 4,200 repetitive wrist flexions per shift.

2. Pedicurists:

- **Lumbar Spine Compression:** Working over low pedicure bowls while seated on non-adjustable stools forces the technician into 50° lumbar flexion, increasing intradiscal pressure at L4/L5 to over 380 kgf.
- **Vascular Stasis:** Thigh compression against low stool edges restricts deep venous return in lower limbs, increasing risk of peripheral edema and varicose veins.

3. Lash & Facial Aestheticians:

- **Thoracic Kyphosis & Rotational Asymmetry:** Precise eyelash extension placement (120+ lashes per eye) requires static lean over the client's head for 90–120 minutes with lateral spinal rotation.

2.2 DETERMINISTIC 24-HOUR SLA ESCALATION REGISTER

Integrated directly with **ErgoSafe Reborn V3** state telemetry, any technician reporting a posture complaint, wrist pain (>3 on VAS scale), or ergonomic discomfort triggers an automated statutory escalation workflow.

Standard Operating Procedure (SOP-ERG-001):

1. **Triggering Event:** Technician logs discomfort via the **ErgoSafe Reborn V3** terminal or Nelly AI interface.

2. Automated State Initialization:

```
```json
{
 "incident_id": "ERG-2026-0903-8821",
 "entity": "In the Name of Our Love (Pty) Ltd",
 "status": "CEO Escalated",
 "timestamp": "2026-09-03T08:30:00+02:00",
 "owner": "Salon Floor Manager (Lerato Mokoena)",
 "technician_id": "TECH-004-NK",
 "role": "Nail Technician",
 "vas_pain_score": 5,
 "affected_body_part": "Right Wrist / Carpal Tunnel",
 "sla_remaining_seconds": 86400
}
```

### 3. Escalation SLAs & Actions:

- **T+0 Hours (Immediate):** System notifies Salon Floor Manager and locks high-vibration e-file assignments for affected technician. Reassigns technician to low-vibration manual lash work or client reception consultation.
- **T+4 Hours:** Floor Manager inspects technician's workstation: verifies stool height, armrest positioning, e-file handpiece balancing, and LEV proximity.
- **T+12 Hours:** Ergonomic adjustment executed (e.g., installation of gel wrist bolster, replacement of worn e-file bearing, or provision of ergonomic saddle chair).
- **T+24 Hours (Final SLA Expiry):** CEO (Desigan Tharmen) receives digital sign-off report. If unresolved, technician is booked for formal Occupational Health Physiotherapist assessment at company expense.

---

## 2.3 TECHNICIAN MICRO-BREAK & POSTURE EXERCISES (NELLY AI)

**Nelly AI** acts as the digital OHS co-pilot within **ErgoSafe Reborn V3**, enforcing automated 3-minute ergonomic decompression micro-breaks every 60 minutes of continuous client service.

NELLY AI 3-MINUTE DECOMPRESSION ROUTINE		
Minute	Exercise Module	Anatomical Target & Execution
Min 0-1	Wrist & Flexor Tendon Stretches	* Extend arm, gently pull fingers backward for 15s. Reverse downward. * Relieves Carpal Tunnel pressure.
Min 1-2	Cervical Spine Retraction & Scapular Squeezes	* "Chin Tucks" - pull head horizontally back; hold 5s x 5 reps. * Squeeze shoulder blades together.
Min 2-3	Lumbar Extension & De-rotation	* Standing backward bend with hands on hips; hold 10s. * Full body deep diaphragm breathing.

### Multi-Lingual Audio & Visual Prompting:

Nelly AI delivers instructions dynamically on workstation screens and localized mobile devices in **English, isiZulu, Afrikaans, and Sesotho**:

- **English:** \*"Technician Nomvula, 60 minutes of nail filing completed. Please initiate your 3-minute Nelly AI wrist and neck stretch routine now."\*
- **isiZulu:** \*"Msebenzi Nomvula, unqamule imizuzu engu-60 ufileshe izinzipho. Sicela uqale ukwelula izandla nentamo no-Nelly AI manje."\*
- **Afrikaans:** \*"Tegnikus Nomvula, 60 minute se nael-vyl voltooi. Begin asseblief nou jou 3-minute Nelly AI pols- en nek-strekoefeninge."\*
- **Sesotho:** \*"Setsebi Nomvula, ho fetile metsotso e 60 o sebetsa di-nail. Ka kopo qala boikoetliso ba metsotso e 3 ba ho otlolla matsoho le molala le Nelly AI hona joale."\*

## SECTION 3: HAZARDOUS CHEMICAL SUBSTANCES (HCS) & AIR QUALITY GOVERNANCE

### 3.1 SALON HAZARDOUS CHEMICAL SUBSTANCE INVENTORY & SDS REGISTER

All chemical products utilized within **In the Name of Our Love (Pty) Ltd** are audited under the Hazardous Chemical Substances Regulations and classified according to the Globally Harmonized System (GHS). Safety Data Sheets (SDS) are accessible digitally on **ErgoSafe Reborn V3** terminals and in hardcopy at the dispensary.

+-----+-----+-----+-----+-----+				
+-----+				
SALON HCS REGISTER & EXPOSURE CONTROLS				
+-----+-----+-----+-----+-----+				
+-----+				
Chemical Compound	CAS No.	Product Use	GHS Hazard Statements	S.A. OEL-TWA (8-hr)
Statutory Engineering & PPE				
/ Active Substance				
Control Mandates				
+-----+-----+-----+-----+-----+				
+-----+				
Ethyl Methacrylate	97-63-2	Liquid	H225 (Highly Flam),	50 ppm (235 mg/m <sup>3</sup> )
* LEV extraction hood (<15cm distance)				
(EMA Monomer)		Acrylic	H315 (Skin Irrit),	STEL: 100 ppm
* Nitrile gloves (no Latex)				
		Liquid	H317 (Allergic Skin),	
* FFP2 Respirator mask				
			H335 (STOT SE 3)	
+-----+-----+-----+-----+-----+				
+-----+				
Acetone	67-64-1	Gel & Acrylic	H225 (Highly Flam),	500 ppm (1210 mg/m <sup>3</sup> )
* Sealed container pumps				
(Pure Technical)		Remover	H319 (Eye Irrit),	STEL: 750 ppm
* LEV active carbon filtration				
			H336 (Drowsiness)	
* EN166 Safety Goggles for bulk				
+-----+-----+-----+-----+-----+				
+-----+				
Ethyl Cyanoacrylate	7085-85-0	Eyelash &	H315 (Skin Irrit),	0.2 ppm (1 mg/m <sup>3</sup> )
* Micro-ventilation point extraction				
(Lash Glue Adhesive)		Tip Adhesive	H319 (Eye Irrit),	STEL: 1 ppm
* Humidity controlled environment				
			H335 (Resp Irrit)	
(45-60% RH accelerates cure)				
+-----+-----+-----+-----+-----+				
+-----+				
Formaldehyde /	50-00-0	Keratin Hair	H350 (CANCER),	0.1 ppm (0.12 mg/m <sup>3</sup> )
* PROHIBITED over OEL. Downdraft				
Methylene Glycol		Straightening	H301 (Toxic), H314,	CEILING: 0.3 ppm
extraction bay mandatory. FFP3				
		Treatments	H317, H341 (Mutagen)	CARCINOGEN CATEGORY 1B
half-mask respirator mandatory.				
+-----+-----+-----+-----+-----+				
+-----+				
Isopropyl Alcohol	67-63-0	Cleansing &	H225 (Highly Flam),	400 ppm (980 mg/m <sup>3</sup> )
* Dispensed via squeeze bottle				
(IPA 70% & 99%)		Dehydration	H319 (Eye Irrit),	STEL: 500 ppm
* Keep away from ignition sources				
			H336 (Drowsiness)	



* Store in flammable cabinet					
-----+	-----+	-----+	-----+	-----+	-----+
Hydrogen Peroxide	7722-84-1	Hair Bleach	H272 (Oxidizer),	1 ppm (1.4 mg/m <sup>3</sup> )	
* Apron, Nitrile gloves, face shield					
(Concentration >6%)		Developer	H302, H314 (Burns)	STEL: 2 ppm	
during bulk bowl mixing					
-----+	-----+	-----+	-----+	-----+	-----+
-----+					

## 3.2 LOCAL EXHAUST VENTILATION (LEV) & PPE PROTOCOL

### LEV Performance & Maintenance Statutory Checklist:

#### 1. Nail Station Downdraft & Capture Hoods:

- Minimum capture velocity at nail desk surface: **0.5 m/s (100 FPM)**.
- Distance from acrylic monomer dapping dish to LEV hood: **Maximum 15 cm**.
- Pre-filter replacement frequency: **Weekly** (or when dust buildup exceeds 2mm).
- Activated Carbon filter replacement: **Every 90 Days** (or immediately upon detection of EMA monomer odor by H&S Rep).

#### 2. Hair Washing & Chemical Mixing Dispensary:

- Overhead extraction canopy with minimum face velocity of **0.75 m/s**.
- Continuous air exchange rate: Minimum **12 air changes per hour (ACH)**.

### Personal Protective Equipment (PPE) Statutory Standard:

- **Gloves:** Nitrile examination gloves (Powder-free, chemical resistant to solvents/EMA, thickness  $\geq 0.12\text{ mm}$ ). \*Latex gloves are strictly forbidden due to monomer permeability and allergenicity.\*
- **Respiratory Protection:** FFP2 / N95 disposable dust and mist respirators certified to EN149:2001+A1:2009. Mandatory during all e-filing, acrylic powder shaping, and keratin blow-drying.
- **Eye Protection:** EN166 Grade F impact-resistant safety glasses with side shields during liquid monomer decanting, peroxide mixing, and e-file bit operations.

## 3.3 CHEMICAL SPILL & EYE-WASH STATION SOP

### STANDARD OPERATING PROCEDURE: SOP-HCS-004

#### A. EMA Monomer or Acetone Liquid Spill (>100 ml):

1. **Evacuate Immediate Area:** Floor Manager isolates the workstation and alerts adjacent clients/staff.
2. **Eliminate Ignition Sources:** Immediately switch off UV/LED lamps, e-file units, wax heaters, and straighteners within 5 meters. Do not touch light switches.
3. **Deploy Chemical Spill Kit (Located at Dispensary):**
  - Don heavy-duty Nitrile gloves, splash goggles, and an FFP3 half-mask respirator.

- Apply universal absorbent chemical binder (vermiculite/polypropylene dust absorber) around the spill perimeter, moving inward.
- Scoop absorbed gel using non-sparking polypropylene scrapers into a designated Hazmat poly-bag.

4. **Ventilation:** Boost LEV systems and opens exterior salon access doors to maximize cross-ventilation.

5. **Disposal:** Seal Hazmat bag, label as **"HAZARDOUS SOLVENT WASTE - EMA/ACETONE"**, and transfer to the Bio-Waste holding area for certified waste collector pickup.

#### **B. Emergency Eye-Wash Protocol (Chemical Splash to Eye):**

1. **Immediate Action:** Escort affected individual to the wall-mounted eyewash station located at the salon dispensary basin.

2. **Flushing Execution:**

- Depress the emergency eyewash push-bar.
- Forcefully hold eyelids open using thumb and forefinger.
- Flush eyes continuously with sterile isotonic saline / clean tepid water for a **minimum of 15 minutes**.
- Rotate eye globe in all directions to cleanse under upper and lower lids.

3. **Medical Referral:** Seek immediate ophthalmological evaluation. Transport victim with the corresponding Product SDS sheet (Section 3.1).

---

## **SECTION 4: INFECTION CONTROL, SANITATION & WASTE MANAGEMENT**

---

### **4.1 INSTRUMENT STERILIZATION & AUTOCLAVE LOGBOOK**

All reusable critical and semi-critical metal beauty implements (cuticle pushers, nippers, nail clippers, diamond e-file drill bits, micro-blading tool handles, and aesthetic tweezers) must undergo hospital-grade sterilization.

5-STAGE CLINICAL STERILIZATION WORKFLOW		
Stage	Operational Procedure & Statutory Parameters	
1. Pre-Decontamination	* Submerge used metal implements in Enzymatic Detergent bath (1:128 dilution) for 15 minutes immediately post-use.	
2. Ultrasonic Cleaning	* Process in Ultrasonic Cleaner (42 kHz frequency) for 10 minutes to cavitate microscopic organic debris.	
3. Rinsing & Drying	* Rinse under demineralized water. Thoroughly dry using lint-free microfiber towels (moisture causes rust/pitting).	
4. Pouched Packaging	* Seal implements into Class B Sterilization Pouches featuring Type 4 Chemical Indicator Strips.	
5. Autoclave Vacuum Sterilization	* Process in Class B Vacuum Autoclave: - Cycle: 134°C at 2.1 bar pressure for 3.5 minutes hold (or 121°C at 1.1 bar for 15 minutes). * Record digital log in ErgoSafe Reborn V3.	

#### Daily Autoclave Operational Log Register:

- **Autoclave Serial No:** SUN-CLASS-B-18L-9982
- **Location:** Clinical Sterilization Room

Date	Cycle #	Temp (°C)	Pressure (bar)	Hold Time	Chemical Indicator Pass?	Operator Name	Digital Log ID (ErgoSafe)
03/09/2026	01	134.2°C	2.14 bar	4.0 min	PASS (Black Strip)	Anschen Van Zyl	`STER-20260903-01`
03/09/2026	02	134.1°C	2.12 bar	4.0 min	PASS (Black Strip)	Anschen Van Zyl	`STER-20260903-02`
04/09/2026	01	134.3°C	2.15 bar	4.0 min	PASS (Black Strip)	Anschen Van Zyl	`STER-20260904-01`

## 4.2 SHARPS & BIOHAZARD DISPOSAL PROTOCOL

### COMPLIANCE WITH NATIONAL ENVIRONMENTAL MANAGEMENT: WASTE ACT & SANS 10248-1

1. **Sharps Classification:** Micro-needling cartridges, lancets, dermaplaning blades, micro-blading blades, broken glass ampoules, and infected wooden cuticle sticks.
2. **Disposal Container Specification:** Rigid, puncture-resistant, tamper-evident, yellow SABS-approved Sharps Containers conforming to SANS 724 / SANS 10248-1.
3. **Operational Sharps Rules:**

- Sharps containers must be wall-mounted or counter-secured at every aesthetic treatment station at elbow height.
  - **NEVER RE-CAP, BEND, OR MANUALLY BREAK NEEDLES/BLADES.** Drop sharp items directly into the container aperture immediately after single use.
  - Container fill limit: Seal container permanently when contents reach the **3/4 FULL mark**. Never force or overfill.
4. **Biological Waste & Wax Strips:** Contaminated cotton rounds, blood-stained pads, and used wax strips placed in yellow biohazard waste bags.
5. **Contracted Waste Removal:** Collected bi-weekly by a registered hazardous biological waste contractor (Compass Medical Waste Services - Reg # H08/12/9920). Waste manifests retained in Section 4 binder for 5 years.
- 

## 4.3 SURFACE HYGIENE & CROSS-CONTAMINATION MATRICES

\*Engine Linkage: FoodSafe AI Subsystem\*

The **FoodSafe AI Subsystem** enforces automated pre-client and post-client sanitization workflows for all salon service zones. Technicians confirm hygiene completion via touchscreen before the client appointment can be marked completed in the point-of-sale system.

SANITATION & HYGIENE MATRIX BY ZONE			
Service Zone	Pre-Client Protocol	Post-Client Protocol	End-of-Day Deep Clean
Pedicure Basins & with warm water	* Inspect basin dryness	* Drain water completely.	* Fill basin
Foot Stations	* Wipe bowl with enzymatic cleaner.	* Scrub basin walls with Hospital-grade disinfectant  detergent to remove oils.	* Run pipe-free jet circulation  (Quaternary Ammonium 10%)  * Spray 70% IPA/Quat solution.   for 15 minutes.
	* Place fresh disposable	Allow 10-minute wet contact	* Drain, rinse, and dry towel.
	basin liner (if piped).	time (Virucidal/Fungicidal).	
Manicure Stations	* Wipe table surface and intake grill	* Wipe wrist cushion, LED lamp	* Sanitize LEV
& Work Desks	desk lamp with 70% IPA.	interior, and desk surface.	and empty dust collector drawer
	* Place sterile implement bag.	* Remove used towels & place into sealed	
	pouch on manicuring mat.	in soiled laundry bin.	* Mop floor around desk.
Facial & Lash magnifying lamp	* Fit fresh single-use	* Remove disposable paper roll.	* Sanitize
Beds	fitted sheet / paper roll	* Wipe bed leatherette with	arm and
aesthetic trolley.	over headrest and bed.	non-alcohol disinfectant	* UV-C room
disinfection cycle		(prevents vinyl cracking).	run for 30 minutes.

## SECTION 5: ELECTRICAL SAFETY & EMERGENCY

# EVACUATION

## 5.1 SALON ELECTRICAL EQUIPMENT INSPECTION LOG

All electrical appliances used in **In the Name of Our Love (Pty) Ltd** are subjected to monthly Portable Appliance Testing (PAT) and visual safety inspections in terms of the Electrical Machinery Regulations.

- **Inspection Frequency:** Monthly
- **Qualified Inspector:** Sipho Cele (Fire Warden & Operations Coordinator)
- **RCD / GFCI Test:** Master Earth Leakage circuit breaker trip-tested monthly.

Asset ID	Appliance Description	Voltage / Wattage	Visual Cord & Plug Status	Earth Continuity Pass?	Thermal Fuse OK?	Last Test Date	Next Test Due	Status
`EL-UV-01`	SunUV 48W LED/UV Nail Lamp	220V / 48W	Intact cord, no fraying	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-UV-02`	SunUV 48W LED/UV Nail Lamp	220V / 48W	Intact cord, no fraying	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-DRILL-01`	Saeyang E-File Micro-motor	220V / 65W	Cable strain relief OK	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-WAX-01`	Double Depilatory Wax Pot	220V / 300W	Thermostat dial intact	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-STEAM-01`	Clinical Ozone Facial Steamer	220V / 750W	Water sensor verified	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-DRY-01`	Parlux 385 Ionic Hairdryer	220V / 2150W	Plug casing secure	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL
`EL-AUTO-01`	Sun Class B Autoclave 18L	220V / 1800W	Dedicated circuit breaker	PASS	PASS	01/09/2026	01/10/2026	OPERATIONAL

## 5.2 SALON EMERGENCY EVACUATION SOP

**STANDARD OPERATING PROCEDURE: SOP-EVAC-001**

**PURPOSE:** Ensure rapid, orderly evacuation of salon clients, technicians, and visitors during fire, structural emergency, or toxic chemical cloud release.

+-----+   4-STEP SALON EVACUATION PROTOCOL   +-----+	
STEP 1: EMERGENCY ALARM & ELECTRICAL ISOLATION	
* Fire Warden (Sipho Cele) or Floor Manager depresses nearest manual call point.	
* Immediately trip the SALON MASTER ELECTRICAL BREAKER (Located behind Reception)	
to de-energize wax pots, hairdryers, autoclaves, and steamers.	
+-----+	
STEP 2: CLIENT ASSISTANCE & EVACUATION ANNOUNCEMENT	
* Technicians immediately halt treatments. Place towels over client feet/hands.	
* Instruct clients to leave personal belongings unless immediately accessible.	
* Guide clients calmly along designated green illuminated exit routes toward the	
primary egress door.	
+-----+	
STEP 3: CASH REGISTER LOCK & ROOM SWEEP	
* Receptionist depresses POS emergency lock key to secure cash drawers.	
* Floor Manager performs rapid 30-second sweep of facial suites, spray tan booth,	
and restrooms to ensure no clients are left behind.	
+-----+	
STEP 4: ASSEMBLY POINT ROLL-CALL & REPORTING	
* Exit building and gather at ROSEBANK MALL ASSEMBLY POINT ALPHA (Main Plaza).	
* Floor Manager conducts client and staff roll-call using the ErgoSafe Reborn V3	
real-time digital appointment register.	
* Report status to Shopping Mall Emergency Response Team & Municipal Fire Brigade.	
+-----+	

## SECTION 6: TECHNICIAN INDUCTION & HITL COMPETENCY CERTIFICATES

### 6.1 PERSONAL CARE WORKER OHS INDUCTION CHECKLIST

Every newly appointed nail technician, hair stylist, aesthetician, and general cleaner at **In the Name of Our Love (Pty) Ltd** must complete this statutory induction prior to commencing client service.

- **Employee Name:** Nomvula Khumalo
- **ID / Passport Number:** 940512 0892 08 4
- **Job Title:** Lead Nail Technician & Senior Aesthetician
- **Induction Date:** 03 September 2026

+-----+   STATUTORY INDUCTION MODULE VERIFICATION   +-----+			
Induction Module	Training Content	Trainee Initials	
	Summary	& Completion Date	
+-----+			
Module 1: Chemical Safety & HCS	* Reading SDS sheets	NK	
Regulations	* EMA monomer & acetone	03/09/2026	
	safe handling rules		
	* LEV hood positioning		
+-----+			
Module 2: Ergonomic Posture &	* Nelly AI 3-min break	NK	
Decompression	routine execution	03/09/2026	
	* Stool & desk height		
	adjustment mechanics		
+-----+			
Module 3: Infection Control &	* 5-stage sterilization	NK	
Autoclave Operations	* Autoclave pouching	03/09/2026	
	* FoodSafe AI hygiene		
	matrix sign-offs		
+-----+			
Module 4: Sharps & Biohazard	* SANS 10248-1 disposal	NK	
Waste Rules	* Zero re-capping rule	03/09/2026	
	* 3/4 fill limit rule		
+-----+			
Module 5: Electrical & Fire	* Evacuation SOP steps	NK	
Emergency Procedures	* Appliance isolations	03/09/2026	
	* Eye-wash station use		
+-----+			



6.2 HITL COMPETENCY CERTIFICATE TEMPLATE

=====

IN THE NAME OF OUR LOVE (PTY) LTD

REGISTRATION NO: 2021/894102/07

STATUTORY OHS & HYGIENE COMPETENCY CERTIFICATE

=====

This is to certify that:

NOMVULA KHUMALO

ID: 940512 0892 08 4

has successfully completed the Human-in-the-Loop (HITL) Occupational Health, Safety, Chemical Handling, Ergonomics, and Infection Control Competency Evaluation administered via the ErgoSafe Reborn V3 Digital Compliance Platform.

PERFORMANCE SCORE SUMMARY:

-----

1. Ergonomic Posture & Micro-Break Execution:100% (PASS)

2. Hazardous Chemical Substances (HCS) & LEV Controls:100% (PASS)

3. Infection Control & Autoclave Sterilization:100% (PASS)

4. Sharps Safety & Biohazard Waste Compliance:100% (PASS)

5. Electrical Safety & Evacuation Procedures:100% (PASS)

-----

OVERALL COMPLIANCE SCORE: 100% (AUDIT READY)

VALIDITY PERIOD: 03 September 2026 to 02 September 2027

CERTIFICATE REGISTRATION REF: CERT-INOL-2026-89401

ISSUED AND STAMPED BY:

DESIGAN THARMEN

Chief Executive Officer

In the Name of Our Love (Pty) Ltd

LERATO MOKOENA

Salon Floor Manager & Compliance Officer

In the Name of Our Love (Pty) Ltd

[ DIGITAL VERIFICATION STAMP: ERGOSAFE-V3-VALIDATED-03092026-SECURE ]

=====

SECTION 7: CORPORATE STEWARDSHIP & INVOICING MATRIX

7.1 SARS-COMPLIANT 15% VAT INVOICING INTEGRATION

Standardized tax invoice template for corporate salon OHS compliance management, ergonomic software licensing (**ErgoSafe Reborn V3**), hygiene monitoring audits, and statutory safety file maintenance.

Page 17 of 20

=====

TAX INVOICE: INV-2026-0982

=====

ISSUED BY:	BILL TO:
In the Name of Our Love (Pty) Ltd	Corporate Beauty Services Division
Shop G-14, Rosebank Mall	In the Name of Our Love (Pty) Ltd
Rosebank, Johannesburg, 2196	Shop G-14, Rosebank Mall
VAT REGISTRATION NO: 4920184920	Johannesburg, 2196
COMPANY REG NO: 2021/894102/07	ATTN: Accounts Payable

INVOICE DATE: 03 September 2026

PAYMENT TERMS: Net 30 Days

DUE DATE: 03 October 2026

ITEM	DESCRIPTION	QTY	UNIT PRICE (ZAR)	TOTAL (ZAR)
01	Annual OHS Master File Audit & Compliance File Certification (OHSA 85 of 1993)	1	R 15,500.00	R 15,500.00
02	ErgoSafe Reborn V3 Enterprise License (12 Months - Includes Nelly AI Co-Pilot)	12	R 1,250.00	R 15,000.00
03	Quarterly Occupational Hygiene Air Quality & LEV Exhaust Testing (HCS Regulations)	4	R 3,500.00	R 14,000.00
04	Autoclave Class B Validation & Biological Spore Test Inspection Service	1	R 4,800.00	R 4,800.00
05	Technician Ergonomic Posture Assessment & REBA/RULA Profiling (Ergonomics Regs 2019)	1	R 6,200.00	R 6,200.00

SUBTOTAL (EXCL. VAT): R 55,500.00

VAT @ 15.0%: R 8,325.00

TOTAL AMOUNT DUE: R 63,825.00

=====

BANKING DETAILS:

Bank Name: Standard Bank South Africa

Account Name: In the Name of Our Love (Pty) Ltd

Account Number: 002948102

Branch Code: 051001 (Rosebank)

Reference: INV-2026-0982

=====

## 7.2 ANNUAL AUDIT & INSPECTION CALENDAR

Statutory recurring audit schedule for maintaining 100% compliance across all salon operations throughout the calendar year.

ANNUAL STATUTORY OHS & HYGIENE AUDIT CALENDAR			
Frequency	Audit / Inspection Event	Responsible Party	Documentation
Log Target			
Daily	* LEV Dust Extraction Check	* All Technicians	* ErgoSafe
Reborn V3			
	* Autoclave Chemical Indicator	* First Aid Rep (Anschen Van Zyl)	Digital
Logbook			
	* Pre-Client Bed & Basin Clean	* Floor Manager (Lerato Mokoena)	
Weekly	* Emergency Eye-Wash Station	* H&S Rep (Nomvula Khumalo)	* Section 3 &
5 Physical			
	Flushing & Pressure Test	* Fire Warden (Sipho Cele)	Checklist
Logbook			
	* Fire Extinguisher Visual Check		
	* Sharps Container Fill Level		
Monthly	* Electrical Appliance PAT Test	* Fire Warden (Sipho Cele)	* Section 5
PAT Logbook			
	* First Aid Box Inventory Restock	* First Aid Rep (Anschen Van Zyl)	* ErgoSafe
V3 Monthly			
	* Chemical Inventory & SDS Sync	* Floor Manager (Lerato Mokoena)	Executive
Report			
Quarterly	* LEV Active Carbon Filter Swap	* Certified LEV Technician	* Section 3
LEV Maintenance			
	* REBA/RULA Ergonomic Re-audit	* Floor Manager & ErgoSafe V3 Engine	Register
	* Bio-Hazard Waste Manifest	* Compass Medical Waste	* Hazardous
Waste Certificate			
Bi-Annual	* Autoclave Biological Spore	* Approved Inspection Authority (AIA)	* AIA
Certification Binder			
	Challenge Test (Geobacillus)		
Annual	* Full Statutory Master File	* CEO (Desigan Tharmen),	* Section 1

Approval Signoff			
	Review & Legal Alignment	Floor Manager & External OHS Lead	* New Year
Statutory File			
+-----+-----+-----+-----+			
-----+			

\*END OF STATUTORY OCCUPATIONAL HEALTH & SAFETY MASTER FILE FOR IN THE NAME OF OUR LOVE (PTY)  
LTD\*