Q1:-

```
ukistu@ukipc: ~                            ×        ukistu@ukipc: ~                        ×  ➕ ▬

2020-01-09T08:19:39.506+0530 I CONTROL  [initandlisten]
2020-01-09T08:19:39.506+0530 I CONTROL  [initandlisten] ** WARNING: Access control is not enabled for the database.
2020-01-09T08:19:39.507+0530 I CONTROL  [initandlisten] **          Read and write access to data and configuration is unrestricted.
2020-01-09T08:19:39.507+0530 I CONTROL  [initandlisten]
2020-01-09T08:19:39.507+0530 I CONTROL  [initandlisten] ** WARNING: /sys/kernel/mm/transparent_hugepage/enabled is 'always'.
2020-01-09T08:19:39.507+0530 I CONTROL  [initandlisten] **          We suggest setting it to 'never'
2020-01-09T08:19:39.507+0530 I CONTROL  [initandlisten]
---
Enable MongoDB's free cloud-based monitoring service, which will then receive and display
metrics about your deployment (disk utilization, CPU, operation statistics, etc).

The monitoring data will be available on a MongoDB website with a unique URL accessible to you
and anyone you share the URL with. MongoDB may use this information to make product
improvements and to suggest MongoDB products and deployment options to you.

To enable free monitoring, run the following command: db.enableFreeMonitoring()
To permanently disable this reminder, run the following command: db.disableFreeMonitoring()
---
> show dbs
admin         0.000GB
config        0.000GB
local         0.000GB
music         0.000GB
mynoteapp     0.000GB
student       0.000GB
test          0.000GB
tutorialtous  0.000GB
uki5          0.000GB
uki6          0.000GB
vinoliya      0.000GB
> db.student.drop()
false
> use student1
switched to db student1
> db.create.Collection("studentmarks")
2020-01-09T10:51:32.184+0530 E QUERY    [js] TypeError: db.create.Collection is not a function :
@(shell):1:1
> db.createCollection("studentmarks")
{ "ok" : 1 }
>
```

Q2:-

```
ukistu@ukipc: ~                            ×        ukistu@ukipc: ~                        ×  ➕ ▬

MongoDB server version: 3.6.16
Server has startup warnings:
2020-01-09T11:19:50.395+0530 I STORAGE  [initandlisten]
2020-01-09T11:19:50.395+0530 I STORAGE  [initandlisten] ** WARNING: Using the XFS filesystem is strongly recommended with the WiredTiger storag
e engine
2020-01-09T11:19:50.395+0530 I STORAGE  [initandlisten] **          See http://dochub.mongodb.org/core/prodnotes-filesystem
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten]
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten] ** WARNING: Access control is not enabled for the database.
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten] **          Read and write access to data and configuration is unrestricted.
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten]
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten]
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten] ** WARNING: /sys/kernel/mm/transparent_hugepage/enabled is 'always'.
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten] **          We suggest setting it to 'never'
2020-01-09T11:19:55.097+0530 I CONTROL  [initandlisten]
> show dbs
admin   0.000GB
config  0.000GB
local   0.000GB
> mongod status
2020-01-09T11:25:10.846+0530 E QUERY    [thread1] SyntaxError: missing ; before statement @(shell):1:7
> mongo status
2020-01-09T11:25:18.722+0530 E QUERY    [thread1] SyntaxError: missing ; before statement @(shell):1:6
> show dbs
admin   0.000GB
config  0.000GB
local   0.000GB
> use students
switched to db students
> show dbs
admin   0.000GB
config  0.000GB
local   0.000GB
> use students
switched to db students
> db.createCollection("studentdetails")
{ "ok" : 1 }
> show dbs
admin     0.000GB
config    0.000GB
local     0.000GB
students  0.000GB
>
```

Q3:-


```
        "_id" : ObjectId("5e16c476b6241340f65fc5e9"),
        "name" : "aruli",
        "maths_marks" : "78",
        "english_marks" : "85",
        "science_marks" : "80"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ea"),
        "name" : "shayu",
        "maths_marks" : "80",
        "english_marks" : "76",
        "science_marks" : "65"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5eb"),
        "name" : "kumaran",
        "maths_marks" : "32",
        "english_marks" : "73",
        "science_marks" : "84"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ec"),
        "name" : "lucky",
        "maths_marks" : "66",
        "english_marks" : "90",
        "science_marks" : "45"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ed"),
        "name" : "gva",
        "maths_marks" : "71",
        "english_marks" : "75",
        "science_marks" : "56"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81"
}
>
```

Q4:-


```
        "maths_marks" : "66",
        "english_marks" : "90",
        "science_marks" : "45"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ed"),
        "name" : "gva",
        "maths_marks" : "71",
        "english_marks" : "75",
        "science_marks" : "56"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81"
}
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:>50}}]).pretty()
2020-01-09T12:13:44.983+0530 E QUERY    [thread1] SyntaxError: unterminated string literal @(shell):1:45
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}}]).pretty()
2020-01-09T12:14:07.600+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}]}]).pretty()
2020-01-09T12:15:00.503+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({"maths_marks":{$gt:50}}).pretty()
>
> db.studentdetails.find({maths_marks:{$gt:50}}).pretty()
> db.studentdetails.find({maths_marks:{$gt:50}{name:1}}).pretty()
2020-01-09T12:20:42.752+0530 E QUERY    [thread1] SyntaxError: missing } after property list @(shell):1:44
> db.studentdetails.find({maths_marks:{$gt:50},{name:1}}).pretty()
2020-01-09T12:20:58.002+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:45
> db.studentdetails.find({maths_marks:{$gte:50},{name:1}}).pretty()
2020-01-09T12:21:31.308+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:46
> db.studentdetails.find({maths_marks:{$gte:50}},{name:1}).pretty()
> db.studentdetails.find({maths_marks:{$gte:"50"}},{name:1}).pretty()
{ "_id" : ObjectId("5e16c476b6241340f65fc5e6"), "name" : "mala" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e7"), "name" : "vanu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e9"), "name" : "aruli" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ea"), "name" : "shayu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ec"), "name" : "lucky" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ed"), "name" : "gva" }
>
```

Q5:-


```
        "maths_marks" : "66",
        "english_marks" : "90",
        "science_marks" : "45"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ed"),
        "name" : "gva",
        "maths_marks" : "71",
        "english_marks" : "75",
        "science_marks" : "56"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81"
}
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:>50}}]).pretty()
2020-01-09T12:13:44.983+0530 E QUERY    [thread1] SyntaxError: unterminated string literal @(shell):1:45
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}]}).pretty()
2020-01-09T12:14:07.600+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}]}).pretty()
2020-01-09T12:15:00.503+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({"maths_marks":{$gt:50}}).pretty()
>
> db.studentdetails.find({maths_marks:{$gt:50}}).pretty()
> db.studentdetails.find({maths_marks:{$gt:50}{name:1}}).pretty()
2020-01-09T12:20:42.752+0530 E QUERY    [thread1] SyntaxError: missing } after property list @(shell):1:44
> db.studentdetails.find({maths_marks:{$gt:50},{name:1}}).pretty()
2020-01-09T12:20:58.002+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:45
> db.studentdetails.find({maths_marks:{$gte:50},{name:1}}).pretty()
2020-01-09T12:21:31.308+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:46
> db.studentdetails.find({maths_marks:{$gte:50}},{name:1}).pretty()
> db.studentdetails.find({maths_marks:{$gte:"50"}},{name:1}).pretty()
{ "_id" : ObjectId("5e16c476b6241340f65fc5e6"), "name" : "mala" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e7"), "name" : "vanu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e9"), "name" : "aruli" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ea"), "name" : "shayu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ec"), "name" : "lucky" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ed"), "name" : "gva" }
>
```

Q6:-


```
        "maths_marks" : "71",
        "english_marks" : "75",
        "science_marks" : "56"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81"
}
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:>50}}]).pretty()
2020-01-09T12:13:44.983+0530 E QUERY    [thread1] SyntaxError: unterminated string literal @(shell):1:45
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}]}).pretty()
2020-01-09T12:14:07.600+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({$and:[{},{"name":1},{"maths_marks:">50"}]}).pretty()
2020-01-09T12:15:00.503+0530 E QUERY    [thread1] SyntaxError: missing : after property id @(shell):1:59
> db.studentdetails.find({"maths_marks":{$gt:50}}).pretty()
>
> db.studentdetails.find({maths_marks:{$gt:50}}).pretty()
> db.studentdetails.find({maths_marks:{$gt:50}{name:1}}).pretty()
2020-01-09T12:20:42.752+0530 E QUERY    [thread1] SyntaxError: missing } after property list @(shell):1:44
> db.studentdetails.find({maths_marks:{$gt:50},{name:1}}).pretty()
2020-01-09T12:20:58.002+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:45
> db.studentdetails.find({maths_marks:{$gte:50},{name:1}}).pretty()
2020-01-09T12:21:31.308+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:46
> db.studentdetails.find({maths_marks:{$gte:50}},{name:1}).pretty()
> db.studentdetails.find({maths_marks:{$gte:"50"}},{name:1}).pretty()
{ "_id" : ObjectId("5e16c476b6241340f65fc5e6"), "name" : "mala" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e7"), "name" : "vanu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5e9"), "name" : "aruli" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ea"), "name" : "shayu" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ec"), "name" : "lucky" }
{ "_id" : ObjectId("5e16c476b6241340f65fc5ed"), "name" : "gva" }
> db.studentdetails.find({maths_marks:{$gte:"50"}},{name:1,_id:0}).pretty()
{ "name" : "mala" }
{ "name" : "vanu" }
{ "name" : "aruli" }
{ "name" : "shayu" }
{ "name" : "lucky" }
{ "name" : "gva" }
>
```

Q7:-


```
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81"
}
> db.studentdetails.update({},{$set:{"Average":"",false,true}})
2020-01-09T14:34:26.150+0530 E QUERY    [thread1] SyntaxError: false is a reserved ide
ntifier @(shell):1:48
> db.studentdetails.update({},{$set:{Average:"",false,true}})
2020-01-09T14:36:31.125+0530 E QUERY    [thread1] SyntaxError: false is a reserved ide
ntifier @(shell):1:46
> db.studentdetails.update({},{$set:{Average:1,false,true}})
2020-01-09T14:37:09.707+0530 E QUERY    [thread1] SyntaxError: false is a reserved ide
ntifier @(shell):1:45
> db.studentdetails.update({},{ $set:{"Average":1}},false,true)
WriteResult({ "nMatched" : 9, "nUpserted" : 0, "nModified" : 9 })
> db.studentdetails.find().pretty()
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e6"),
        "name" : "mala",
        "maths_marks" : "51",
        "english_marks" : "53",
        "science_marks" : "72",
        "Average" : 1
```

Q8:-


```
> db.studentdetails.update([{name:"lucky"},{$set:{science_marks:"75"}})
...
...
> db.studentdetails.update({name:"lucky"}{$set:{science_marks:"75"}})
2020-01-09T15:02:41.700+0530 E QUERY    [thread1] SyntaxError: missing ) after argumen
t list @(shell):1:39
> db.studentdetails.update({name:"lucky"},{$set:{science_marks:"75"}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.studentdetails.find().pretty()
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e6"),
        "name" : "mala",
        "maths_marks" : "51",
        "english_marks" : "53",
        "science_marks" : "72",
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e7"),
        "name" : "vanu",
        "maths_marks" : "80",
        "english_marks" : "75",
        "science_marks" : "85",
```

Q9:-


```
            "Average" : 1
}
> db.studentdetails.find({$and:[{maths_marks:{$gt:"50"}},{science_marks:{$gt:"50"}},{e
nglish_marks:{$gt:"50"}}]},{name:1,_id:0}).pretty()
2020-01-09T15:42:54.366+0530 E QUERY    [thread1] SyntaxError: invalid property id @(s
hell):1:110
> db.studentdetails.find({$and:[{maths_marks:{$gt:"50"}},{science_marks:{$gt:"50"}},{e
nglish_marks:{$gt:"50"}}]},{name:1,_id:0}).pretty()
{ "name" : "mala" }
{ "name" : "vanu" }
{ "name" : "aruli" }
{ "name" : "shayu" }
{ "name" : "lucky" }
{ "name" : "gva" }
> db.studentdetails.find({$and:[{maths_marks:{$gt:"50"}},{english_marks:{$gt:"50"}}]},
{name:1,_id:0}).pretty()
{ "name" : "mala" }
{ "name" : "vanu" }
{ "name" : "aruli" }
{ "name" : "shayu" }
{ "name" : "lucky" }
{ "name" : "gva" }
>
```

Q12:-


```
            "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
            "name" : "raam",
            "maths_marks" : "41",
            "english_marks" : "65",
            "science_marks" : "81",
            "Average" : 1
}
> db.studentdetails.find(name:"john")
2020-01-13T12:15:24.607+0530 E QUERY    [thread1] SyntaxError: missing ) after argument list @(shell):1:27
> db.studentdetails.find({name:"john"})
{ "_id" : ObjectId("5e16c476b6241340f65fc5e6"), "name" : "john" }
> db.studentdetails.update({name:"john"},{$set:{maths_marks:"75"},{english_marks:"23"}})
2020-01-13T12:19:34.638+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:64
> db.studentdetails.update({name:"john"},{$set:{maths_marks:"75"},{english_marks:"23"})
...
...
> db.studentdetails.update({name:"john"},{$set:{"maths_marks":"75"},{"english_marks":"23"}})
2020-01-13T12:26:48.930+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:66
> db.studentdetails.update({name:"john"},{$set:[{"maths_marks":"75"},{"english_marks":"23"}]})
2020-01-13T12:27:43.368+0530 E QUERY    [thread1] SyntaxError: missing ] after element list @(shell):1:89
> db.studentdetails.update({name:"john"},{$set:[{"maths_marks":"75"},{"english_marks":"23"}]})
WriteResult({
        "nMatched" : 0,
        "nUpserted" : 0,
        "nModified" : 0,
        "writeError" : {
                "code" : 9,
                "errmsg" : "Modifiers operate on fields but we found type array instead. For example: {$mod: {<field>: ...}} not {$set: [ { mat
hs_marks: \"75\" }, { english_marks: \"23\" } ]}"
        }
})
> db.studentdetails.update({name:"john"},{$set:[{"maths_marks":"75"},{"english_marks":"23"}]})
2020-01-13T12:31:58.862+0530 E QUERY    [thread1] SyntaxError: missing ] after element list @(shell):1:89
> db.studentdetails.update({name:"john"},{$set:[{"maths_marks":"75"},{"english_marks":"23"}]})
2020-01-13T12:32:08.040+0530 E QUERY    [thread1] SyntaxError: missing ] after element list @(shell):1:89
> db.studentdetails.update({name:"john","maths_marks":"75","english_marks":"23"})
2020-01-13T12:33:15.169+0530 E QUERY    [thread1] Error: need an object :
DBCollection.prototype._parseUpdate@src/mongo/shell/collection.js:443:1
DBCollection.prototype.update@src/mongo/shell/collection.js:483:18
@(shell):1:1
> db.studentdetails.insert({name:"john","maths_marks":"75","english_marks":"23"})
WriteResult({ "nInserted" : 1 })
> db.studentdetails.find().pretty()
```

Q13:-

```
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ed"),
        "name" : "gva",
        "maths_marks" : "71",
        "english_marks" : "75",
        "science_marks" : "56",
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81",
        "Average" : 1
}
{
        "_id" : ObjectId("5e1c1691d718dcb872cf9aa7"),
        "name" : "john",
        "maths_marks" : "75",
        "english_marks" : "23"
> db.studentdetails.rename({"english_marks":"science_marks"}).pretty()
2020-01-13T12:36:53.965+0530 E QUERY    [thread1] TypeError: db.studentdetails.rename is not a function :
@(shell):1:1
> db.studentdetails.rename({"english_marks":"science_marks"})
2020-01-13T12:37:15.666+0530 E QUERY    [thread1] TypeError: db.studentdetails.rename is not a function :
@(shell):1:1
> db.studentdetails.rename({"english_marks":"science_marks"})
2020-01-13T12:37:48.589+0530 E QUERY    [thread1] TypeError: db.studentdetails.rename is not a function :
@(shell):1:1
> db.studentdetails.update({"english_marks":"science_marks"})
2020-01-13T12:38:14.219+0530 E QUERY    [thread1] Error: need an object :
DBCollection.prototype._parseUpdate@src/mongo/shell/collection.js:443:1
DBCollection.prototype.update@src/mongo/shell/collection.js:483:18
@(shell):1:1
> db.studentdetails.update({$rename:"english_marks":"science_marks"})
2020-01-13T12:38:34.254+0530 E QUERY    [thread1] SyntaxError: missing } after property list @(shell):1:49
> db.studentdetails.update({name:"john"},{$set:{"maths_marks":"science_marks"}})
WriteResult({ "nMatched" : 1, "nUpserted" : 0, "nModified" : 1 })
> db.studentdetails.rename({"english_marks":"science_marks"})
```

Q14:-

```
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
        "name" : "raam",
        "maths_marks" : "41",
        "english_marks" : "65",
        "science_marks" : "81",
        "Average" : 1
}
{
        "_id" : ObjectId("5e1c1691d718dcb872cf9aa7"),
        "name" : "john",
        "maths_marks" : "75",
        "english_marks" : "23"
}
> db.studentdetails.remove({name:"kumaran"})
WriteResult({ "nRemoved" : 1 })
> db.studentdetails.find().pretty()
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e6"),
        "name" : "john",
        "maths_marks" : "science_marks"
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e7"),
        "name" : "vanu",
        "maths_marks" : "80",
        "english_marks" : "75",
        "science_marks" : "85",
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e8"),
        "name" : "kala",
        "maths_marks" : "32",
        "english_marks" : "46",
        "science_marks" : "53",
        "Average" : 1
}
{
        "_id" : ObjectId("5e16c476b6241340f65fc5e9"),
        "name" : "aruli",
```

Q15:-

```
              "Average" : 1
}
{
              "_id" : ObjectId("5e16c476b6241340f65fc5ec"),
              "name" : "lucky",
              "maths_marks" : "66",
              "english_marks" : "90",
              "science_marks" : "75",
              "Average" : 1
}
{
              "_id" : ObjectId("5e16c476b6241340f65fc5ed"),
              "name" : "gva",
              "maths_marks" : "71",
              "english_marks" : "75",
              "science_marks" : "56",
              "Average" : 1
}
{
              "_id" : ObjectId("5e16c476b6241340f65fc5ee"),
              "name" : "raam",
              "maths_marks" : "41",
              "english_marks" : "65",
              "science_marks" : "81",
              "Average" : 1
}
{
              "_id" : ObjectId("5e1c1691d718dcb872cf9aa7"),
              "name" : "john",
              "maths_marks" : "75",
              "english_marks" : "23"
}
> db.studentdetails.find({$or:[{name:"kala"},{name:"aruli"}],{science_marks:1,_id:0},{maths_marks:1,_id:0}}})
2020-01-13T12:45:55.124+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:59
> db.studentdetails.find({$or:[{name:"kala"},{name:"aruli"}],{science_marks:1,_id:0},{maths_marks:1}}})
2020-01-13T12:46:30.021+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:59
> db.studentdetails.find({$or:[{name:"kala"},{name:"aruli"}],{science_marks:1,_id:0},{maths_marks:1}}})
2020-01-13T12:48:17.161+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:59
> db.studentdetails.find({$or:[{"name":"kala"},{"name":"aruli"}],{"science_marks":1,_id:0},{"maths_marks":1}}})
2020-01-13T12:49:24.342+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:63
> db.studentdetails.find({$or:[{"name":"kala"},{"name":"aruli"}],{"science_marks":1},{"maths_marks":1}}})
2020-01-13T12:49:59.344+0530 E QUERY    [thread1] SyntaxError: invalid property id @(shell):1:63
> db.studentdetails.find({$or:[{"name":"kala"},{"name":"aruli"}],{"science_marks":1},{"maths_marks":1}}})
```