




Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

smtp

No.	Time	Source	Destination	Protocol	Length	Info
786	64.166821	2409:40f4:3b:5360:c...	2404:6800:4003:c11:...	SMTP	76	C: DATA fragment, 10 bytes
788	64.343616	2409:40f4:3b:5360:c...	2404:6800:4003:c11:...	SMTP	76	C: DATA fragment, 2 bytes
790	64.481148	2409:40f4:3b:5360:c...	2404:6800:4003:c11:...	SMTP	76	C: DATA fragment, 2 bytes
791	64.500593	2404:6800:4003:c11:...	2409:40f4:3b:5360:c...	SMTP	240	S: 502-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/3221
794	64.606486	2409:40f4:3b:5360:c...	2404:6800:4003:c11:...	SMTP	76	C: DATA fragment, 2 bytes
2742	118.065641	74.125.130.109	192.168.205.237	SMTP	129	S: 220 smtp.gmail.com ESMTP 41be03b00d2f7-7db498f9f28sm8690440a12.22 - gsmt
2788	130.343576	192.168.205.237	74.125.130.109	SMTP	56	C: DATA fragment, 16 bytes
2790	130.610782	74.125.130.109	192.168.205.237	SMTP	220	S: 502-5.5.1 Unrecognized command. For more information, go to 5.5.1 https://support.google.com/a/answer/3221
2806	133.546796	192.168.205.237	74.125.130.109	SMTP	56	C: helo
2808	133.803122	74.125.130.109	192.168.205.237	SMTP	224	S: 501-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/
2970	148.895488	2404:6800:4003:c11:...	2409:40f4:3b:5360:c...	SMTP	148	S: 220 smtp.gmail.com ESMTP 98a67ed50e1d1-2dd58c100deu1867658a91.0 - gsmt
3176	166.722579	2409:40f4:3b:5360:c...	2404:6800:4003:c11:...	SMTP	76	C: helo
3178	166.975030	2404:6800:4003:c11:...	2409:40f4:3b:5360:c...	SMTP	243	S: 501-5.5.4 Empty HELO/EHLO argument not allowed, closing connection. 5.5.4 https://support.google.com/mail/

Frame 2808: 224 bytes on wire (1792 bits), 224 bytes captured (1792 bits) on interface \Device\NPF...

Ethernet II, Src: 2a:99:57:fb:7f:2a (2a:99:57:fb:7f:2a), Dst: Intel_deic3:e9 (f4:06:69:de:c3:e9)

Internet Protocol Version 4, Src: 74.125.130.109, Dst: 192.168.205.237

Transmission Control Protocol, Src Port: 587, Dst Port: 53528, Seq: 242, Ack: 23, Len: 170

Source Port: 587

Destination Port: 53528

[Stream index: 46]

[Stream Packet Number: 38]

[Conversation completeness: Complete, WITH_DATA (31)]

[TCP Segment Len: 170]

Sequence Number: 242 (relative sequence number)

Sequence Number (raw): 2714736421

[Next Sequence Number: 412 (relative sequence number)]

Acknowledgment Number: 23 (relative ack number)

Acknowledgment number (raw): 1179687745

0101 = Header Length: 20 bytes (5)

Flags: 0x018 (PSH, ACK)

Window: 256

[Calculated window size: 65536]

0000 f4 06 69 de c3 e9 2a 99 57 fb 7f 2a 08 00 45 00 ...i...W...E...
0010 00 d2 00 00 40 00 74 06 aa a5 4a 7d 82 6d c0 a8 ...@t...J}...
0020 cd ed 02 4b d1 18 a1 cf 97 25 46 50 9b 41 50 18 ...K...KFP AP...
0030 01 00 3b 9a 00 00 35 30 31 2d 35 2e 35 2e 34 20 ...;...50 1-5.5.4...
0040 45 6d 70 74 79 20 48 45 4c 4f 2f 45 48 4c 4f 20 Empty HE LO/EHLO...
0050 61 72 67 75 6d 65 6e 74 20 6e 6f 74 20 61 6c 6c argument not all...
0060 6f 77 65 64 2c 20 63 6c 6f 73 69 6e 67 20 63 6f owed, cl osing co...
0070 6e 6e 65 63 74 69 6f 6e 2e 0d 0a 35 30 31 20 35 nnection ...501 5...
0080 2e 35 2e 34 20 20 68 74 74 70 73 3a 2f 2f 73 75 .5.4 ht tps://su...
0090 70 70 6f 72 74 2e 67 6f 6f 67 6c 65 2e 63 6f 6d pport.go ogle.com...
00a0 2f 6d 61 69 6c 2f 3f 70 3d 68 65 6c 6f 20 34 31 /mail/?p =helo 41...
00b0 62 65 30 33 62 30 30 64 32 66 37 2d 37 64 62 34 be03b00d 2f7-7db4...
00c0 39 38 66 39 66 32 38 73 6d 38 36 39 30 34 34 30 98f9f28s m8690440...
00d0 61 31 32 2e 32 32 20 2d 20 67 73 6d 74 70 0d 0a a12.22 - gsmt...

Packets: 3212 - Displayed: 13 (0.4%) - Dropped: 0 (0.0%)

Simple Mail Transfer Protocol Protocol

Search

ENG 1:09 PM

Go Capture Analyze Statistics Telephony Wireless Tools Help

Wireshark - Packet 5355 - Wi-Fi

> Frame 5355: 50 bytes on wire (400 bits), 50 bytes captured (400 bits) on interface \Device\NPF_{CC571BE7-AC8A-4B54-B0D3-96594A8C5D44}, id 0

> Ethernet II, Src: Cisco_bf:eb:fe (f8:e5:7e:bf:eb:fe), Dst: IPv4ncast_01 (01:00:5e:00:00:01)

> Internet Protocol Version 4, Src: 172.24.32.189, Dst: 224.0.0.1

> Internet Control Message Protocol

0000	01 00 5e 00 00 01 f8 e5 7e bf eb fe 08 00 45 e0	..^.....E.
0010	00 24 17 4c 00 00 01 01 f4 d6 ac 18 20 bd e0 00	-\$-L.....
0020	00 01 09 00 22 20 01 02 07 00 ac 18 20 bd 00 00	^..E....
0030	00 00	..

No: 5355 - Time: 129.032797 - Source: 172.24.32.189 - Destination: 224.0.0.1 - Protocol: ICMP - Length: 50 - info: Mobile IP Advertisement (Normal router advertisement)

☒ Show packet bytes Layout: Vertical (Stacked) Close Help

Capturing from Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Wireshark - Packet 464 - Wi-Fi

arp

No.	Time
464	307.233492
470	312.654323
471	312.670676
571	344.097993
573	344.098048
590	373.999150
591	373.999198
612	409.844615
613	409.844662
651	444.961353
652	444.961397
1100	503.446162
1191	503.446197
1338	583.151509
1339	583.164726
1345	584.125152
1346	584.125185
1354	613.923774
1355	613.923813

Frame 464: 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{84148D18-E6E8-405F-B93D-106055899375}, id 0

Ethernet II, Src: AzureWaveTec_61:7d:7e (1c:ce:51:61:7d:7e), Dst: 72:9f:51:23:e7:56 (72:9f:51:23:e7:56)

Address Resolution Protocol (reply)

0000 72 9f 51 23 e7 56 1c ce 51 61 7d 7e 08 06 00 01 e Q# V... Qa]-....

0010 08 00 06 04 00 02 1c ce 51 61 7d 7e c0 a8 02 97 Qa]-....

0020 72 9f 51 23 e7 56 c0 a8 02 d8 e Q# V... Qa]-....

No. 464 - Time: 307.233492 - Source: AzureWaveTec_61:7d:7e - Destination: 72:9f:51:23:e7:56 - Protocol: ARP - Length: 42 - Info: 793.168.2.151 is at 1c:ce:51:61:7d:7e

☒ Show packet bytes Layout: Vertical (Stacked)

Close Help

Wireshark - Packet 270 - Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No. Time

270 192.543576

272 192.672973

Frame 270: 727 bytes on wire (5816 bits), 727 bytes captured (5816 bits) on interface \Device\NPF_{84148D18-86E8-405F-893D-1DA055899375}, id 0

Ethernet II, Src: AzureWaveFec_81:7d:7e (1c:ce:51:61:7d:7e), Dst: 72:9f:51:23:e7:56 (72:9f:51:23:e7:56)

Internet Protocol Version 6, Src: 2401:4900:6333:6dbd:3c6c:9279:74d0:f075, Dst: 2620:1ec:12::239

Transmission Control Protocol, Src Port: 51210, Dst Port: 80, Seq: 1, Ack: 1, Len: 653

Hypertext Transfer Protocol

0000 72 9f 51 23 e7 56 1c ce 51 61 7d 7e 86 dd 60 0c r Q# V Qa~
0010 a8 cc 02 a1 06 3f 24 01 49 00 63 33 6d bd 3c 6c? I c3m <l
0020 92 79 74 d0 f0 75 26 20 01 ec 00 12 00 00 00 00 yt uk
0030 00 00 00 00 02 39 c8 0a 00 50 ee da cc 95 e8 209 P
0040 f5 14 50 18 00 ff 5e b8 00 00 47 45 54 20 2f 62 ..P.. GET /b
0050 72 6f 77 73 65 72 6e 65 74 77 6f 72 6b 74 69 6d rowserne tworktin
0060 65 2f 74 69 6d 65 2f 31 2f 63 75 72 72 65 6e 74 e/time/1 /current
0070 3f 63 75 70 32 6b 65 79 3d 32 3a 7a 56 39 45 48 ?cup2key =2:V98H
0080 6c 59 72 52 54 75 65 6b 66 6c 5f 31 32 6e 39 37 lYrRIuek f1_12n97
0090 31 73 74 34 56 4d 34 6a 67 6d 6e 6f 74 6f 4f 4e 1st4VMj gmoto0R
00a0 47 43 6a 63 6c 6f 26 63 75 70 32 68 72 65 71 3d 6Cjcl0Kc up2hreq-
00b0 65 33 62 30 63 34 34 32 39 38 66 63 31 63 31 34 e1bm442 98fcl:14
00c0 39 61 66 62 66 34 63 38 39 39 36 66 62 39 32 34 9afb4c8 996fb024
00d0 32 37 61 65 34 31 65 34 36 34 39 62 39 33 34 63 27ae41e4 649b934c
00e0 61 34 39 35 39 31 62 37 38 35 32 62 38 35 35 a495991b 7852b855
00f0 20 48 54 54 50 2f 31 2e 11 6d 8a 48 6f 73 74 3a HTTP/1.1 Host:
0100 20 65 64 67 65 2a 6d 69 63 72 6f 73 6f 66 74 2e edge.mi crossoft.
0110 63 6f 6d 8d 8a 43 6f 6e 6e 65 63 74 69 6f 6e 3a com Con nection:

No. 270 - Time: 192.543576 - Source: 2401:4900:6333:6dbd:3c6c:9279:74d0:f075 - Destination: 2620:1ec:12::239 - Protocol: HTTP - RTT: 1297186144 - gmoto0R9Cgde0cuphreq-eJ00e44208f:1c149bfb4c8996fb02470e41e49b934c9495991b7852b855 HTTP/1.1

Show packet bytes Layout: Vertical (Stacked)