

Name: Tharun Bhukya

700# : 700747504

Github Link: https://github.com/tharunbhukya/CS5720_ICP1


Video Link:

https://drive.google.com/file/d/1a_E6O692hQpNxUjnxNafde3BKaVwqZk4/view?usp=sharing

1)

```
[1] x = input("Enter a String: ")
    y=x.replace("ho","")[::-1]
    print(y)
```

Enter a String: python
ntyp



The screenshot shows a Jupyter Notebook interface. The top part of the notebook contains a Python script with the following code:

```
a = int(input())
b = int(input())
print(a+b)
print(a-b)
print(a*b)
print(a/b)
```

Below the code, the output of the script is displayed:

```
6
7
13
-1
42
0.8571428571428571
```

The bottom part of the notebook shows the first line of the script from the previous block:

```
[1] x = input("Enter a String: ")
```

2)

✓
9s

```
[3] z = input("Enter a String:")  
t = z.replace("python", "pythons")  
print(t)
```

```
Enter a String:I love playing with python  
I love playing with pythons
```

3)

```
▶ grade = int(input("Enter score that has to be less than 100: "))  
if(grade>90 and grade <= 100):  
    print("A")  
elif(grade>80 and grade<=90):  
    print("B")  
elif(grade>70 and grade<=80):  
    print("C")  
elif(grade>60 and grade<=70):  
    print("D")  
elif(grade<=60):  
    print("fail")  
else:  
    print("Number should be less than 100")
```

```
☞ Enter score that has to be less than 100: 95  
A
```