

Status	Finished
Started	Friday, 31 October 2025, 8:48 PM
Completed	Friday, 31 October 2025, 9:31 PM
Duration	42 mins 50 secs

Question **1**

Correct

Write a program that prints a simple chessboard.

Input format:

The first line contains the number of inputs T.

The lines after that contain a different values for size of the chessboard

Output format:

Print a chessboard of dimensions size * size. Print a Print W for white spaces and B for black spaces.

Input:

2
3
5

Output:

WBW
BWB
WBW
WBWBW
BWBWB
WBWBW
BWBWB
WBWBW

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int t,n;
4      scanf("%d",&t);
5      while(t--){
6          scanf("%d",&n);
7          for(int i=0;i<n;i++){
8              for(int j=0;j<n;j++){
9                  if((i+j)%2==0)
10                     printf("W");
11                 else
12                     printf("B");
13             }
14             printf("\n");
15     }
```

```
16 |}  
17 |return 0;  
18 |}
```



	Input	Expected	Got	
✓	2	WBW	WBW	✓
	3	BWB	BWB	
	5	WBW	WBW	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	
		BWBWB	BWBWB	
		WBWBW	WBWBW	



Passed all tests! ✓

Question **2**

Correct

Let's print a chessboard!

Write a program that takes input:

The first line contains T, the number of test cases

Each test case contains an integer N and also the starting character of the chessboard

Output Format

Print the chessboard as per the given examples

Sample Input / Output

Input:

2
2 W
3 B

Output:

WB
BW
BWB
WBW
BWB

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int t,n;
4      char start,next;
5      scanf("%d",&t);
6      while(t--){
7          scanf("%d %c",&n,&start);
8          next=(start=='W') ? 'B' : 'W' ;
9          for(int i=0 ; i<n ; i++){
10             for(int j=0; j<n; j++){
11                 if((i+j)%2==0)
12                     printf("%c",start);
13                 else
14                     printf("%c",next);
15             }
16             printf("\n");
17         }
```

```
17     }  
18     }  
19     return 0;  
20  
21 }  
22  
23
```

	Input	Expected	Got	
✓	2	WB	WB	✓
	2 W	BW	BW	
	3 B	BWB	BWB	
		WBW	WBW	
		BWB	BWB	

Passed all tests! ✓

Question **3**

Correct

Problem Statement:

In a small coding competition, participants are to be grouped into teams of three members, each member represented by a number — 1, 2, and 3.

The rule of the competition states that no member can repeat within the same team.

Write a program to display all possible unique team combinations that can be formed using the members 1, 2, and 3 without repetition.

Sample Output:

1 2 3

1 3 2

2 1 3

2 3 1

3 1 2

3 2 1

Answer: (penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main(){
3      int a,b,c;
4      for(a=1;a<=3;a++){
5          for(b=1;b<=3;b++){
6              for(c=1;c<=3;c++){
7                  if(a!=b&&b!=c&&a!=c){
8                      printf("%d %d %d\n",a,b,c);
9                  }
10             }
11         }
12     }
13     return 0;
14 }
```



	Expected	Got	
✓	1 2 3 1 3 2 2 1 3 2 3 1 3 1 2 3 2 1	1 2 3 1 3 2 2 1 3 2 3 1 3 1 2 3 2 1	✓

Passed all tests! ✓