RAJALAKSHMI ENGINEERING COLLEGE

Tharun Periyan A P 251001289-2025-IT

T2

Started on	Friday, 11 September 2026, 2:10 PM
State	Finished
Completed on	Friday, 11 September 2026, 2:24 PM
Time taken	13 mins 48 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Problem Statement:

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

Input Format

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

Output Format

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>

int bs(int a[], int l, int r, int x) {
    if (l > r)
        return -1;

    int m = (l + r) / 2;

    if (a[m] == x)
        return m;

    if (a[m] > x)
        return bs(a, l, m - 1, x);

    return bs(a, m + 1, r, x);
}

int pair(int a[], int n, int x, int i) {
    if (i == n)
        return -1;

    int y = x - a[i];

    int j = bs(a, i + 1, n - 1, y);

    if (j != -1) {
        printf("%d\n", a[i]);
        printf("%d\n", a[j]);
        return 1;
    }

    return pair(a, n, x, i + 1);
}

int main() {
    int n, x;

    scanf("%d", &n);

    int a[n];

    for (int i = 0; i < n; i++)
        scanf("%d", &a[i]);

    scanf("%d", &x);

    if (pair(a, n, x, 0) == -1)
        printf("No");

    return 0;
```

```
51 }
52
```

	Input	Expected	Got	
✔	4 2 4 8 10 14	4 10	4 10	✔
✔	5 2 4 6 8 10 100	No	No	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course