Started on	Monday, 5 October 2026, 6:56 PM
State	Finished
Completed on	Monday, 5 October 2026, 6:58 PM
Time taken	2 mins 21 secs
Marks	15.00/15.00
Grade	**100.00** out of 100.00

Question 1 | Correct Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {‘rec’, True, (‘cse’, ‘ece’)}

b. Error

c. {‘rec’, 1, (‘cse’, ‘ece’),True}

d. {‘rec’, 1, (‘cse’, ‘ece’)} ✔

Your answer is correct.

The correct answer is:
{‘rec’, 1, (‘cse’, ‘ece’)}

Question 2 | Correct Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

a. <class 'str'> ✔

b. <class 'tuple'>

c. <class 'int'>

d. str

Your answer is correct.

The correct answer is:
<class 'str'>

Question 3 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3,4,5,6) ✔

b. (1,2,3,3,2,1)

c. Error

d. (1,2,3)(4,5,6)

Your answer is correct.

The correct answer is:
(1,2,3,4,5,6)

Question 4 | Correct Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. {40, '10', 50, 20, 60, 30}

b. {40, 10, 50, 20, 60, 30}

c. SynatxError: Different types cannot be used with sets

d. {40, 10, '10', 50, 20, 60, 30} ✔

Your answer is correct.

The correct answer is: {40, 10, '10', 50, 20, 60, 30}

Question 5 | Correct Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. ii

b. All of the above

c. i,ii ✔

d. iii

Your answer is correct.

The correct answer is:
i,ii

Question 6 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

my_t1 = (1, 2, 3, 4)

my_t1.append((5, 6, 7))

print(len(my_t1))

a. 2

b. 5

c. Error ✔

d. 1

Your answer is correct.

The correct answer is:
Error

Question 7 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 2, 4, 3, 8, 9]

b. (1, 4, 8)

c. [2, 3, 9]

d. [1, 4, 8] ✔

Your answer is correct.

The correct answer is:
[1, 4, 8]

Question 8 | Correct Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. A tuple maintains the order of items ✔
- b. None of these
- c. A tuple is unordered
- d. We can change the tuple once created

Your answer is correct.

The correct answer is: A tuple maintains the order of items

Question 9 | Correct Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

- a. Error
- b. 2
- c. 117 ✔
- d. 100

Your answer is correct.

The correct answer is:
117

Question 10 | Correct Mark 1.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

- a. Elements of set2 will get appended to set1
- b. Elements of set1 will get appended to set2
- c. A new set will be created with the unique elements of set1 and set2.
- d. A new set will be created with the elements of both set1 and set2 ✔

Your answer is correct.

The correct answer is:
A new set will be created with the elements of both set1 and set2

Question 11 | Correct Mark 1.00 out of 1.00

What is the output of the following

```
set1 = {10, 20, 30, 40, 50}
set2 = {60, 70, 10, 30, 40, 80, 20, 50}

print(set1.issubset(set2))
print(set2.issuperset(set1))
```

a. True ✔
True

b. False
False

c. False
True

d. True
False

Your answer is correct.

The correct answer is:
True

True

Question 12 | Correct Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (1,2,3,(4,5))
t2 = (3,2,1,(4,5))
print(t1>t2)
```

a. False ✔

b. Error

c. True

d. Error

Your answer is correct.

The correct answers are:
False,

Error

Question 13 | Correct Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. (36, 25, 14) ✔
- b. (3,14,25)
- c. (58,47,36,25)
- d. Error

Your answer is correct.

The correct answer is:
(36, 25, 14)

Question 14 | Correct Mark 1.00 out of 1.00

What is printed when the following code is run?

```
tup = ('30', '3', '2', '8')
print(sorted(tup,reverse = True))
```

- a. ['2', '3', '8', '30']
- b. ['30', '8', '3', '2']
- c. ['2', '3', '30', '8']
- d. ['8', '30', '3', '2'] ✔

Your answer is correct.

The correct answer is:
['8', '30', '3', '2']

Question 15 | Correct Mark 1.00 out of 1.00

What is the output of the following set operation

```
sampleSet = {"Yellow", "Orange", "Black"}
sampleSet.update(["Blue", "Green", "Red"])
print(sampleSet)
```

a. TypeError: update() doesn't allow list as a argument.

b. Name Error

c. {'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'} ✔

d. {'Yellow', 'Orange', 'Black', ["Blue", "Green", "Red"]}

Your answer is correct.

The correct answer is:

{'Yellow', 'Orange', 'Red', 'Black', 'Green', 'Blue'}