PROJECT DEMONSTRATION

Enforcing Mandatory Fields Using UI Policies and Migrating Changes with Update Sets demo

Demo video link:

https://drive.google.com/file/d/1r02LpSQJNyO4mkdZU1Yi5I8-M0rdo4xB/view?usp=drivesdk

DEMONSTRATION STEPS

1. Login to ServiceNow Instance

First, open the ServiceNow platform in a web browser and log in using valid administrator credentials. After successful login, the ServiceNow dashboard appears where different modules and configuration options are available.

2. Navigate to the Incident Module

Next, open the Incident module in ServiceNow. The Incident form is used to create and manage service requests or issues. This form will be used to demonstrate how UI Policies can enforce mandatory fields.

3. Create a UI Policy

Go to the UI Policies section and create a new UI Policy for the Incident table. A UI Policy allows administrators to control the behavior of form fields, such as making fields mandatory, read-only, or visible based on certain conditions.

4. Configure UI Policy Actions

After creating the UI Policy, configure the UI Policy Actions. In this step, select the fields that must become mandatory. For example, fields like Short Description, Category, and Priority can be configured to require user input.

5. Test the UI Policy Functionality

Open the Incident form and try to submit a record without filling the required fields. The system will display validation messages and prevent the record from being submitted until all mandatory fields are completed.

6. Enter the Required Details

Now fill in the mandatory fields with the required information. Once all the necessary details are entered, the incident record can be submitted successfully without any errors.

7. Create an Update Set

Next, navigate to the Update Sets module and create a new Update Set. Update Sets are used in ServiceNow to capture configuration changes made during development.

8. Capture the Configuration Changes

Once the Update Set is active, the system automatically records the changes made in the configuration, including the UI Policy and related settings. This helps in tracking modifications made in the instance.

9. Migrate the Update Set

Finally, export the Update Set from the development instance and import it into another instance such as testing or production. This process ensures that the same configurations are applied consistently across different environments.

RESULT

The project successfully demonstrates how mandatory fields can be enforced in the Incident form using UI Policies in ServiceNow. The system ensures that users provide all required information before submitting a record.

Additionally, Update Sets help capture configuration changes and enable administrators to move those changes between different ServiceNow instances. This improves efficiency and ensures consistency across environments.


ServiceNow
dev216856.service-now.com
Security Update: MFA Implementation
To enhance the security of your instance, we'll enable Multi-Factor Authentication (MFA) for all users performing non-SSO login in the instance. For more information, see MFA implementation Guide.
Acknowledge
servicenow
All
Favorites
ServiceNow
Import XML
Importing records from an XML file will not run Business Rules
Step 1: Choose file to upload
* XML file
Choose file
No file chosen
Step 2: Upload the file
Upload


UI policy for mand...
dev216856.service-now.com
servicenow
All
Favorites
Retrieved Update S...
Retrieved Update Set
Update
Delete
Run Preview Again
Commit Update Set
Update Set Commit
Succeeded 100%
Update set committed - Succeeded in 1 Second
Close
Parent
Deleted
0
State
Committed
Collisions
0
Loaded
2026-03-06 06:27:37
Total
2
Description
Making the priority field mandatory when state is In progress
Application name
Global
Update
Delete
Run Preview Again
Commit Update Set
Related Links
Show All Preview Records
Customer Updates (2)
Child Update Sets
Name
Search
Actions on selected rows...
Remote update set = UI policy for mandatory priority
Name
Type
Target name
Table
View
Action
sys_ui_section_3a08acd0c36f321078a7db0d0501311d
UI policy Action
Priority
Update Set Log [sys_update_set_log]
INSERT_OR_
sys_ui_policy_442a2418c36f321078a7db0d05013132
UI Policy
Mandatory priority when In progress
Customer Update [sys_update_xml]
INSERT_OR_
1 to 2 of 2

UI Policies | Servic...
dev216856.service-now.com

Instance. For more information, see MFA implementation Guide.

servicenow All Favorites UI Policies

UI Policies Order Search Actions on selected rows... New

All

Short description	Table	Conditions	Reverse if false	On loa
UI Policy to hide related feature flags when hidePagination set to true	UX List [sys_ux_list]	hide_pagination=true^EQ	true	true
Mark fields as mandatory without DB override	Security tasks [sn_vsc_security_task]		false	true
Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_idISNOTEMPTY^EQ	false	true
Hide meta fields	Question [sc_ic_question]		true	true
Set Table column ReadOnly	To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]		true	true
Clear save signature before action execution value - when precondition is not Signature	Function [sys_sg_button]	preconditions!=signature^EQ	true	true
Content vs parameters	HTTP Method [sys_rest_message_fn]	http_method=get^ORhttp_method=delete^ORh...	true	true
Instance Clone onChange Profile - Hide lock profile	System Clone [clone_instance]	profileISEMPTY^EQ	true	true
Handle lock	HTTP Method [sys_rest_message_fn]	lock=true^EQ	true	true
REST Message is read only	HTTP Method [sys_rest_message_fn]		true	true
Shown basic auth user and password if Use basic auth is true	SOAP Message [sys_soap_message]	use_basic_auth=true^EQ	true	true
Fields set to mandatory for all states	Incident [incident]	state=2^EQ	true	true
Show fields for basic auth	REST Message [sys_rest_message]	authentication_type=basic^EQ	true	true
Show Advanced field depending on ACL Type and Operation	Access Control [sys_security_acl]	type=record^operation=create^ORoperation...	true	true
Show AD fields if enabled	Process Configuration [promin_process_def]	enable_ad=true^EQ	true	true
Column-specific fields	Dictionary Entry [sys_dictionary]	internal_type!=collection^internal_type!...	true	true
Force preconfigured Reference type fields	Question Type [sc_ic_question_type]	sc_ic_question_class=8^EQ	true	true
Make fields read only if Lock is true	SOAP Message Function [sys_soap_message_function]	lock=true^EQ	true	true
DF Column-specific fields	DataFabric Data Dictionary [sys_df_data_dictionary]	internal_type!=collection^internal_type!...	true	true

Number of rows removed from this list by Security constraints: 1



CONCLUSION

This project illustrates the effective use of UI Policies in ServiceNow to enforce mandatory fields in forms. By implementing this feature, organizations can ensure that important data is not missed during record creation.

Moreover, the use of Update Sets simplifies the migration of configuration changes between multiple ServiceNow environments such as development, testing, and production. This makes the management of system configurations more organized and reliable.