

FileEditSelectionViewGoRunTerminalHelp

VS_Code_DoneHo

test_deterministic.py U X

EXPLORER

VS_CODE_DONEHO

agents

core

__pycache__

__init__.py

agent_runner.py

event_bus.py

shared_state.py

data

__pycache__

__init__.py

profession_defaults.py

diagrams

engines

evals

run_evals.py

models

venv

.env

.env.example

.gitignore

api.py

ARCHITECTURE.md

config.py

eval_results.json U

main.py M

orchestrator.py

README.md

render.yaml

requirements.txt

test_deterministic.py U

OUTLINE

TIMELINE

schemas.py

nudge_agent.py

orchestrator.py

api.py

test_deterministic.py > ...

test_deterministic.py > ...

1 import sys, os, json

2

3

4 from engines.deterministic_engine import DeterministicEngine

5 from engines.absorption_engine import AbsorptionEngine

6 from engines.review_engine import ReviewEngine

7 from models.schemas import Profile, Goal, WeeklyPerformance, GoalCategory

8 import config as cfg

9

10 results = []

11

12 def log(component, case, expected, actual, passed, note=""):

13 | results.append(dict(component=component, case=case, expected=expected, actual=actual,

14 | | | | | | | | passed=passed, note=note))

15

16 # -----

17 # 1. DETERMINISTIC ENGINE – run across varied user profiles

18 # -----

19 scenarios = [

20 | ("Student, first week, light load", Profile(name="A", profession="student"), True, dict(caregiving_hc=

21 | "Nurse, caregiving 15h, first week", Profile(name="B", profession="nurse"), True, dict(caregiving_hc=

22 | "Freelancer/gig-style, ongoing week", Profile(name="C", profession="freelancer"), False, dict(caregi

23 | "Unemployed/job-seeking, heavy caregiving 25h (above 20h cap)", Profile(name="D", profession="unempl

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

+

-

🗑

...

|

🔍

✕

(venv) PS C:\Users\ajbcd\Downloads\VS_Code_DoneHo> python test_deterministic.py

expected: covered=True

actual: covered=True

note: {"lifeload_increase_points": 0.54, "hours_unlocked": 3.02, "new_effective_lifeload": 40.54}

[PASS] Shortfall (50h) exceeds any realistic cap -> None, falls to Stage 3

expected: covered=False

actual: covered=False

note: None (falls to Stage 3)

[PASS] Points cap already used up this week (9.5 of 10 used) -> tight headroom

expected: informational

actual: covered=True

note: covered=True, result={"lifeload_increase_points": 0.36, "hours_unlocked": 2.02, "new_effective_life

load": 40.36}

VS Code DoneHo

test_deterministic.py U X

EXPLORER

VS_CODE_DONEHO

agents

core

__pycache__

__init__.py

agent_runner.py

event_bus.py

shared_state.py

data

__pycache__

__init__.py

profession_defaults.py

diagrams

engines

evals

run_evals.py

models

venv

.env

.env.example

.gitignore

api.py

ARCHITECTURE.md

config.py

eval_results.json

main.py

orchestrator.py

README.md

render.yaml

requirements.txt

test_deterministic.py

OUTLINE

TIMELINE

schemas.py

nudge_agent.py

orchestrator.py

api.py

test_deterministic.py > ...

1 import sys, os, json

2

3

4 from engines.deterministic_engine import DeterministicEngine

5 from engines.absorption_engine import AbsorptionEngine

6 from engines.review_engine import ReviewEngine

7 from models.schemas import Profile, Goal, WeeklyPerformance, GoalCategory

8 import config as cfg

9

10 results = []

11

12 def log(component, case, expected, actual, passed, note=""):

13 | | | | | | results.append(dict(component=component, case=case, expected=expected, actual=actual,

14 | | | | | | passed=passed, note=note))

15

16 # -----

17 # 1. DETERMINISTIC ENGINE – run across varied user profiles

18 # -----

19 scenarios = [

20 ("Student, first week, light load", Profile(name="A", profession="student"), True, dict(caregiving_ho

21 ("Nurse, caregiving 15h, first week", Profile(name="B", profession="nurse"), True, dict(caregiving_ho

22 ("Freelancer/gig-style, ongoing week", Profile(name="C", profession="freelancer"), False, dict(caregi

23 ("Unemployed/job-seeking, heavy caregiving 25h (above 20h cap)", Profile(name="D", profession="unempl

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

(venv) PS C:\Users\ajbcd\Downloads\VS_Code_DoneHo> python test_deterministic.py

[PASS] Disruption (6h) exceeds reserve (5h) -> falls through to Stage 2

expected: absorbs=False

actual: absorbs=False

note: None (fell through)

[PASS] Disruption exactly equals reserve (5h == 5h) -> absorbs (boundary, <=)

expected: absorbs=True

actual: absorbs=True

note: {"absorbed_hours": 5.0, "remaining_reserve_after": 0.0}

AbsorptionEngine (Stage 2): 3/3 passed

[PASS] Shortfall (3h) fits within both caps -> proposal returned

expected: covered=True

Ln 148, Col 12

Spaces: 4

UTF-8

FileEditSelectionViewGoRunTerminalHelp

EXPLORER

VS_CODE_DONEHO

agents

core

__pycache__

__init__.py

agent_runner.py

event_bus.py

shared_state.py

data

__pycache__

__init__.py

profession_defaults.py

diagrams

engines

evals

run_evals.py

models

venv

.env

.env.example

.gitignore

api.py

ARCHITECTURE.md

config.py

eval_results.json

main.py

orchestrator.py

README.md

render.yaml

requirements.txt

test_deterministic.py

OUTLINE

TIMELINE

schemas.py

nudge_agent.py

orchestrator.py

api.py

test_deterministic.py

test_deterministic.py > ...

1import sys, os, json

2

3

4from engines.deterministic_engine import DeterministicEngine

5from engines.absorption_engine import AbsorptionEngine

6from engines.review_engine import ReviewEngine

7from models.schemas import Profile, Goal, WeeklyPerformance, GoalCategory

8import config as cfg

9

10results = []

11

12def log(component, case, expected, actual, passed, note=""):

13| results.append(dict(component=component, case=case, expected=expected, actual=actual,

14| | | | |

15| | | | |

16| | | | |

17| | | | |

18| | | | |

19| | | | |

20| | | | |

21| | | | |

22| | | | |

23| | | | |

24| | | | |

25| | | | |

26| | | | |

27| | | | |

28| | | | |

29| | | | |

30| | | | |

31| | | | |

32| | | | |

33| | | | |

34| | | | |

35| | | | |

36| | | | |

37| | | | |

38| | | | |

39| | | | |

40| | | | |

41| | | | |

42| | | | |

43| | | | |

44| | | | |

45| | | | |

46| | | | |

47| | | | |

48| | | | |

49| | | | |

50| | | | |

51| | | | |

52| | | | |

53| | | | |

54| | | | |

55| | | | |

56| | | | |

57| | | | |

58| | | | |

59| | | | |

60| | | | |

61| | | | |

62| | | | |

63| | | | |

64| | | | |

65| | | | |

66| | | | |

67| | | | |

68| | | | |

69| | | | |

70| | | | |

71| | | | |

72| | | | |

73| | | | |

74| | | | |

75| | | | |

76| | | | |

77| | | | |

78| | | | |

79| | | | |

80| | | | |

81| | | | |

82| | | | |

83| | | | |

84| | | | |

85| | | | |

86| | | | |

87| | | | |

88| | | | |

89| | | | |

90| | | | |

91| | | | |

92| | | | |

93| | | | |

94| | | | |

95| | | | |

96| | | | |

97| | | | |

98| | | | |

99| | | | |

100|

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

(venv) PS C:\Users\ajbcd\Downloads\VS_Code_DoneHo> python test_deterministic.py

note: all checks passed

[PASS] Business owner, planned event 10h

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=33.0h, PRF=0.600, reserve=8.2h, lifeload=48.8

note: all checks passed

ReviewEngine (PRF): 1/1 passed

C:\Users\ajbcd\Downloads\VS_Code_DoneHo\render.yaml h (>>20h saturation point)

expected: penalty <= 0.2

actual: actual penalty = 0.2

note: confirms cap holds even far past the 20h saturation point

Ln 148, Col 12 Spaces: 4 UTF-8

File

Edit

Selection

View

Go

Run

Terminal

Help

VS_Code_DoneHo

EXPLOLER

VS_CODE_DONEHO

agents

core

__pycache__

__init__.py

agent_runner.py

event_bus.py

shared_state.py

data

__pycache__

__init__.py

profession_defaults.py

diagrams

engines

evals

run_evals.py

models

venv

.env

.env.example

.gitignore

api.py

ARCHITECTURE.md

config.py

eval_results.json

main.py

orchestrator.py

README.md

render.yaml

requirements.txt

test_deterministic.py

OUTLINE

TIMELINE

test_deterministic.py

nudge_agent.py

orchestrator.py

api.py

test_deterministic.py

test_deterministic.py > ...

1 import sys, os, json

2

3

4 from engines.deterministic_engine import DeterministicEngine

5 from engines.absorption_engine import AbsorptionEngine

6 from engines.review_engine import ReviewEngine

7 from models.schemas import Profile, Goal, WeeklyPerformance, GoalCategory

8 import config as cfg

9

10 results = []

11

12 def log(component, case, expected, actual, passed, note=""):

13 | results.append(dict(component=component, case=case, expected=expected, actual=actual,

14 | | | | | passed=passed, note=note))

15

16 # -----

17 # 1. DETERMINISTIC ENGINE – run across varied user profiles

18 # -----

19 scenarios = [

20 | ("Student, first week, light load", Profile(name="A", profession="student"), True, dict(caregiving_hc=

21 | ("Nurse, caregiving 15h, first week", Profile(name="B", profession="nurse"), True, dict(caregiving_hc=

22 | ("Freelancer/gig-style, ongoing week", Profile(name="C", profession="freelancer"), False, dict(caregiving_hc=

23 | ("Unemployed/job-seeking, heavy caregiving 25h (above 20h cap)", Profile(name="D", profession="unempl

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

(venv) PS C:\Users\ajbcd\Downloads\VS_Code_DoneHo> python test_deterministic.py

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=61.0h, PRF=0.600, reserve=15.2h, lifeload=48.8

note: all checks passed

[PASS] Unemployed/job-seeking, heavy caregiving 25h (above 20h cap)

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=61.0h, PRF=0.400, reserve=28.1h, lifeload=44.2

note: all checks passed

[PASS] Business owner, planned event 10h

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=33.0h, PRF=0.600, reserve=8.2h, lifeload=48.8

note: all checks passed

Ln 148, Col 12, Spaces: 4, UTF-8, C

FileEditSelectionViewGoRunTerminalHelp

VS_Code_DoneHo

EXPLORER

VS_CODE_DONEHO

agents

core

__pycache__

__init__.py

agent_runner.py

event_bus.py

shared_state.py

data

__pycache__

__init__.py

profession_defaults.py

diagrams

engines

evals

run_evals.py

models

venv

.env

.env.example

.gitignore

api.py

ARCHITECTURE.md

config.py

eval_results.json

main.py

orchestrator.py

README.md

render.yaml

requirements.txt

test_deterministic.py

OUTLINE

TIMELINE

schemas.py

nudge_agent.py

orchestrator.py

api.py

test_deterministic.py

test_deterministic.py > ...

1 import sys, os, json

2

3

4 from engines.deterministic_engine import DeterministicEngine

5 from engines.absorption_engine import AbsorptionEngine

6 from engines.review_engine import ReviewEngine

7 from models.schemas import Profile, Goal, WeeklyPerformance, GoalCategory

8 import config as cfg

9

10 results = []

11

12 def log(component, case, expected, actual, passed, note=""):

13 | results.append(dict(component=component, case=case, expected=expected, actual=actual,

14 | | | | | passed=passed, note=note))

15

16 # -----

17 # 1. DETERMINISTIC ENGINE – run across varied user profiles

18 # -----

19 scenarios = [

20 | ("Student, first week, light load", Profile(name="A", profession="student"), True, dict(ca

21 | ("Nurse, caregiving 15h, first week", Profile(name="B", profession="nurse"), True, dict(ca

22 | ("Freelancer/gig-style, ongoing week", Profile(name="C", profession="freelancer"), False,

23 | ("Unemployed/job-seeking, heavy caregiving 25h (above 20h cap)", Profile(name="D", profess

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

powershell

(venv) PS C:\Users\ajbcd\Downloads\VS_Code_DoneHo> python test_deterministic.py

Deterministic Engine: 5/5 passed

[PASS] Student, first week, light load

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=63.0h, PRF=0.600, reserve=18.1h, lifeload=48.8

note: all checks passed

[PASS] Nurse, caregiving 15h, first week

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

actual: capacity=34.0h, PRF=0.450, reserve=15.6h, lifeload=44.2

note: all checks passed

[PASS] Freelancer/gig-style, ongoing week

expected: capacity>0, PRF in [0.10,1.0], reserve>=0, lifeload numeric

main*

0

0

Ln 148, Col 12

Sp