

EXT: Hype HTML5

Extension Key: hype_html5

Language: en

Keywords: html5, csc

Copyright 2000-2010, Thomas "Thasmo" Deinhamer, <thasmo@gmail.com>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

EXT: Hype HTML5.....	1
Introduction.....	3
What does it do?.....	3
Users manual.....	4
Administration.....	5
Installation.....	5
Configuration.....	6
TypoScript.....	6
Tutorial.....	7
Known problems.....	8
To-Do list.....	9

Introduction

What does it do?

Hype HTML5 enables TYPO3 to render valid and semantically correct HTML markup. Besides that it provides some neat features to spice up specific HTML elements, like a feature to define namespaces for the HTML element.

Users manual

A user manual does not apply as this extension is intended to be used by administrators and developers only.

Administration

Installation

1. Import and install the extension.
2. Include the static typoscript template files.
3. Adapt the configuration to your needs.

Note

You may not include the static typoscript template files from the extension *css_styled_content*. To fully enable HTML5 capabilities you need to configure `config.doctype` with the value *html5*.

Configuration

TypoScript

Property:	Data type:	Description:	Default:
common. enableScript	boolean	Enables the HTML5 script to be able to style new HTML5 elements in legacy browsers like IE.	1
common. includeStylesFirst	boolean	Ensures that CSS styles for the content are included first, before styles of all other installed extensions.	1
markup .doctype	string	Overrides the default HTML doctype. Setting this is completely optionally as TYPO3 already renders a nice HTML5 doctype.	<i>Empty.</i>
markup .htmlTag	string	Overrides the default HTML tag. Specific markers are replaced: { \$language } will be replaced by a 2-character language token. { \$namespace } will be replaced by the defined namespaces.	<i>See file.</i>
markup .htmlTag.namespace	array	Definitions of namespaces which get wrapped into the HTML tag.	<i>See file.</i>
clean .removeScriptAttributes	boolean	Removes the type attribute from script tags in the source.	1
clean .removeStyleAttributes	boolean	Removes the type and the media="all" attribute from related stylesheets.	1
clean .removeImageAttributes	boolean	Removes the width and the height attribute from image tags.	1

Tutorial

No tutorial available.

Known problems

No problems known.

To-Do list

Hype HTML5 on <http://forge.typo3.org/>