

INCIDENT INVESTIGATION REPORT

Investigated By:	redacted	Case ID:	INC-2026-0228A
Incident Date:	2026-02-28	Classification:	CONFIDENTIAL
Report Status:	FINAL	Target Domain:	easyas123.tech

1.0 Executive Summary

On February 28, 2026, at 19:55 UTC, a local workstation within the EASYAS123 Active Directory domain segment was compromised via a NetSupport Manager Remote Access Trojan (RAT) infection. The primary breach vector was identified as persistent outbound communication targeting a malicious Command and Control (C2) node located at external IP address 45.131.214[.]85 over TCP port 443.

The affected host asset has been isolated from the local broadcast domain to mitigate the risk of internal lateral movement toward the Active Directory Domain Controller. Remediation pipelines, including credential eviction, have been executed. No structured data exfiltration has been definitively verified from network layer logs; however, advanced host-based investigation is underway.

2.0 Affected Assets & Scope

The operational boundaries and specific system identity metrics verified during token triage are detailed below:

Asset Attribute	Value Captured From Investigation
IP Address	10.2.28[.]88
MAC Address	00:19:d1:b2:4d:ad
Host Name	DESKTOP-TEYQ2NR
User Account Name	brolf
User Full Name	Becka Rolf
Active Directory Domain	easyas123[.]tech
Operating System Platform	Microsoft Windows Client

3.0 Technical Analysis & Evasion Narrative


Initial Detection & Telemetry: The Security Information and Event Management (SIEM) system registered multiple signature triggers correlating to NetSupport Manager RAT behaviors from external node 45.131.214.[.]85 over TCP port 443 beginning exactly at 19:55 UTC.


Network Tunneling Verification: Packet analysis revealed that the threat actor utilized port 443 to tunnel cleartext HTTP communications inside what appeared superficially to be standard secure traffic (HTTPS). This evasion technique is specifically crafted to masquerade command-and-control operations, bypassing perimeter deep packet inspection and standard protocol validations.

Identity Discovery: Deep analysis of internal Active Directory protocol traffic crossing the segment interface successfully extracted the local domain session properties. The compromise was mapped directly to user account brolf (Becka Rolf).

4.0 Indicators of Compromise (IOCs)

Network/Host Indicator	Threat Context / Metric	Operational Directive
45.131.214[.]85	Malicious C2 Infrastructure Node	Block at Edge Firewall
hxxp://45.131.214[.]85/fakeurl.htm	Malicious Active Delivery URI	Blacklist on Proxy Gateway





5.0 MITRE ATT&CK MAPPING

This incident demonstrates the following attack tactics and techniques:

Tactic	Technique	Description
Execution	T1059.001 (PowerShell)	Command execution via RAT
Defense Evasion	T1140 (Deobfuscate/Decode Files or Information)	Cleartext HTTP tunneled in HTTPS
Command & Control	T1071.001 (Web Protocols)	C2 communication over HTTP/443
Exfiltration	T1041 (Exfiltration Over C2 Channel)	Data exfiltration via command-and-control channel

5.0 Remediation & Hardening Actions

- 1. Host Quarantine:** Maintain absolute network isolation of workstation 10.2.28[.]88 from the local broadcast network segment to eliminate lateral compromise vectors.
- 2. Perimeter Enforcement:** Apply immediate, centralized firewall rules blocking inbound and outbound traffic to the threat infrastructure listed in Section 4.0.
- 3. Identity Eviction:** Execute a forced global Active Directory password reset for user identity *brolf* and invalidate all active Kerberos Ticket Granting Tickets (TGT) tied to the account.
- 4. Defensive Engineering Evaluation:** Pivot analysis to endpoint forensics (Sysmon/MFT tracking) to audit the potential local execution of commands during periods of unparsed network anomalies.