

# A to Z Linux Commands

## A-B

|                    |                                            |
|--------------------|--------------------------------------------|
| \$ <b>alias</b>    | Create an alias for Linux commands         |
| \$ <b>awk</b>      | Search for a pattern and perform an action |
| \$ <b>basename</b> | Remove directory and suffix from filenames |

## C-D

|                   |                                             |
|-------------------|---------------------------------------------|
| \$ <b>cal</b>     | Show calendar                               |
| \$ <b>cat</b>     | Display file content                        |
| \$ <b>chgrp</b>   | Change group ownership                      |
| \$ <b>chmod</b>   | Change access permissions                   |
| \$ <b>chown</b>   | Change file owner and group                 |
| \$ <b>cp</b>      | Copy files or directories                   |
| \$ <b>cron</b>    | Schedule tasks to run at specified times    |
| \$ <b>curl</b>    | Transfer data from or to a server           |
| \$ <b>cut</b>     | Divide file into various parts              |
| \$ <b>date</b>    | Display the current date and time           |
| \$ <b>dd</b>      | Convert and copy files at data stream level |
| \$ <b>df</b>      | Display disk space usage                    |
| \$ <b>diff</b>    | Display differences between files           |
| \$ <b>dirname</b> | Display the directory portion               |
| \$ <b>du</b>      | Estimate file space usage                   |

## E-F

|                   |                                                     |
|-------------------|-----------------------------------------------------|
| \$ <b>echo</b>    | Display text on terminal screen                     |
| \$ <b>emacs</b>   | Powerful and customizable text editor               |
| \$ <b>expand</b>  | Convert tabs to spaces                              |
| \$ <b>file</b>    | Determine file type                                 |
| \$ <b>find</b>    | Search files or directories within a specified path |
| \$ <b>findmnt</b> | Display info of mounted filesystems                 |
| \$ <b>fmt</b>     | Format paragraph text                               |
| \$ <b>fold</b>    | Wrap text to fit a specified width                  |
| \$ <b>free</b>    | Check memory usage                                  |
| \$ <b>fsck</b>    | Check and repair filesystem inconsistencies         |

## G-H

|                    |                                               |
|--------------------|-----------------------------------------------|
| \$ <b>grep</b>     | Search file(s) for lines that match a pattern |
| \$ <b>groupadd</b> | Create a new security group                   |
| \$ <b>groupdel</b> | Remove a security group                       |
| \$ <b>groupmod</b> | Modify a group                                |
| \$ <b>groups</b>   | Display group names of a user                 |
| \$ <b>head</b>     | Display the first 10 lines of files           |
| \$ <b>history</b>  | Command history                               |
| \$ <b>hostname</b> | Print or set system name                      |

## I-J

|                |                          |
|----------------|--------------------------|
| \$ <b>id</b>   | Print user and group IDs |
| \$ <b>jobs</b> | List active jobs         |

## K-L

|                   |                                        |
|-------------------|----------------------------------------|
| \$ <b>kill</b>    | Kill a process using its PID           |
| \$ <b>killall</b> | Terminate processes by name            |
| \$ <b>less</b>    | View file content one screen at a time |
| \$ <b>ln</b>      | Create symbolic links to files         |
| \$ <b>locate</b>  | Find file names quickly                |
| \$ <b>ls</b>      | List directory contents                |
| \$ <b>lsof</b>    | List open files                        |

## M-N

|                    |                                              |
|--------------------|----------------------------------------------|
| \$ <b>mkdir</b>    | Create new directories                       |
| \$ <b>mkfs</b>     | Create a filesystem on disk                  |
| \$ <b>more</b>     | View file content one screen at a time       |
| \$ <b>nc</b>       | Network utility for reading and writing data |
| \$ <b>nohup</b>    | Run commands immune to hangups               |
| \$ <b>nslookup</b> | Perform DNS lookups and query DNS servers    |

## O-P

|                  |                                        |
|------------------|----------------------------------------|
| \$ <b>open</b>   | Open a file in its default application |
| \$ <b>passwd</b> | Change your password                   |
| \$ <b>paste</b>  | Merge lines of files                   |
| \$ <b>ping</b>   | Test network connectivity              |
| \$ <b>printf</b> | Format and print data                  |
| \$ <b>ps</b>     | Process status                         |

## Q-R

|                  |                                         |
|------------------|-----------------------------------------|
| \$ <b>quota</b>  | Display disk usage and limits for users |
| \$ <b>read</b>   | Read line from standard input           |
| \$ <b>reboot</b> | Reboot the system                       |
| \$ <b>rename</b> | Rename files                            |
| \$ <b>rm</b>     | Remove files                            |
| \$ <b>rsync</b>  | Remote file copy                        |



 **sudo rm -rf /**

## S-T

|                   |                                     |
|-------------------|-------------------------------------|
| \$ <b>scp</b>     | Secure copy remotely                |
| \$ <b>screen</b>  | Terminal multiplexer                |
| \$ <b>sed</b>     | Stream editor                       |
| \$ <b>seq</b>     | Generate sequences of numbers       |
| \$ <b>sleep</b>   | Delay execution                     |
| \$ <b>source</b>  | Execute script in the current shell |
| \$ <b>stat</b>    | Display file status                 |
| \$ <b>tail</b>    | Display the last lines of a file    |
| \$ <b>tar</b>     | Archive files                       |
| \$ <b>tee</b>     | Redirect output to multiple files   |
| \$ <b>time</b>    | Check program execution time        |
| \$ <b>timeout</b> | Run command with time limit         |
| \$ <b>top</b>     | Display running processes           |
| \$ <b>touch</b>   | Create empty files                  |
| \$ <b>tr</b>      | Translate characters                |
| \$ <b>type</b>    | Describe a command                  |


## U-V-W

|                   |                                          |
|-------------------|------------------------------------------|
| \$ <b>ulimit</b>  | Limit user resources                     |
| \$ <b>uname</b>   | Print system information                 |
| \$ <b>uniq</b>    | Filter out repeated lines in text        |
| \$ <b>useradd</b> | Create a new user                        |
| \$ <b>userdel</b> | Remove a user                            |
| \$ <b>usermod</b> | Modify a user                            |
| \$ <b>vim</b>     | Text editor                              |
| \$ <b>watch</b>   | Run command at intervals and show output |
| \$ <b>who</b>     | Display users currently logged in        |

## X-Y-Z

|               |                               |
|---------------|-------------------------------|
| \$ <b>xz</b>  | Compress and decompress files |
| \$ <b>yes</b> | Repeatedly output a string    |
| \$ <b>zip</b> | Package and compress files    |



 **sysxplore.com**