

HQ TELECOM SINGAPORE PTE.LTD

From:		NO.	HPVN20260406006
	HQ TELECOM SINGAPORE PTE.LTD		
	10 ANSON ROAD #11-20		
	INTERNATIONAL PLAZA	Packing list	
	SINGAPORE 079903		
		Date:	2026/04/06
Ship To Messrs:	RQ TECHNOLOGY ELECTRONICS VIET NAM Comp LIMITED		
	Factories No. 5, 7, 8A, 8B, 8C, Lot		
Address:	CN16, CN17, Yen Binh Industrial		
	Park, Pho Yen Ward, Thai		
	Nguyen Province, Vietnam		

Ship By:	TRUCK	From	CN To	Vietnam	Term:	CIP Tan Thanh		
Pallet No	Carton No	HQ PART NO.	Description of Goods	Quantity (pcs)	Net Weight (kg)	Gross Weight (kg)	Dimension (cm)	
NCP164030627	NC64200480	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	57	333.7000	353.000000	120*100*135	
	NC64200480	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	219			120*100*135	
	NC64200525	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	150			120*100*135	
	NC64200525	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	75			120*100*135	
	NC64200553	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	150			120*100*135	
	NC64200553	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	150			120*100*135	
	NC64200558	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	75			120*100*135	
	NC64200558	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	225			120*100*135	
	NC64200567	HQ13401001R70	(Honey)DCDC_Chip_QFN-22L_45V-25V_NA_45 A_SMT	10000			120*100*135	
	NC64200567	HQ18013001AK0	NGFF Connector_KEY_M_0.5 mm Direct 67 pin 1.5 mm -0.4 mm 80 o	1100			120*100*135	
	NC64200567	HQ180220005E0	ZIF Connector 1.2 mm 0.8 mm 40 pin Fore lift Gold SMT	9000			120*100*135	
	NC64200573	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	150			120*100*135	
	NC64200573	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	150			120*100*135	
	NC64200575	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	320			120*100*135	
	NC64200577	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	75			120*100*135	
	NC64200577	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	225			120*100*135	
	NC64200579	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	320			120*100*135	
	NC64200583	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	300			120*100*135	
	NC64200605	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	300			120*100*135	
	NC64200609	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	300			120*100*135	
	NC64200613	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	80			120*100*135	
	NC64200613	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	225			120*100*135	
	NC64200629	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	150			120*100*135	
	NC64200633	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	80			120*100*135	
	NC64200633	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	225			120*100*135	
	NC64200637	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	160			120*100*135	
	NC64200637	HQ1830101FS70	NB7539C_Motherboard_V2_OSP_177 mm 89,96 mm 0.8 mm 10-Layer_Se	150			120*100*135	
	NC64200642	HQ1830101BY10	NB7539A_Motherboard_V4_OSP_291.8 mm 192.2 mm 0.8 mm 10 layer	80			120*100*135	
	NC64200642	HQ1830101FWC0	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm 93.88 mm 1 mm 10 la	225			120*100*135	
	NC64200646	HQ1830101BF60	NB7539A_Main Board_V2_OSP_155.2 mm 109.2 mm 0.8 mm 8 layer 2-	2560			120*100*135	
	NC64200651	HQ18013001AK0	NGFF Connector_KEY_M_0.5 mm Direct 67 pin 1.5 mm -0.4 mm 80 o	3500			120*100*135	
	NC64200651	HQ1830101BF60	NB7539A_Main Board_V2_OSP_155.2 mm 109.2 mm 0.8 mm 8 layer 2-	1280			120*100*135	
	NC64200656	HQ13401001R70	(Honey)DCDC_Chip_QFN-22L_45V-25V_NA_45 A_SMT	5000			120*100*135	
	NC64200656	HQ18013001AK0	NGFF Connector_KEY_M_0.5 mm Direct 67 pin 1.5 mm -0.4 mm 80 o	5500			120*100*135	
	NC64200659	HQ18013001AK0	NGFF Connector_KEY_M_0.5 mm Direct 67 pin 1.5 mm -0.4 mm 80 o	3300			120*100*135	
	NC64200659	HQ180220005E0	ZIF Connector 1.2 mm 0.8 mm 40 pin Fore lift Gold SMT	3000			120*100*135	
	NC64200659	HQ180220005J0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	2000			120*100*135	
	NC64200662	HQ17201003HL0	Power Inductor_0603_0.47uH_M(±20%)_16.5 A_26 A_4.1 mohm_Mold	1500			120*100*135	
	NC64200662	HQ180220005E0	ZIF Connector 1.2 mm 0.8 mm 40 pin Fore lift Gold SMT	3000			120*100*135	
	NC64200662	HQ180220005J0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	7999			120*100*135	
	NC64200662	HQ180220005M0	ZIF Connector 1.2 mm 0.3 mm 71 pin Fore lift Gold SMT	4999			120*100*135	
	NC64200662	HQ180220005T0	ZIF Connector 1 mm 0.5 mm 8 pin Fore lift Gold SMT	3000			120*100*135	
	NC64200666	HQ17201002SC0	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrate	8000			120*100*135	
	NC64200666	HQ17201003HL0	Power Inductor_0603_0.47uH_M(±20%)_16.5 A_26 A_4.1 mohm_Mold	6000			120*100*135	
	NC64200666	HQ180220005E0	ZIF Connector 1.2 mm 0.8 mm 40 pin Fore lift Gold SMT	3000			120*100*135	
	NC64200666	HQ180220005M0	ZIF Connector 1.2 mm 0.3 mm 71 pin Fore lift Gold SMT	5000			120*100*135	
	NC64200669	HQ11123177000	Nor Flash_SOP 8-pin_8Mb_2.7v to 3.6v_SPL_SMT	4000			120*100*135	
	NC64200669	HQ13904000120	Nor Flash_SOP8_208_8Mb_1.65-2.0V_SPL_SMT	2000			120*100*135	
	NC64200669	HQ13904000820	Nor Flash_WSON8_256Mb_1.65~2.0V_SPL_SMD	6000			120*100*135	
	NC64200669	HQ180220005E0	ZIF Connector 1.2 mm 0.8 mm 40 pin Fore lift Gold SMT	3000			120*100*135	
	NC64200669	HQ180220005M0	ZIF Connector 1.2 mm 0.3 mm 71 pin Fore lift Gold SMT	5000			120*100*135	
NCP164030628	NC64100400	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrate	5000	120*100*194		120*100*194	
	NC64100400	HQ17201003QF0	Power Inductor_0624_0.15uH_M(±20%)_38 A_54 A_1.05 mohm_Molde	3000			120*100*194	
	NC64100400	HQ180220005Z0	ZIF Connector 1.8 mm 0.5 mm 8 pin Fore lift Gold SMT	4500			120*100*194	
	NC64100401	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrate	1000			120*100*194	
	NC64100401	HQ17201003PD0	Power Inductor_060624X_0.15uH_M(±20%)_54 A_54 A_1.05 mohm_Mo	1000			120*100*194	
	NC64100401	HQ18021002ZU0	Low-Speed Wire-to-Board Connector_Wafer_8pin_0.8mm_Female_(E1	3500			120*100*194	
	NC64100401	HQ180220005G0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	2000			120*100*194	
	NC64100401	HQ180220005Z0	ZIF Connector 1.8 mm 0.5 mm 8 pin Fore lift Gold SMT	1500			120*100*194	
	NC64100401	HQ26910003RG0	NB7539A_SMT_shielding_SHIELD_CLIP_#18012300_5.2 mm 1.13 mm 1.	9000			120*100*194	
	NC64100401	HQ26910003TB0	NB7539A_SMT_shielding_CODEC_SHIELDING_11.5 mm 8.5 mm 1.35 mm	6150			120*100*194	
	NC64100403	HQ11180841000	Temperature Sensor_MSOP 10-pin_-40° C to +125° C_±1°C_SMT	6000			120*100*194	
	NC64100403	HQ11880782000	Power Inductor_SMD_2.2uH_M(±20%)_6.5 A_12 A_27.5 mohm_Integr	2000			120*100*194	
	NC64100403	HQ11990159000	High Speed_WTB Connector_WTB_100 Gbps_55 ohm 4 pin 0.8 mm_Fom	3500			120*100*194	
	NC64100403	HQ16301001F10	NMOS_PDFN 3x3P_2500 mW 8 mohm_30 V_1-Channel_SMT	5000			120*100*194	
	NC64100403	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrate	1000			120*100*194	
	NC64100403	HQ17201003HF0	Power Inductor_0603_1.5uH_M(±20%)_12 A_14 A_8.9 mohm_molded	3000			120*100*194	
	NC64100403	HQ17201003QF0	Power Inductor_0624_0.15uH_M(±20%)_38 A_54 A_1.05 mohm_Molde	1500			120*100*194	
	NC64100403	HQ18013001D60	NGFF Connector_KEY_M_0.5 mm Direct 67 pin 2.05 mm 0.8 mm 80 o	1500			120*100*194	
	NC64100404	HQ11140636000	QFP_Chip_WQFN (20) SMT	12000			120*100*194	
	NC64100405	HQ11180841000	Temperature Sensor_MSOP 10-pin_-40° C to +125° C_±1°C_SMT	18000			120*100*194	
	NC64100405	HQ18013001AL0	NGFF Connector_KEY_E_0.5 mm Direct 67 pin 2 mm 0.8 mm 80 ohm	4500			120*100*194	
	NC64100406	HQ17201003HF0	Power Inductor_0603_1.5uH_M(±20%)_12 A_14 A_8.9 mohm_molded	7500			120*100*194	
	NC64100406	HQ18013001AL0	NGFF Connector_KEY_E_0.5 mm Direct 67 pin 2 mm 0.8 mm 80 ohm	1500			120*100*194	
	NC64100406	HQ180220005K0	ZIF Connector 1.8 mm 0.5 mm 8 pin Fore lift Gold SMT	2000			120*100*194	
	NC64100406	HQ180220008E0	ZIF Connector 1.8mm 0.5mm 10pin_Front-Flip_Gold_SMT	2000			120*100*194	
	NC64100407	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT	50000			120*100*194	
	NC64100407	HQ11882308000	Power Inductor_2016_1uH_M(±20%)_4 A_4.5 A_37 mohm_Integrated	3000			120*100*194	

NCP640300685	NC64200040	HQ171010042U0	MLCC_0402_50 V 2.2pF B(±0.1pF)_C0G	10000	120*100*194
	NC64200040	HQ171010089P0	MLCC_0201_6.3 V_1uF_M(±20%)_X5R	15000	120*100*194
	NC64200040	HQ17201001M0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integra	3000	120*100*194
	NC64200044	HQ11600034000	0201 (0603 Metric)_0201_2.2kOhm_J(±5%)_0.05 W_SMT	30000	120*100*194
	NC64200044	HQ11610119000	0402 (1005 Metric)_0402_44.2kOhm_F(±1%)_0.0625 W	10000	120*100*194
	NC64200044	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT	10000	120*100*194
	NC64200044	HQ17101003VJ0	MLCC_0201_6.3 V 2.2uF_M(±20%)_X5R_Chip	75000	120*100*194
	NC64200044	HQ17101009VJ0	MLCC_0201_6.3 V_1uF_M(±20%)_X5R	15000	120*100*194
	NC64200048	HQ11620639009	(SEV)Resistor_75ohm_0603_1/10W_F(±1%)	5000	120*100*194
	NC64200048	HQ11881193000	Power Inductor_0.47uH_252010_7.2 A(Irat)_6.5 A(Irms)_M(±20%)	3000	120*100*194
	NC64200048	HQ17001005QU0	(Liverpool) Chip Resistor_0603_220ohm_J(±5%)_0.1 W_SMD	5000	120*100*194
	NC64200048	HQ17101009VJ0	MLCC_0603_6.3 V 22uF_M(±20%)_X5R_SMT	4000	120*100*194
	NC64200048	HQ1710101DD40	MLCC_0402_25 V_2.2uF_M(±20%)_X5R	10000	120*100*194
	NC64200048	HQ172010018V0	Power Inductor_2520_0.47uH_M(±20%)_6.5 A_7.7 A_13 mohm_Integ	3000	120*100*194
	NC64200048	HQ17201001CV0	Power Inductor_201610_0.33uH_M(±20%)_6.3 A_6.6 A_18 mohm_Int	3000	120*100*194
	NC64200048	HQ17201001GF0	Power Inductor_201210_0.24uH_M(±20%)_5.3 A_6.6 A_14 mohm_Int	3000	120*100*194
	NC64200048	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_	3000	120*100*194
	NC64200048	HQ172010021F0	Power Inductor_252010_0.47uH_M(±20%)_6.5 A_7.7 A_17 mohm_mol	2000	120*100*194
	NC64200054	HQ11140630000	Buffer & Driver & Transceiver_S0T-353-1_1-Channel_1.65-5.5V_3	18000	120*100*194
	NC64200054	HQ136020001U0	Buffer & Driver & Transceiver_S0T363-2_2-Channel_0.8V ~ 3.6V_	6000	120*100*194
	NC64200056	HQ13106000120	PMX3-0203-0-FOWPSP49-TR-E9-0	1564	120*100*194
	NC64200056	HQ141050002M0	Temperature Sensor_SMD_amb: -20°85°C; obj: -20°180°C_amb: 0.4	1000	120*100*194
	NC64200056	HQ17201003PD0	Power Inductor_060624X_0.15uH_M(±20%)_54 A_54 A_1.05 mohm_Mo	482	120*100*194
	NC64200057	HQ12060173000	NR508_SMT_shielding_4 mm 1.6 mm 2.3 mm_SUS301-H_Consumer Grad	4200	120*100*194
	NC64200057	HQ13102001DV0	SMB-2370-0-WQFN66-TR-01-0	173	120*100*194
	NC64200057	HQ13401000000	DCDC_Chip_QFN_5.5V~25V_0.77_15 A_SMT	3000	120*100*194
	NC64200057	HQ180220005Q0	ZIF Connector_1 mm 0.5 mm_32 pin_Fore lift_Gold_SMT	4000	120*100*194
	NC64200057	HQ180220005R0	ZIF Connector_1 mm 0.5 mm_32 pin_Fore lift_Gold_SMT	4000	120*100*194
	NC64200059	HQ1340300003U	Integrated power management chip_48 ~ WLCSP_SMT	5000	120*100*194
	NC64200062	HQ11200574000	Schottky Diode_S0D-323F_2000 mA_40 V_0.53 V_2-Channel_SMT	12000	120*100*194
	NC64200062	HQ11231092000	S0T363_150 mW_800 mohm_20 V_2-Channel_SMT	3000	120*100*194
	NC64200062	HQ13401001R0	DCDC_Chip_WQFN2_5X2_5-16_5.5-24V_5.5_8A_Surface Mount	3000	120*100*194
	NC64200062	HQ134040001CV0	LDO_Chip_S0T23-5_Adjustable_3.2V-36V_1.2V-5V_0.15 A_SMT	6000	120*100*194
	NC64200062	HQ135020000R0	Load switch_TS0T-23-5 (FC)_2.7-6V_3 A_55 mohm_1-Channel_SMT	3000	120*100*194
	NC64200062	HQ16302000950	NMOS_DFN1006-3L_700 mW_300 mohm_12 V_1 Channel_SMD	20000	120*100*194
	NC64200065	HQ11201085000	Fast Recovery Diode_S0D-123_300mA_100V_4ns_1.25V_1-Channel_SM	3000	120*100*194
	NC64200065	HQ11881193000	Power Inductor_0.47uH_252010_7.2 A(Irat)_6.5 A(Irms)_M(±20%)	12000	120*100*194
	NC64200065	HQ16302000150	DFN1006-3L_880 mW_185 mohm_30 V_1-Channel_SMT	10000	120*100*194
	NC64200065	HQ16701000670	Temperature_Sensing_Crystal_1612_8 pF_10 ppm_38.4MHz_SMT	6000	120*100*194
	NC64200065	HQ17201001MJ0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integra	3000	120*100*194
	NC64200065	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_	3000	120*100*194
	NC64200067	HQ11600190001	0201 (0603 Metric)_0201_100kOhm_J(±5%)_0.05 W_SMT	15000	120*100*194
	NC64200067	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT	10000	120*100*194
	NC64200067	HQ11881193000	Power Inductor_0.47uH_252010_7.2 A(Irat)_6.5 A(Irms)_M(±20%)	18000	120*100*194
	NC64200067	HQ17201001MJ0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integra	15000	120*100*194
	NC64200067	HQ17201003570	Power Inductor_2520_0.47uH_M(±20%)_5.7 A_10 A_11.5 mohm_Inte	2000	120*100*194
	NC64200068	HQ11540526000	Bead_0603_1000 ohm#100MHz_0.8 A_250 mohm_SMT	4000	120*100*194
	NC64200068	HQ11601736000	贴片电阻_0201_113kOhm_F(±1%)_0.05 W_贴片	1000	120*100*194
	NC64200068	HQ11613053000	Resistor_18_7kOhm_0402_1/16W_F(±1%)	3000	120*100*194
	NC64200068	HQ11613187000	0402 (1005 Metric)_0402_10.2kOhm_F(±1%)_0.0625 W	20000	120*100*194
	NC64200068	HQ11614697000	Chip Resistor_0402_33ohm_J(±5%)_0.0625 W_SMD	7044	120*100*194
	NC64200068	HQ16701000670	Temperature_Sensing_Crystal_1612_8 pF_10 ppm_38.4MHz_SMT	3000	120*100*194
	NC64200068	HQ17001004120	贴片电阻_0805_2aohm_F(±1%)_0.5 W	4533	120*100*194
	NC64200068	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_	3000	120*100*194
	NC64200071	HQ11712493000	MLCC_0402_10 V 2.2uF_K(±10%)_X5R	10000	120*100*194
	NC64200071	HQ171010089Q0	MLCC_0402_10 V 4.7uF_M(±20%)_X5R	10000	120*100*194
	NC64200076	HQ17101009V20	MLCC_0603_25 V_22uF_M(±20%)_X5R_SMD	8000	120*100*194
	NC64200077	HQ16103001CV0	Normal_LED_1.6*1.5_Top_Double Color_White_180 med.60 mA_2_9V_	2000	120*100*194
	NC64200077	HQ17201001GF0	Power Inductor_201210_0.24uH_M(±20%)_5.3 A_6.6 A_14 mohm_Int	12000	120*100*194
	NC64200077	HQ1830101GAPO	NB7909A_Mainboard_V4_OSP_180.5 mm 93.88 mm_1 mm_10 layer_Thro	30	120*100*194
	NC64200079	HQ13401001RM0	DCDC_Chip_QFN (11)_2-18_4.5v-18v_12 A_SMT	3000	120*100*194
	NC64200079	HQ142010003N0	D_Type_VQFN-30_Digital_1-Channel_SMT	6000	120*100*194
	NC64200083	HQ11140630000	Buffer & Driver & Transceiver_S0T-353-1_1-Channel_1.65-5.5V_3	9000	120*100*194
	NC64200085	HQ11152208000	Load Switch_37 mΩ_11 W_TPS22914BYFPR_T1	5734	120*100*194
	NC64200087	HQ13401000350	DCDC_Chip_WQFN2_5X2_5-16_4.5-24V_Adjustable_6 A_SMT	3000	120*100*194
	NC64200087	HQ13401001R80	DCDC_Chip_UQFN-23L_3x3_4.5v-23v_3.3v_11 A_SMT	1500	120*100*194
	NC64200089	HQ11613863009	Chip Resistor_0402_130kOhm_F(±1%)_0.0625 W	5000	120*100*194
	NC64200080	HQ11540007000	Bead_0402_120 ohm#100MHz_0.9 A_90 mohm_SMT	5000	120*100*102
	NC64200092	HQ11712404000	MLCC_0402_16 V 4.7uF_M(±20%)_X5R_SMT	10000	120*100*102
	NC64200093	HQ131060001G0	Platform Clock_Chip_FOWPSP49-pin_SMD	144	120*100*102
	NC64200093	HQ17001005QU0	(Liverpool) Chip Resistor_0603_220ohm_J(±5%)_0.1 W_SMD	4858	120*100*102
	NC64200094	HQ1115586G000	DCDC_0.6^5_1V_10000 mA_UQFN-23L_3x3_RT6310AGQUF_Richtek	1500	120*100*102
	NC64200095	HQ137050002A0	retimer_12-WLCSP_eUSB2_USB2_Reapter_贴片	2866	120*100*102
	NC64200067	HQ180220005E0	ZIF Connector_1.2 mm 0.8 mm_40 pin_Fore lift_Gold_SMT	3000	120*100*102
	NC64200067	HQ180220005J0	ZIF Connector_1.8 mm 1 mm_4 pin_Fore lift_Gold_SMT	4000	120*100*102
	NC64200067	HQ18022000890	ZIF Connector_1.2 mm 0.3 mm_71 pin_Fore lift_Gold_SMT	15000	120*100*102
	NC64200674	HQ13101001A00	YZE-84100-0-FCBGA2636+SR-TR-00-0	400	120*100*102
	NC64200674	HQ13101001A40	Platform Baseband_Chip_WiFi_18 core_SMD	400	120*100*102
	NC64200687	HQ13305000040	Touch control chip_BGA180_Cap Touch_Multipoint_SMT	7350	120*100*102
	NC64200687	HQ13307000180	EC_Controller_VF8GA_3.3V_ESPI-LPC_SMT	9984	120*100*102
	NC64200691	HQ12100360000	Resettable_Fuse_0805_1.1 A_8 V_2.2 A_0.3 s_SMT	32000	120*100*102
	NC64200696	HQ11150164000	Nb5915_nut_m2_5.0 *3.25_natural color	18000	120*100*102
	NC64200696	HQ11155093000	Load switch_S0T-23-5L_2.5V to 5.5V_1.5 A_60 mohm_1-Channel_SM	12000	120*100*102
	NC64200696	HQ11510400000	TVS_4-Channel_Bidirectional_3.3 V 0.2 pf	21000	120*100*102
	NC64200696	HQ11510684000	TVS_DFN-10_4-Channel_Unidirectional_3.3 V 0.28 pf_SMT	6000	120*100*102
	NC64200696	HQ135020007X0	Load switch_TS0T-23-5_-0.3V to 24V_3 A_50 mohm_1-Channel_SMT	6000	120*100*102
	NC64200696	HQ17103900380	Chip Conductive Polymer Solid_EL-CAP_2 V_330uF_M(±20%)_0.009	27600	120*100*102
	NC64200704	HQ11123177000	Nor_Flash_S0P_8-pin_8Mb_2.7v to 3.6v_SPI_SMT	2000	120*100*102
	NC64200704	HQ11540526000	Bead_0603_1000 ohm#100MHz_0.8 A_250 mohm_SMT	16000	120*100*102
	NC64200704	HQ116101153000	Thermistors_0402_10kOhm_F(±1%)_0.1 W_SMT	20000	120*100*102
	NC64200704	HQ13904000120	Nor_Flash_S0P8_208_8Mb_1.65-2.0V_SPI_SMT	2000	120*100*102
	NC64200704	HQ16902001QW0	TVS_DFN1006-2L_1-Channel_Bidirectional_24 V_15 pf_SMT	30000	120*100*102
	NC64200704	HQ17103900380	Chip Conductive Polymer Solid_EL-CAP_2 V_330uF_M(±20%)_0.009	1200	120*100*102
	NC64200704	HQ180220005J0	ZIF Connector_1.8 mm 1 mm_4 pin_Fore lift_Gold_SMT	6000	120*100*102
	NC64200708	HQ11124621000	SPI_Flash_512MB_1.8V	8000	120*100*102

	NC64200708	HQ135020007H0	Load switch_BGA_KTS1698BEDAB_15P_3.4V to 23V_5 A 25 mohm 1-Ch	3000			120*100*102
	NC64200711	HQ1830101BF60	NB7539A_Main Board_V2_OSP_155.2 mm_109.2 mm_0.8 mm_8 layer_2-	2880			120*100*102
	NC64200712	HQ134020005M0	(Honey)Multiple Phase Controller_QFN7X7-60L_Digital_2.5V-24V	3000			120*100*102
	NC64200714	HQ18022000890	ZIF Connector_1.2 mm_0.3 mm_71 pin_Fore lift_Gold_SMT	1406			120*100*102
	NC64200756	HQ18013001AK0	NGFF Connector_KEY_M_0.5 mm_Direct 67 pin_1.5 mm_-0.4 mm_80 o	1100			120*100*102
	NC64300341	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT	10000			120*100*102
NCPTE640300722	NC64300006	HQ1830101E9Q0	NB7911B_Mainboard_V2_OSP_307.4 mm_87.45 mm_0.9 mm_12 layer_1-	74	7.9110	7.938000	50*40*30
NCPTE640400238	NC64400652	HQ13101001A00	X2E-84100-0-PCBGA2636+SR-TR-00-0	400	3.4030	3.431000	50*40*30
				4915826	583.881	635.869	

total in Spallets of 79CTNS



Jilin Li

HQ TELECOM SINGAPORE PTE.LTD

From: HQ TELECOM SINGAPORE PTE.LTD
10 ANSON ROAD #11-20
INTERNATIONAL PLAZA
SINGAPORE 079903

Commercial Invoice

NO. HPVN20260406006

Date: 2026/04/06

Ship To: RQ TECHNOLOGY ELECTRONICS VIET NAM Comp LIMITED

Factories No. 5, 7, 8A, 8B, 8C, Lot
CN16, CN17, Yen Binh Industrial
Park, Pho Yen Ward, Thai
Nguyen Province, Vietnam

Payment Term No Payment

Project Name: NB7539

Trade Terms: CIP Tan Thanh

ITEM No	PIN	Commodity Name	Description of Goods	C.O.O	Quantity (pcs)	Unit Price (USD)	Total Value (USD)
1	HQ11123177000	Nor Flash	Nor Flash_SOP 8-pin 8Mb 2.7v to 3.6v SPI_SMT	China	6000	0.0812	487.2
2	HQ11124621000	Nor Flash	SPI Flash_512MB_1.8V	Taiwan	8000	2.0616	16492.8
3	HQ11140630000	Buffer & Driver & Transceiver	Buffer & Driver & Transceiver_SOT-353-1_1-Channel_1.65-5.5V_3-State_SMT	Malaysia	27000	0.0129	348.3
4	HQ11140636000	OVP chip	OVP Chip_WQFN (20)_SMT	United	12000	0.1247	1496.4
5	HQ11150164000	fastener	Nb5915_nut_m2 5.0 *3.25_natural color	China	18000	0.0242	435.6
6	HQ11152208000	Load switch	Load Switch_37 mΩ_11 W_TP5229148YPPR_TI	United	5734	0.0357	204.7038
7	HQ11155093000	Load switch	Load switch_SOT-23-5L_2.5V to 5.5V 1.5 A_60 mohm_1-Channel_SMT	CHINA	12000	0.0282	338.4
8	HQ11155586000	DCDC chip	DCDC_0.6~5.1V_10000 mA_UQFN-23L 3x3_RT6310AGQUF_Richtek	Taiwan,Chin	1500	0.1770	265.5
9	HQ11180841000	Temperature Sensor	Temperature Sensor_MSOP 10-pin_-40°C to +125°C_±1°C_SMT	China	24000	0.0757	1816.8
10	HQ11200574000	Schottky Diode	Schottky Diode_SOD-323F_2000 mA_40 V_0.53 V_2-Channel_SMT	CHINA	12000	0.0152	182.4
11	HQ11201085000	Fast Recovery Diode	Fast Recovery Diode_SOD-123_300mA_100V_4ns_1.25V_1-Channel_SMD	China	3000	0.0062	18.6
12	HQ11231092000	Signal MOSFET (Current < 1A)	SOT363_150 mW_800 mohm_20 V_2-Channel_SMT	China	3000	0.0114	34.2
13	HQ11510400000	Transient Voltage Suppressor (TVS) Diode	TVS_4-Channel_Bidirectional_3.3 V_0.2 pf	CHINA	21000	0.0229	480.9
14	HQ11510684000	Transient Voltage Suppressor (TVS) Diode	TVS_DFN-10_4-Channel_Unidirectional_3.3 V_0.28 pf_SMT	CHINA	6000	0.0183	109.8
15	HQ11540007000	0402 (1005 Metric)	Bead_0402_120 ohm@100MHz_0.9 A_90 mohm_SMT	Thailand	5000	0.0014	7
16	HQ11540526000	0603 (1608 Metric)	Bead_0603_1000 ohm@100MHz_0.8 A_250 mohm_SMT	China	20000	0.0028	56
17	HQ11600034000	Chip resistors	0201 (0603 Metric)_0201_2.2Kohm_J(±5%)_0.05 W_SMT	China	75000	0.0001	7.5
18	HQ11600058000	Chip resistors	Resistor_8.2Kohm_0201_1/20 W_F(±1%)	China	15000	0.0001	1.5
19	HQ11600140001	Chip resistors	Resistor_10Kohm_0201_1/20 W_J(±5%)	China	60000	0.0001	6
20	HQ11600190001	Chip resistors	0201 (0603 Metric)_0201_100Kohm_J(±5%)_0.05 W_SMT	China	45000	0.0001	4.5
21	HQ11600241000	Chip resistors	Resistor_390Kohm_0201_1/20 W_F(±1%)	CHINA	15000	0.0001	1.5
22	HQ11600355000	Chip resistors	0201 (0603 Metric)_0201_130Kohm_F(±1%)_0.05 W_SMT	CHINA	15000	0.0001	1.5
23	HQ11600958000	Chip resistors	0201 (0603 Metric)_0201_3Mohm_F(±1%)_0.05 W_SMT	CHINA	30000	0.0002	6
24	HQ11601736000	Chip resistors	贴片电阻_0201_113Kohm_F(±1%)_0.05 W_贴片	China	1000	0.0001	0.1
25	HQ11601762000	Chip resistors	Resistor_3.24Kohm_0201_1/20W_F(±1%)	China	15000	0.0001	1.5
26	HQ11602192000	Chip resistors	Resistor_590ohm_0201_1/20W_F(±1%)	China	25000	0.0001	2.5
27	HQ11610119000	Chip resistors	0402 (1005 Metric)_0402_44.2Kohm_F(±1%)_0.0625 W	China	20000	0.0001	2
28	HQ11610153000	Thermistors	Thermistors_0402_10Kohm_F(±1%)_0.1 W_SMT	CHINA	20000	0.0020	40
29	HQ11611080001	Chip resistors	0402 (1005 Metric)_0402_6.04Kohm_F(±1%)_0.0625 WSMT	China	10000	0.0001	1
30	HQ11612920001	Chip resistors	Resistor_15R_0402_1/16W_F	China	10000	0.0001	1
31	HQ11612993009	Chip Resistor	Chip Resistor_0402_7.87Kohm_F(±1%)_0.0625 W	China	10000	0.0001	1
32	HQ11613003009	Chip resistors	0402 (1005 Metric)_0402_5.9Kohm_F(±1%)_0.0625 W	China	10000	0.0001	1
33	HQ11613006009	Chip Resistor	Chip Resistor_0402_5.49KΩ_F(±1%)_0.0625 W	China	10000	0.0001	1
34	HQ11613053000	Chip resistors	Resistor_18.7Kohm_0402_1/16W_F(±1%)	CHINA	3000	0.0001	0.3
35	HQ11613099000	Chip resistors	0402 (1005 Metric)_0402_4.75Kohm_D(±0.5%)_0.0625 WSMT	China	10000	0.0020	20
36	HQ11613187009	Chip resistors	0402 (1005 Metric)_0402_10.2Kohm_F(±1%)_0.0625 W	China	20000	0.0001	2
37	HQ11613229009	Chip resistors	0402 (1005 Metric)_0402_7.15Kohm_F(±1%)_0.0625 W	China	10000	0.0001	1
38	HQ11613826000	Chip resistors	0402 (1005 Metric)_0402_120ohm_F(±1%)_0.0625 W	CHINA	10000	0.0001	1
39	HQ11613883009	Chip Resistor	Chip Resistor_0402_130Kohm_F(±1%)_0.0625 W	China	5000	0.0001	0.5
40	HQ11614697000	Chip Resistor	Chip Resistor_0402_33ohm_J(±5%)_0.0625 W_SMD	China	7044	0.0001	0.7044
41	HQ11620639009	Chip resistors	(SEV)Resistor_75ohm_0603_1/10W_F(±1%)	CHINA	10000	0.0003	3
42	HQ11630006000	Chip resistors	0805 (2012 Metric)_0805_1.5ohm_F(±1%)_0.125 W_SMT	China	5000	0.0008	4
43	HQ11640062000	Chip resistors	1206 (3216 Metric)_1206_5mohm_F(±1%)_1 W	CHINA	10000	0.0311	311
44	HQ11701285000	Capacitor	Capacitor_4.7uF_0201_COG_25 V_C(±0.25pp)	China	15000	0.0002	3
45	HQ11701438000	MLCC	MLCC_0201_16 V_47nF_K(±10%)_X5R_SMT	China	15000	0.0005	7.5
46	HQ11701651009	MLCC	MLCC_0201_16 V_100nF_K(±10%)_X6S_SMT	China	30000	0.0019	57
47	HQ11701668000	Surface-mount ceramic capacitor	MLCC_0201_50 V_5pF_C(±0.25pp)_COG	China	15000	0.0002	3
48	HQ11702434000	MLCC	MLCC_0201_10 V_100nF_K(±10%)_X5R	China	15000	0.0002	3
49	HQ11703519009	MLCC	MLCC_0201_25 V_6.8nF_K(±10%)_X7R_SMD	China	15000	0.0002	3
50	HQ11710260002	MLCC	MLCC_0402_16 V_22nF_K(±10%)_X7R_patch	China	10000	0.0005	5
51	HQ11710440002	MLCC	MLCC_0402_50 V_12pF_J(±5%)_COG_SMD	China	20000	0.0003	6
52	HQ11712276000	Capacitor	Capacitor_2.2uF_0402_X5R_16 V_M(±20%)	Malaysia	20000	0.0021	42
53	HQ11712404000	MLCC	MLCC_0402_16 V_4.7uF_M(±20%)_X5R_SMT	China	10000	0.0023	23
54	HQ11712493000	MLCC	MLCC_0402_10 V_2.2uF_K(±10%)_X5R	Philippines	10000	0.0013	13
55	HQ11712720009	MLCC	MLCC_0402_10 V_100nF_K(±10%)_X5R_SMT	China	10000	0.0004	4
56	HQ1171401C000	MLCC	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT	China	750000	0.0014	1050
57	HQ11720018000	Capacitor	Capacitor_4.7uF_0603_X5R_16 V_K(±10%)	Philippines	8000	0.0043	34.4
58	HQ11720530000	MLCC	MLCC_0603_6.3 V_2.2uF_K(±10%)_X7R_SMT	China	4000	0.0050	20
59	HQ11720586000	MLCC	MLCC_0603_25 V_4.7uF_K(±10%)_X6S_SMT	China	4000	0.0206	82.4
60	HQ11720704000	MLCC	MLCC_0603_10 V_22uF_M(±20%)_X5R	CHINA	20000	0.0049	98
61	HQ11720881009	MLCC	MLCC_0603_25 V_10uF_M(±20%)_X5R_patch	CHINA	6400	0.0054	34.56
62	HQ11880782000	Power Inductor	Power Inductor_SMD_2.2uH_M(±20%)_6.5 A_12 A_27.5 mohm Integrated_SMT	China	2000	0.0629	125.8
63	HQ11881193000	Power Inductor	Power Inductor_0.47uH_252010_7.2 A(Ir(40))_6.5 A(Irms)_M(±20%)_13 mΩ	CHINA	33000	0.0368	1214.4
64	HQ11882308000	Power Inductor	Power Inductor_2016_1uH_M(±20%)_4 A_4.5 A_37 mohm Integrated	China	3000	0.0043	12.9
65	HQ11990159000	Wire-to-Board Connector	High Speed WTB Connector_WTB_100 Gbps_55 ohm_4 pin_0.8 mm_Female Head (elastic end)_Horizontal_SMT_Gold_4 u"_Tape_R	China	3500	0.0170	59.5
66	HQ12060713000	SMT shielding	NB508_SMT_shielding_4 mm_1.6 mm_2.3 mm_SUS301-H_Consumer Grade_Minghengda	China	4200	0.0131	55.02
67	HQ12210036000	Fuse	Resettable Fuse_0805_11 A_8 V_2.2 A_0.3 s_SMT	China	32000	0.0195	624
68	HQ13101001A00	CPU	X2E-84100-0-FCBGA2636+SR-TR-00-0	Taiwan,Chin	800	392.5977	314078.16
69	HQ13101001A40	Platform Baseband Chip	Platform Baseband Chip_WiFi_18 core_SMD	TAIWAN,CHI NA	400	475.0919	190036.76
70	HQ13102001DV0	IC	SMB-2370-0-MQFN66-TR-01-0	Taiwan,Chin	173	1.5895	274.9835
71	HQ131060001G0	Platform Clock Chip	Platform Clock Chip_FOWPSP49-pin_SMD	TAIWAN,CHI NA	144	0.5681	81.8064
72	HQ131060001Z0	IC	PMIX-0203-0-FOWPSP49-TR-E9-0	Taiwan,Chin	1564	0.8363	1307.9732
73	HQ13305000040	Touch control chip	Touch control chip_BGA180_Cap Touch_Multipoint_SMT	Taiwan	7350	3.0418	22357.23
74	HQ13307000180	EC Controller	EC Controller_VFBGA_3.3V_ESPI-LPC_SMT	Taiwan	9984	0.9554	9538.7136
75	HQ13401000000	DCDC chip	DCDC Chip_QFN_5.5V~25V_0.77_15 A_SMT	China	3000	0.3114	934.2
76	HQ13401000350	DCDC chip	DCDC Chip_WQFN2.5X2.5-16_4.5~24V_Adjustable_6 A_SMT	CHINA	3000	0.1361	408.3
77	HQ13401001R70	DCDC chip	(Honey)DCDC Chip_QFN-32L_45V-25V_NA_45 A_SMT	China	15000	0.3269	4903.5
78	HQ13401001R80	DCDC Chip	DCDC Chip_UQFN-23L 3x3_4.5v-23v_3.3v_11 A_SMT	China	1500	0.1863	279.45
79	HQ13401001RM0	DCDC Chip	DCDC Chip_QFN (T1)_2-18_4.5v~18v_12 A_SMT	China	3000	0.6054	1816.2
80	HQ13401001RU0	DCDC Chip	DCDC Chip_WQFN2.5X2.5-16_5.5-24V_5.5_8A_Surface Mount	TAIWAN,CHI NA	3000	0.1502	450.6
81	HQ134020005M0	Multiple Phase Controller	(Honey)Multiple Phase Controller_QFN7X7-60L_Digital_2.5V-24V_4 phase_SMT	China	3000	0.7523	2256.9
82	HQ134030003J0	Integrated power management chip (non-platform PMIC)	Integrated power management chip_48 - WLSCP_SMT	South Korea	5000	1.9569	9784.5
83	HQ13404001CV0	LDO chip	LDO Chip_SOT23-5_Adjustable_3.2V-36V_12V-5V_0.15 A_SMT	China	6000	0.0182	109.2
84	HQ135020000R0	Load switch	Load switch_TSOT-23-5 (FC)_2.7-6V_3 A_55 mohm_1-Channel_SMT	China	3000	0.0627	188.1
85	HQ135020007H0	Load switch	Load switch_BGA_KTS1698BEDAB_15P_3.4V to 23V_5 A_25 mohm_1-Channel_SMT	China	3000	0.2498	749.4
86	HQ135020007X0	Load switch	Load switch_TSOT-23-5_-0.3V to 24V_3 A_50 mohm_1-Channel_SMT	CHINA	6000	0.1471	882.6
87	HQ136020001U0	Buffer & Driver & Transceiver	Buffer & Driver & Transceiver_SOT363-2_2-Channel_0.8V ~ 3.6V_3-State_SMT	Malaysia	6000	0.0452	271.2
88	HQ137050002A0	retimer chip	retimer_12-WLSCP_eUSB2_USB2_Repeater_贴片	China	2866	0.2513	720.2258
89	HQ139040001Z0	Nor Flash	Nor Flash_SOP8 208 8Mb_1.65-2.0V_SPI_SMT	China	4000	0.1086	434.4
90	HQ139040008Z0	Nor Flash	Nor Flash_WSON8_256Mb_1.65~2.0V_SPI_SMD	China	6000	0.9056	5433.6
91	HQ141050002M0	Temperature Sensor	Temperature Sensor_SMD_amb: -20~85°C; obj: -20~180°C_amb: 0.4°C; obj: ±1~±3°C_SMT	China	1000	1.9400	1940
92	HQ142010003N0	Audio amplifier	D_Type_UQFN-30_Digital_1-Channel_SMT	China	6000	0.5634	3380.4
93	HQ16103001CV0	Normal LED	Normal LED_16*1.5_Top_Double Color_White_180 mcd_60 mA_2.9V_Yellow_28.5 mcd_60 mA_1.95V_SMT	China	2000	0.0290	58
94	HQ16301001F10	Power MOSFET (Current ≥ 1A)	NMOS_PDFN 3x3P_2500 mW_8 mohm_30 V_1-Channel_SMT	China	5000	0.0429	214.5

95	HQ16302000150	Signal MOSFET (Current < 1A)	DFN1006-3L_880 mW_185 mohm_30 V_1-Channel_SMT	China	10000	0.0098	98
96	HQ16302000950	Power MOSFET (Current ≥ 1A)	NMOS_DFN1006-3L_700 mW_300 mohm_12 V_1 Channel_SMD	China	20000	0.0024	48
97	HQ16701000670	Crystal	Temperature Sensing Crystal 1612 8 pf 10 ppm 38.4MHz SMT	China	9000	0.0695	625.5
98	HQ16902001QW0	Transient Voltage Suppressor (TVS) Diode	TVS_DFN1006-2L_1-Channel_Bidirectional_24 V_15 pf_SMT	CHINA	30000	0.0072	216
99	HQ17001004120	Chip resistors	贴片电阻 0805 2mohm F(±1%) 0.5 W	China	4533	0.0186	84.3138
100	HQ17001005QU0	Chip Resistor	(Liverpool) Chip Resistor_0603_220ohm J(±5%) 0.1 W_SMD	CHINA	9858	0.0003	2.9574
101	HQ17101003VJ0	SMD ceramic capacitors	MLCC_0201_6.3 V_2.2uF_M(±20%)_XSR_Chip	CHINA	90000	0.0012	108
102	HQ17101004ZU0	SMD ceramic capacitors	MLCC_0402_50 V_2.2pF_B(±0.1pf)_COG	China	20000	0.0005	10
103	HQ171010089P0	Chip ceramic capacitors	MLCC_0201_6.3 V_1uF_M(±20%)_XSR	Malaysia	1275000	0.0004	510
104	HQ171010089Q0	Chip ceramic capacitors	MLCC_0402_10 V_4.7uF_M(±20%)_XSR	China	100000	0.0013	130
105	HQ171010098Q0	Surface-mount ceramic capacitor	MLCC_0402_25 V_4.7uF_M(±20%)_XSR	CHINA	40000	0.0103	412
106	HQ17101009RE0	SMD ceramic capacitors	MLCC_0201_16 V_100nF_K(±10%)_XSR	CHINA	15000	0.0004	6
107	HQ17101009UT0	Surface-mount ceramic capacitor	MLCC_0402_6.3 V_2.2uF_M(±20%)_XSR	China	10000	0.0007	7
108	HQ17101009UU0	Chip ceramic capacitors	MLCC_0603_6.3 V_22uF_M(±20%)_XSR_SMT	China	92000	0.0026	239.2
109	HQ17101009UW0	Chip ceramic capacitors	MLCC_0603_25 V_10uF_M(±20%)_XSR	CHINA	88000	0.0042	369.6
110	HQ17101009V20	SMD ceramic capacitors	MLCC_0603_25 V_22uF_M(±20%)_XSR_SMD	Japan	8000	0.0574	459.2
111	HQ17101009V90	Surface-mount ceramic capacitor	MLCC_0201_6.3 V_1uF_M(±20%)_XSR	China	570000	0.0004	228
112	HQ1710101DD40	Chip ceramic capacitors	MLCC_0402_25 V_2.2uF_M(±20%)_XSR	China	10000	0.0021	21
113	HQ1710101E1P0	Surface-mount ceramic capacitor	MLCC_0201_50 V_33pf_J(±5%)_COG	China	15000	0.0002	3
114	HQ1710101E3M0	Surface-mount ceramic capacitor	MLCC_0201_25 V_10pf_J(±5%)_COG	China	45000	0.0004	18
115	HQ1710101E480	Chip ceramic capacitors	MLCC_0201_6.3 V_1uF_M(±20%)_XSR_SMT	China	105000	0.0004	42
116	HQ1710101E9A0	SMD ceramic capacitors	MLCC_0603_6.3V_22uF_M(±20%)_XSR_SMD	China	4000	0.0026	10.4
117	HQ1710101JNN0	SMD ceramic capacitors	MLCC_0603_6.3 V_10uF_M(±20%)_XSR	China	4000	0.0017	6.8
118	HQ171030003B0	Conductive Polymer Solid EL-CAP	Chip Conductive Polymer Solid EL-CAP_2 V_330uF_M(±20%)_0.009 ohm_7.7 A_2000 hour_SMT	China	28800	0.0620	1785.6
119	HQ17201001BV0	Power Inductor	Power Inductor_2520_0.47uH_M(±20%)_6.5 A_7.7 A_13 mohm_Integrated	China	3000	0.0121	36.3
120	HQ17201001CV0	Power Inductor	Power Inductor_201610_0.33uH_M(±20%)_6.3 A_6.6 A_18 mohm_Integrated_SMT	China	3000	0.0132	39.6
121	HQ17201001GF0	Power Inductor	Power Inductor_201210_0.24uH_M(±20%)_5.3 A_6.6 A_14 mohm_Integrated_SMT	China	15000	0.0343	514.5
122	HQ17201001MH0	Power Inductor	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integrated	china	2000	0.0164	32.8
123	HQ17201001MJ0	Power Inductor	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integrated	CHINA	225000	0.0185	4162.5
124	HQ17201002140	Power Inductors	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_One-Piece	CHINA	42000	0.0188	789.6
125	HQ172010021F0	Power Inductor	Power Inductor_252010_0.47uH_M(±20%)_6.5 A_7.7 A_17 mohm_molded	China	2000	0.0174	34.8
126	HQ172010025C0	Power Inductor	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	China	8000	0.0639	511.2
127	HQ17201002740	Power Inductor	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	CHINA	7000	0.0822	575.4
128	HQ17201003HF0	Power Inductor	Power Inductor_0603_15uH_M(±20%)_12 A_14 A_8.9 mohm_molded	China	10500	0.0176	184.8
129	HQ17201003HL0	Power Inductor	Power Inductor_0603_0.47uH_M(±20%)_16.5 A_26 A_4.1 mohm_Molded	China	7500	0.0180	135
130	HQ17201003PD0	Power Inductor	Power Inductor_060624X_0.15uH_M(±20%)_54 A_54 A_1.05 mohm_Molded	China	1482	0.2014	298.4748
131	HQ17201003QF0	Power Inductor	Power Inductor_0624_0.15uH_M(±20%)_38 A_54 A_1.05 mohm_Molded	China	4500	0.1869	841.05
132	HQ17201003570	Power Inductor	Power Inductor_2520_0.47uH_M(±20%)_5.7 A_10 A_11.5 mohm_Integrated Molded	China	6000	0.0221	132.6
133	HQ18013001AK0	Board-end connector	NGFF Connector_KEY M_0.5 mm_Direct_67 pin_1.5 mm_-0.4 mm_80 ohm_Pcl-E Gen4_Horizontal_SMT_Gold_10 u".Tape_Reel(Plastic)	China	16500	0.2869	4733.85
134	HQ18013001AL0	Board-end connector	NGFF Connector_KEY E_0.5 mm_Direct_67 pin_2 mm_0.8 mm_80 ohm_Pcl-E Gen4_Horizontal_SMT_Gold_10 u".Tape_Reel(Plastic)	China	6000	0.2334	1400.4
135	HQ18013001D60	NGFF Connector	NGFF Connector_KEY M_0.5 mm_Direct_67 pin_2.05 mm_0.8 mm_80 ohm_Pcl-E Gen5_Horizontal_PIP_Gold_10 u".Tape_Reel(Plastic)	China	1500	0.2970	445.5
136	HQ180210022U0	NGFF Connector	Low-Speed Wire-to-Board Connector_Wafer_8pin_0.8mm_Female (Elastic End)_Horizontal_SMT_Gold_3u".Tape_Reel	China	3500	0.0406	142.1
137	HQ180220005E0	ZIF Connector	ZIF Connector_1.2 mm_0.8 mm_40 pin_Fore lift_Gold_SMT	China	24000	0.1034	2481.6
138	HQ180220005G0	ZIF Connector	ZIF Connector_1.8 mm_1 mm_4 pin_Fore lift_Gold_SMT	China	2000	0.0486	97.2
139	HQ180220005J0	ZIF Connector	ZIF Connector_1.8 mm_1 mm_4 pin_Fore lift_Gold_SMT	China	19999	0.0414	827.9586
140	HQ180220005K0	ZIF Connector	ZIF Connector_1.8 mm_0.5 mm_8 pin_Fore lift_Gold_SMT	China	2000	0.0302	60.4
141	HQ180220005M0	ZIF Connector	ZIF Connector_1.2 mm_0.3 mm_71 pin_Fore lift_Gold_SMT	China	14999	0.2541	3811.2459
142	HQ180220005Q0	ZIF Connector	ZIF Connector_1 mm_0.5 mm_32 pin_Fore lift_Gold_SMT	China	4000	0.1130	452
143	HQ180220005R0	ZIF Connector	ZIF Connector_1 mm_0.5 mm_32 pin_Fore lift_Gold_SMT	China	4000	0.0898	359.2
144	HQ180220005T0	ZIF Connector	ZIF Connector_1 mm_0.5 mm_8 pin_Fore lift_Gold_SMT	China	3000	0.0366	109.8
145	HQ180220005Z0	ZIF Connector	ZIF Connector_1.8 mm_0.5 mm_8 pin_Fore lift_Gold_SMT	China	6000	0.0434	260.4
146	HQ18022000890	ZIF Connector	ZIF Connector_1.2 mm_0.3 mm_71 pin_Fore lift_Gold_SMT	China	16406	0.2463	4040.7978
147	HQ180220008E0	ZIF Connector	ZIF Connector_1.8mm_0.5mm_10pin_Front-Flip_Gold_SMT	China	2000	0.0391	78.2
148	HQ18301018F60	Hard board	NB7539A_Main Board_V2_OSP_155.2 mm_109.2 mm_0.8 mm_8 layer_2-step_HannStar	China	6720	0.2354	1581.888
149	HQ18301018Y10	Hard board	NB7539A_Motherboard_V4_OSP_251.8 mm_182.2 mm_0.8 mm_10 layer_Order 3_HannStar (Hanyu Bode)	China	1040	6.0868	6330.272
150	HQ1830101E8Q0	Hard board	NB7911B_Mainboard_V2_OSP_307.4 mm_87.45 mm_0.9 mm_12 layer_1-stage_HannStar	China	74	14.0268	1037.9832
151	HQ1830101F570	Hard board	NB7539C_Motherboard_V2_OSP_177 mm_89.96 mm_0.8 mm_10-Layer_Second-Order_V2_Zhiboxin	China	1182	5.2388	6192.2616
152	HQ1830101FWC0	Hard board	(Honey) NB7909B_Mainboard_V4_OSP_180.5 mm_93.88 mm_1 mm_10 layer_Through-hole_MP_Zhiboxin	China	2394	3.8665	9256.401
153	HQ1830101G4P0	Hard board	NB7909A_Mainboard_V4_OSP_180.5 mm_93.88 mm_1 mm_10 layer_Through-hole_Zhiboxin	China	30	3.6552	109.656
154	HQ26910003RG0	Shielding Cover	NB7539A_SMT shielding_SHIELD_CLIP_818012300_5.2 mm_1.13 mm_1.28 mm_0.15 mm_SUS_Without shielding film_Stamping_With	China	9000	0.0120	108
155	HQ26910003TB0	Shielding Cover	NB7539A_SMT shielding_CODEC_SHIELDING_11.5 mm_8.5 mm_1.35 mm_0.15 mm_C7701R_Single side shielding film_Stamping_With	China	6150	0.0441	271.215
			Total:		4915826		657586.6158



Jilin Li