

HQ TELECOM SINGAPORE PTE. LTD

10 Anson Road, #11-20 International Plaza, Singapore 079903

Commercial Invoice

Seller: HQ TELECOM SINGAPORE PTE. LTD

Address: 10 Anson Road, #11-20 International Plaza, Singapore 079903

Buyer: RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED

Address: Factories No. 5, 7, 8A, 8B, 8C, Lot CN16, CN17, Yen Binh Industrial Park, Pho Yen Ward, Thai Nguyen Province, Vietnam

NO. HPV20260406006-4

Date: 2026-04-06

Project Name: NB7539

Trade Terms: CIP

Payment terms : No payment

Ship By: Truck

From China

To Viet nam

ITEM No	P/N	Commodity Name	C.O.O	Quantity	Unit	Unit Price (USD)	Total Value (USD)
1	HQ11540526000	Bead 0603 1000 ohm@100MHz 0.8 A 250 mohm SMT	China	16000	PCE	0.0028	44.80
2	HQ171030003B0	Chip Conductive Polymer Solid EL-CAP_2 V_330uF_M(±20%)_0.009 ohm_7.7 A_2000 hour SMT	China	1200	PCE	0.062	74.40
3	HQ11123177000	Nor Flash SOP 8-pin 8Mb 2.7v to 3.6v SPI SMT	China	2000	PCE	0.0812	162.40
4	HQ13904000120	Nor Flash SOP8 208 8Mb 1.65-2.0V SPI SMT	China	2000	PCE	0.1086	217.20
5	HQ169020010QW0	TVS DFN1006-2L 1-Channel Bidirectional 24 V 15 pf SMT	China	30000	PCE	0.0072	216.00
6	HQ11610153000	Thermistors 0402 10Kohm F(±1%) 0.1 W SMT	China	20000	PCE	0.002	40.00
7	HQ180220005J0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	China	6000	PCE	0.0414	248.40
8	HQ180220005G0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	China	2000	PCE	0.0486	97.20
9	HQ180220005Z0	ZIF Connector 1.8 mm 0.5 mm 8 pin Fore lift Gold SMT	China	1500	PCE	0.0434	65.10
10	HQ26910003TB0	NB7539A_SMT shielding_CODEC_SHIELDING_11.5 mm 8.5 mm 1.35 mm 0.15 mm_C7701R_Single side shielding film_stamping_With spot welding process_Consumer Grade_Nanchang bingrong	China	6150	PCE	0.0441	271.22
11	HQ180210022U0	General WTB Connector_Wafer_8 pin 0.8 mm_Female Head (elastic end)_Horizontal SMT_Gold 3 u" Tape Reel(Plastic Plate)	China	3500	PCE	0.0406	142.10
12	HQ26910003RG0	NB7539A_SMT shielding_SHIELD_CLIP_818012300_5.2 mm 1.13 mm 1.28 mm 0.15 mm_SUS_Without shielding film_stamping_With spot welding process_Consumer Grade_ECT	China	9000	PCE	0.012	108.00
13	HQ17201003PD0	Power Inductor 060624X 0.15uH M(±20%) 54 A 54 A 1.05 mohm Integrated	China	1000	PCE	0.2014	201.40
14	HQ17201002740	Power Inductor 0620 1uH M(±20%) 9 A 17 A 12.5 mohm Integrated	China	1000	PCE	0.0822	82.20
15	HQ17201003570	Power Inductor 2520 0.47uH M(±20%) 5.7 A 10 A 11.5 mohm Integrated	China	4000	PCE	0.0221	88.40
16	HQ11882308000	Power Inductor 2016 1uH M(±20%) 4 A 4.5 A 37 mohm Integrated	China	3000	PCE	0.0043	12.90
17	HQ17201001MH0	Power Inductor 201210 0.33uH M(+/-20%) 5 A 6 A 16 mohm Integrated	China	2000	PCE	0.0164	32.80
18	HQ17101009V90	MLCC 0201 6.3 V 1uF M(±20%) X5R SMT-v2	China	60000	PCE	0.0004	24.00
19	HQ17201002140	Power Inductor 201210 0.47uH M(±20%) 4.8 A 5.6 A 20 mohm Integrated	China	27000	PCE	0.0188	507.60
20	HQ17201001MJ0	Power Inductor 201210 0.33uH M(±20%) 5 A 6 A 16 mohm Integrated	China	204000	PCE	0.0185	3774.00
21	HQ1171401C000	MLCC 0402 6.3 V 10uF M(±20%) X5R SMT-v1	China	50000	PCE	0.0014	70.00
22	HQ17101009UW0	MLCC 0603 25 V 10uF M(±20%) X5R	China	4000	PCE	0.0042	16.80
23	HQ11601762000	0201 (0603 Metric) 0201 3.24Kohm F(±1%) 0.05 W SMT	China	15000	PCE	0.0001	1.50
24	HQ11612920001	0402 (1005 Metric) 0402 15ohm F(±1%) 0.0625 W SMT	China	10000	PCE	0.0001	1.00
25	HQ11600140001	0201 (0603 Metric) 0201 10Kohm J(±5%) 0.05 W SMT	China	30000	PCE	0.0001	3.00
26	HQ11600034000	0201 (0603 Metric) 0201 2.2Kohm J(±5%) 0.05 W SMT	China	30000	PCE	0.0001	3.00
27	HQ11600058000	0201 (0603 Metric) 0201 8.2Kohm F(±1%) 0.05 W SMT	China	15000	PCE	0.0001	1.50
28	HQ11712720009	MLCC 0402 10 V 100nF K(±10%) X5R SMT	China	10000	PCE	0.0004	4.00
29	HQ1710101E1P0	MLCC 0201 50 V 33pF J(±5%) COG SMT-v3	China	15000	PCE	0.0002	3.00
30	HQ11613826000	0402 (1005 Metric) 0402 120ohm F(±1%) 0.0625 W	China	10000	PCE	0.0001	1.00
31	HQ17101009V90	MLCC 0201 6.3 V 1uF M(±20%) X5R SMT-v2	China	150000	PCE	0.0004	60.00
32	HQ171010089P0	MLCC 0201 6.3 V 1uF M(±20%) X5R	China	30000	PCE	0.0004	12.00
33	HQ11613006009	0402 (1005 Metric) 0402 5.49Kohm F(±1%) 0.0625 W	China	10000	PCE	0.0001	1.00
34	HQ17201002140	Power Inductor 201210 0.47uH M(±20%) 4.8 A 5.6 A 20 mohm Integrated	China	3000	PCE	0.0188	56.40
35	HQ11720018000	MLCC 0603 16 V 4.7uF K(+/-10%) X5R SMT	China	4000	PCE	0.0043	17.20
36	HQ171010089Q0	MLCC 0402 10 V 4.7uF M(±20%) X5R	China	10000	PCE	0.0013	13.00
37	HQ1171401C000	MLCC 0402 6.3 V 10uF M(±20%) X5R SMT-v1	China	210000	PCE	0.0014	294.00
38	HQ17201003HF0	Power Inductor 0603 1.5uH M(±20%) 12 A 14 A 8.9 mohm Integrated	China	3000	PCE	0.0176	52.80
39	HQ17201003QF0	Power Inductor 0624 0.15uH M(±20%) 38 A 54 A 1.05 mohm Integrated	China	1500	PCE	0.1869	280.35
40	HQ11180841000	Temperature Sensor MSOP 10-pin -40°C to +125°C ±1°C SMT	China	6000	PCE	0.0757	454.20
41	HQ16301001F10	NMOS PDFN 3x3P 2500 mW 8 mohm 30 V 1-Channel SMT	Taiwan China	5000	PCE	0.0429	214.50
42	HQ11880782000	Power Inductor SMD 2.2uH M(±20%) 6.5 A 12 A 27.5 mohm Integrated SMT	China	2000	PCE	0.0629	125.80
43	HQ18013001D60	NGFF Connector_KEY M_0.5 mm_Direct 67 pin_2.05 mm_0.8 mm_80 ohm_Pci-E Gen5_Horizontal PIP_Gold 10 u" Tape Reel(Plastic Plate)	China	1500	PCE	0.297	445.50
44	HQ11990159000	High Speed WTB Connector_WTB_100 Gbps_55 ohm_4 pin_0.8 mm_Female Head (elastic end)_Horizontal SMT_Gold 4 u" Tape Reel(Plastic Plate)	China	3500	PCE	0.017	59.50
45	HQ17201002740	Power Inductor 0620 1uH M(±20%) 9 A 17 A 12.5 mohm Integrated	China	1000	PCE	0.0822	82.20
Total:				1030850			8683.37

HQ TELECOM SINGAPORE PTE. LTD



peiran li

HQ TELECOM SINGAPORE PTE. LTD
10 Anson Road, #11-20 International Plaza,Singapore 079903

Packing list

Seller: HQ TELECOM SINGAPORE PTE. LTD

Address: 10 Anson Road, #11-20 International Plaza,Singapore 079903

Buyer: RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED

Address: Factories No. 5, 7, 8A, 8B, 8C, Lot CN16, CN17, Yen Binh Industrial Park, Pho Yen Ward, Thai Nguyen Province, Vietnam

NO. HPV20260406006-4

Date: 2026-04-06

Ship By: Truck		From: China		To: Viet nam		Term: CIP		Dimension (mm)
ITEM No	P/N	Commodity Name	Quantity	Unit	Net Weight (kg)	Gross Weight (kg)		
1	HQ11540526000	Bead_0603_1000 ohm@100MHz_0.8 A_250 mohm_SMT	16000	PCE	0.082	6.748		
2	HQ17103000380	Chip Conductive Polymer Solid EL-CAP_2 V_330uF_M(±20%)_0.009 ohm_7.7 A_2000 hour_SMT	1200	PCE	0.156	0		
3	HQ11123177000	Nor Flash_SOP 8-pin_8Mb_2.7v to 3.6v_SPL_SMT	2000	PCE	0.26	0		
4	HQ13904000120	Nor Flash_SOP8 208_8Mb_1.65-2.0V_SPL_SMT	2000	PCE	0.26	0		
5	HQ16902001QW0	TVS_DFN1006-2L_1-Channel_Bidirectional_24 V_15 pf_SMT	30000	PCE	0.026	0		
6	HQ11610153000	Thermistors_0402_10Kohm_F(±1%)_0.1 W_SMT	20000	PCE	0.026	0		
7	HQ180220005J0	ZIF Connector_1.8 mm_1 mm_4 pin_Fore lift_Gold_SMT	6000	PCE	0.114	0		
8	HQ180220005G0	ZIF Connector_1.8 mm_1 mm_4 pin_Fore lift_Gold_SMT	2000	PCE	0.195	8.712		
9	HQ180220005Z0	ZIF Connector_1.8 mm_0.5 mm_8 pin_Fore lift_Gold_SMT	1500	PCE	0.09	0		
10	HQ269100037B0	NB7539A_SMT Shielding_COUCLE_SHIELDING_11.5 mm_8.5 mm_1.35 mm_0.15 mm_C770IR_Single side shielding film_Stamping_With spot welding process_Consumer Grade_Notebook,Accessories	6150	PCE	1.107	0		
11	HQ180210002U0	General WTB Connector_Wafer 8 pin_0.8 mm_Female Head (elastic end)_Horizontal_SMT_Gold 3 u". Tape_Reel(Plastic Plate)	3500	PCE	0.181	0		
12	HQ26910003RG0	NB7539A_SMT Shielding_SHIELD CLIP_8.8x12.3x0.52 mm_1.13 mm_1.26 mm_0.15 mm_SUS_Without shielding film_Stamping_With spot welding process_Consumer Grade_FCT	9000	PCE	0.018	0		
13	HQ17201003PD0	Power Inductor_060624X_0.15uH_M(±20%)_54 A_54 A_1.05 mohm_Integrated	1000	PCE	0.61	0		
14	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	1000	PCE	0.473	0		
15	HQ17201003570	Power Inductor_2520_0.47uH_M(±20%)_5.7 A_10 A_11.5 mohm_Integrated	4000	PCE	0.016	11.919		
16	HQ11882308000	Power Inductor_2016_1uH_M(±20%)_4 A_4.5 A_37 mohm_Integrated	3000	PCE	0.059	0		
17	HQ17201001MH0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integrated	2000	PCE	0.032	0		
18	HQ17101009V90	MLCC_0201_6.3 V_1uF_M(±20%)_XSR_SMT-v2	60000	PCE	0.02	0		
19	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_Integrated	27000	PCE	0.767	0		
20	HQ17201001MU0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integrated	204000	PCE	3.264	0		
21	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_XSR_SMT-v1	50000	PCE	0.05	0		
22	HQ17101009UW0	MLCC_0603_25 V_10uF_M(±20%)_XSR	4000	PCE	0.003	3.197		
23	HQ11601762000	0201 (0603 Metric)_0201_3.24Kohm_F(±1%)_0.05 W_SMT	15000	PCE	0.002	0		
24	HQ11612920001	0402 (1005 Metric)_0402_15ohm_F(±1%)_0.0625 W_SMT	10000	PCE	0.005	0		
25	HQ11600140001	0201 (0603 Metric)_0201_10Kohm_J(±5%)_0.05 W_SMT	30000	PCE	0.004	0		
26	HQ11600034000	0201 (0603 Metric)_0201_2.2Kohm_J(±5%)_0.05 W_SMT	30000	PCE	0.004	0		
27	HQ11600058000	0201 (0603 Metric)_0201_8.2Kohm_F(±1%)_0.05 W_SMT	15000	PCE	0.002	0		
28	HQ11712720009	MLCC_0402_10 V_100nF_K(±10%)_XSR_SMT	10000	PCE	0.013	0		
29	HQ1710101E1P0	MLCC_0201_50 V_33pF_J(±5%)_COG_SMT-v3	15000	PCE	0.004	0		
30	HQ11613826000	0402 (1005 Metric)_0402_120ohm_F(±1%)_0.0625 W	10000	PCE	0.005	7.182		
31	HQ17101009V90	MLCC_0201_6.3 V_1uF_M(±20%)_XSR_SMT-v2	150000	PCE	0.05	0		
32	HQ171010089P0	MLCC_0201_6.3 V_1uF_M(±20%)_XSR	30000	PCE	0.017	0		
33	HQ11613006009	0402 (1005 Metric)_0402_5.49Kohm_F(±1%)_0.0625 W	10000	PCE	0.005	0		
34	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_Integrated	3000	PCE	0.085	0		
35	HQ11720018000	MLCC_0603_16 V_4.7uF_K(±10%)_XSR_SMT	4000	PCE	0.027	0		
36	HQ171010089Q0	MLCC_0402_10 V_4.7uF_M(±20%)_XSR	10000	PCE	0.015	0		
37	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_XSR_SMT-v1	210000	PCE	0.21	0		
38	HQ17201003HF0	Power Inductor_0603_15uH_M(±20%)_12 A_14 A_8.9 mohm_Integrated	3000	PCE	2.25	11.639		
39	HQ17201003QF0	Power Inductor_0624_0.15uH_M(±20%)_38 A_54 A_1.05 mohm_Integrated	1500	PCE	0.915	0		
40	HQ11180841000	Temperature Sensor_MSOP 10-pin_-40°C to +125°C_±1°C_SMT	6000	PCE	0.002	0		
41	HQ16301001F10	NMOS_PDFN 3x3P_2500 mW_8 mohm_30 V_1-Channel_SMT	5000	PCE	0.11	0		
42	HQ11880782000	Power Inductor_SMD_2.2uH_M(±20%)_6.5 A_12 A_27.5 mohm_Integrated_SMT	2000	PCE	0.92	0		
43	HQ18013001D60	NGFF Connector_KEY M 0.5 mm_Direct_67 pin_2.05 mm_0.8 mm_80 ohm_Pci-E Gen5_Horizontal_PIP_Gold_10 u". Tape_Reel(Plastic Plate)	1500	PCE	0.564	0		
44	HQ11990159000	High Speed WTB Connector_WTB 100 Gbps_55 ohm_4 pin_0.8 mm_Female Head (elastic end)_Horizontal_SMT_Gold 4 u". Tape_Reel(Plastic Plate)	3500	PCE	0.137	0		
45	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	1000	PCE	0.473	0		
Total :			1030850		13.628	49.397		

HQ TELECOM SINGAPORE PTE. LTD
10 Anson Road, #11-20 International Plaza, Singapore 079903

SHIPPING AGREEMENT

AGREEMENT No: HPVN20260406006-4

Date: 2026-04-06

Based on Processing contract No SH_21718615270495 dated 17/06/2024 signed between RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED and HQ TELECOM SINGAPORE PTE. LTD , HQ TELECOM SINGAPORE PTE. LTD buy the material from NAN CHANG HUAQIN ELECTRONIC TECHNOLOGY CO.,LTD. and requests NAN CHANG HUAQIN ELECTRONIC TECHNOLOGY CO.,LTD. or their partner that they point, to deliver the finished goods to RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED In this shipping agreement, NAN CHANG HUAQIN ELECTRONIC TECHNOLOGY CO.,LTD. request NAN CHANG HUAQIN ELECTRONIC TECHNOLOGY CO.,LTD. to deliver the finished goods to RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED as below:

SHIPPER: NAN CHANG HUAQIN ELECTRONIC TECHNOLOGY CO.,LTD.

Address: No. 2999 Tianxiang Road, High-tech Zone, Nanchang , Jiangxi

CONSIGNEE: RQ TECHNOLOGY ELECTRONICS VIET NAM COMPANY LIMITED

Factories No. 5, 7, 8A, 8B, 8C, Lot CN16, CN17, Yen Binh Industrial Park, Pho Yen Ward, Thai Nguyen Province, Vietnam

Description of Goods:

NO.	P/N	COMMODITY NAME	Q'ty.	Unit.	Unit Price. (USD)	Amount (USD)
1	HQ11540526000	Bead_0603_1000 ohm@100MHz_0.8 A_250 mohm_SMT	16000	PCE	0.0028	44.80
2	HQ171030003B0	Chip Conductive Polymer Solid EL-CAP_2_V_330uF_M(±20%)_0.009 ohm_7.7 A_2000 hour_SMT	1200	PCE	0.0620	74.40
3	HQ11123177000	Nor Flash SOP 8-pin 8Mb 2.7v to 3.6v SPI SMT	2000	PCE	0.0812	162.40
4	HQ13904000120	Nor Flash SOP8 208_8Mb_1.65-2.0V SPI SMT	2000	PCE	0.1086	217.20
5	HQ16902001QW0	TVS DFN1006-2L 1-Channel Bidirectional 24 V 15 pf SMT	30000	PCE	0.0072	216.00
6	HQ11610153000	Thermistors 0402_10Kohm F(±1%)_0.1 W SMT	20000	PCE	0.0020	40.00
7	HQ180220005J0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	6000	PCE	0.0414	248.40
8	HQ180220005G0	ZIF Connector 1.8 mm 1 mm 4 pin Fore lift Gold SMT	2000	PCE	0.0486	97.20
9	HQ180220005Z0	ZIF Connector 1.8 mm 0.5 mm 8 pin Fore lift Gold SMT	1500	PCE	0.0434	65.10
10	HQ26910003T80	NB7539A_SMT shielding_CODEC_SHIELDING_11.5 mm_8.5 mm_1.35 mm_0.15 mm_C7701R_Single side shielding film_Stamping_With spot welding process_Consumer Grade_Nanchang bingrong	6150	PCE	0.0441	271.22
11	HQ180210022U0	General WTB Connector_Wafer_8 pin_0.8 mm_Female Head (elastic end)_Horizontal_SMT_Gold_3 u". Tape Reel(Plastic Plate)	3500	PCE	0.0406	142.10
12	HQ26910003RG0	NB7539A_SMT shielding_SHIELD_CLIP_818012300_5.2 mm_1.13 mm_1.28 mm_0.15 mm_SUS_Without shielding film_Stamping_With spot welding process_Consumer Grade_ECT	9000	PCE	0.0120	108.00
13	HQ17201003PD0	Power Inductor_060624X_0.15uH_M(±20%)_54 A_54 A_1.05 mohm_Integrated	1000	PCE	0.2014	201.40
14	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	1000	PCE	0.0822	82.20
15	HQ17201003570	Power Inductor_2520_0.47uH_M(±20%)_5.7 A_10 A_11.5 mohm_Integrated	4000	PCE	0.0221	88.40
16	HQ11882308000	Power Inductor_2016_1uH_M(±20%)_4 A_4.5 A_37 mohm_Integrated	3000	PCE	0.0043	12.90
17	HQ17201001MH0	Power Inductor_201210_0.33uH_M(+/-20%)_5 A_6 A_16 mohm_Integrated	2000	PCE	0.0164	32.80
18	HQ17101009V90	MLCC_0201_6.3 V_1uF_M(±20%)_X5R_SMT-v2	60000	PCE	0.0004	24.00
19	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_Integrated	27000	PCE	0.0188	507.60
20	HQ17201001MJ0	Power Inductor_201210_0.33uH_M(±20%)_5 A_6 A_16 mohm_Integrated	204000	PCE	0.0185	3774.00
21	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT-v1	50000	PCE	0.0014	70.00
22	HQ17101009UW0	MLCC_0603_25 V_10uF_M(±20%)_X5R	4000	PCE	0.0042	16.80
23	HQ11601762000	0201 (0603 Metric)_0201_3.24Kohm_F(±1%)_0.05 W_SMT	15000	PCE	0.0001	1.50
24	HQ11612920001	0402 (1005 Metric)_0402_15ohm_F(±1%)_0.0625 W_SMT	10000	PCE	0.0001	1.00
25	HQ11600140001	0201 (0603 Metric)_0201_10Kohm_F(±5%)_0.05 W_SMT	30000	PCE	0.0001	3.00
26	HQ11600034000	0201 (0603 Metric)_0201_2.2Kohm_J(±5%)_0.05 W_SMT	30000	PCE	0.0001	3.00
27	HQ11600058000	0201 (0603 Metric)_0201_8.2Kohm_F(±1%)_0.05 W_SMT	15000	PCE	0.0001	1.50
28	HQ11712720009	MLCC_0402_10 V_100nF_K(±10%)_X5R_SMT	10000	PCE	0.0004	4.00
29	HQ1710101E1P0	MLCC_0201_50 V_33pF_J(±5%)_C0G_SMT-v3	15000	PCE	0.0002	3.00
30	HQ11613826000	0402 (1005 Metric)_0402_120ohm_F(±1%)_0.0625 W	10000	PCE	0.0001	1.00
31	HQ17101009V90	MLCC_0201_6.3 V_1uF_M(±20%)_X5R_SMT-v2	150000	PCE	0.0004	60.00
32	HQ171010089P0	MLCC_0201_6.3 V_1uF_M(±20%)_X5R	30000	PCE	0.0004	12.00
33	HQ11613006009	0402 (1005 Metric)_0402_5.49Kohm_F(±1%)_0.0625 W	10000	PCE	0.0001	1.00
34	HQ17201002140	Power Inductor_201210_0.47uH_M(±20%)_4.8 A_5.6 A_20 mohm_Integrated	3000	PCE	0.0188	56.40
35	HQ11720018000	MLCC_0603_16 V_4.7uF_K(+/-10%)_X5R_SMT	4000	PCE	0.0043	17.20
36	HQ171010089Q0	MLCC_0402_10 V_4.7uF_M(±20%)_X5R	10000	PCE	0.0013	13.00
37	HQ1171401C000	MLCC_0402_6.3 V_10uF_M(±20%)_X5R_SMT-v1	210000	PCE	0.0014	294.00
38	HQ17201003HF0	Power Inductor_0603_1.5uH_M(±20%)_12 A_14 A_8.9 mohm_Integrated	3000	PCE	0.0176	52.80
39	HQ17201003QF0	Power Inductor_0624_0.15uH_M(±20%)_38 A_54 A_1.05 mohm_Integrated	1500	PCE	0.1869	280.35
40	HQ11180841000	Temperature Sensor_MSOP_10-pin_-40°C to +125°C_±1°C_SMT	6000	PCE	0.0757	454.20
41	HQ16301001F10	NMOS_PDFN 3x3P_2500 mW_8 mohm_30 V_1-Channel_SMT	5000	PCE	0.0429	214.50
42	HQ11880782000	Power Inductor_SMD_2.2uH_M(±20%)_6.5 A_12 A_27.5 mohm_Integrated_SMT	2000	PCE	0.0629	125.80
43	HQ18013001D60	NGFF Connector_KEY M_0.5 mm_Direct_67 pin_2.05 mm_0.8 mm_80 ohm_Pci-E Gen5_Horizontal_PIP_Gold_10 u". Tape Reel(Plastic Plate)	1500	PCE	0.2970	445.50
44	HQ11990159000	High Speed WTB Connector_WTB_100 Gbps_55 ohm_4 pin_0.8 mm_Female Head (elastic end)_Horizontal_SMT_Gold_4 u". Tape Reel(Plastic Plate)	3500	PCE	0.0170	59.50
45	HQ17201002740	Power Inductor_0620_1uH_M(±20%)_9 A_17 A_12.5 mohm_Integrated	1000	PCE	0.0822	82.20
Total amount:			1030850			8683.37

Amount total: 8683.37
Method of Shipment: Truck
Payment: No payment
Delivery term : CIP
Final destination: Viet nam
Time of Shipment : Before 2026-12-31

HQ TELECOM SINGAPORE PTE. LTD



peiran li