

Tools — GitHub

Native GitHub tools for issues, pull requests, reviews, and Actions. All tools require GitHub authentication (`/github login`) and a GitHub-backed git remote. Issue/PR numbers are repository-scoped.

Tool	Description
<code>github_list_issues</code>	List issues (open/closed/all).
<code>github_get_issue</code>	Get full issue details.
<code>github_create_issue</code>	Create a new issue.
<code>github_comment_issue</code>	Comment on an issue.
<code>github_close_issue</code>	Close an issue.
<code>github_list_prs</code>	List pull requests.
<code>github_get_pr</code>	Get PR details.
<code>github_create_pr</code>	Create a new pull request.
<code>github_merge_pr</code>	Merge an open PR.
<code>github_review_pr</code>	Submit a PR review.
<code>github_get_actions</code>	List recent Actions workflow runs.

Visibility switch: `github`. Requires `/github login` first. See `docs/howtos/tutorial.md` Section 7.

`github_list_issues`

List issues in the repository detected from the current working directory.

Arguments

Argument	Type	Required	Description	Typical value
<code>state</code>	enum	no	open (default), closed, all	"open"
<code>labels</code>	string	no	Comma-separated label names (must already exist)	"bug"
<code>limit</code>	integer	no	Max issues (max 100)	20

`github_get_issue`

Get full issue details: title, body, state, labels, assignees, and the first 10 comments. Pull requests also appear via the issues endpoint but with incomplete details — use `github_get_pr` for PR-specific data.

Arguments

Argument	Type	Required	Description
number	integer	yes	Issue number

github_create_issue

Create a new issue.

Arguments

Argument	Type	Required	Description	Typical value
title	string	yes	Issue title	"Panic in config loader"
body	string	no	Description in markdown	—
labels	string	no	Comma-separated existing label names	"bug,help wanted"
assignees	string	no	Comma-separated GitHub usernames	"octocat"

github_comment_issue

Add a comment to an issue.

Arguments

Argument	Type	Required	Description
number	integer	yes	Issue number
body	string	yes	Comment text (markdown supported)

github_close_issue

Close an issue, optionally posting a closing comment first. Closing an already-closed issue is a no-op; requires collaborator permissions.

Arguments

Argument	Type	Required	Description
number	integer	yes	Issue number
comment	string	no	Closing note posted before closing

github_list_prs

List pull requests.

Arguments

Argument	Type	Required	Description	Typical value
state	enum	no	open (default), closed, all	"open"
base	string	no	Filter by exact base branch name	"main"
limit	integer	no	Max PRs (max 100)	20

github_get_pr

Get PR details: title, description, state, source and base branches, and the first batch of review comments (not the full diff).

Arguments

Argument	Type	Required	Description
number	integer	yes	PR number

github_create_pr

Create a new pull request. The head branch must already be pushed to the remote.

Arguments

Argument	Type	Required	Description	Typical value
title	string	yes	PR title	"Add greet subcommand"
base	string	no	Target branch	"main"
head	string	no	Source branch (default: current git branch)	"feature/greet"
body	string	no	Description in markdown	"Implements greet"
draft	boolean	no	Create as draft	false

github_merge_pr

Merge an open PR. The PR must be mergeable and required checks must pass.

Arguments

Argument	Type	Required	Description	Typical value
number	integer	yes	PR number	42
method	enum	no	merge (default), squash, rebase	"squash"
message	string	no	Custom merge commit message	—

github_review_pr

Submit a review on a PR. Note: APPROVE cannot include a body in the GitHub API — use a separate COMMENT for explanatory text.

Arguments

Argument	Type	Required	Description
number	integer	yes	PR number
event	enum	yes	APPROVE, REQUEST_CHANGES, or COMMENT
body	string	yes for COMMENT/REQUEST_CHANGES	Review comment text

github_get_actions

List recent GitHub Actions workflow runs with status summaries and, for failed runs, filtered log excerpts around error/failed lines (log extraction downloads a zip archive and may be slow for large workflows).

Arguments

Argument	Type	Required	Description	Typical value
limit	integer	no	Recent runs to inspect (max 30)	1

Example:

```
github_create_pr title="Add greet subcommand" base="main" body="Implements greet"  
github_merge_pr number=42 method="squash"
```