Tools — GitHub

Native GitHub tools for issues, pull requests, reviews, and Actions. All tools require GitHub authentication (`/github login`) and a GitHub-backed git remote. Issue/PR numbers are repository-scoped.

Tool	Description
`github_list_issues`	List issues (open/closed/all).
`github_get_issue`	Get full issue details.
`github_create_issue`	Create a new issue.
`github_comment_issue`	Comment on an issue.
`github_close_issue`	Close an issue.
`github_list_prs`	List pull requests.
`github_get_pr`	Get PR details.
`github_create_pr`	Create a new pull request.
`github_merge_pr`	Merge an open PR.
`github_review_pr`	Submit a PR review.
`github_get_actions`	List recent Actions workflow runs.

Visibility switch: `github`. Requires `/github login` first. See `docs/howtos/tutorial.md` Section 7.

---

github_list_issues

List issues in the repository detected from the current working directory.

Arguments

Argument	Type	Required	Description	Typical value
`state`	enum	no	`open` (default), `closed`, `all`	`"open"`
`labels`	string	no	Comma-separated label names (must already exist)	`"bug"`
`limit`	integer	no	Max issues (max 100)	`20`

---

github_get_issue

Get full issue details: title, body, state, labels, assignees, and the first 10 comments. Pull requests also appear via the issues endpoint but with incomplete details — use `github_get_pr` for PR-specific data.

Arguments

Argument	Type	Required	Description
`number`	integer	yes	Issue number

---

github_create_issue

Create a new issue.

Arguments

Argument	Type	Required	Description	Typical value
`title`	string	yes	Issue title	`"Panic in config loader"`
`body`	string	no	Description in markdown	—
`labels`	string	no	Comma-separated existing label names	`"bug,help wanted"`
`assignees`	string	no	Comma-separated GitHub usernames	`"octocat"`

---

github_comment_issue

Add a comment to an issue.

Arguments

Argument	Type	Required	Description
`number`	integer	yes	Issue number
`body`	string	yes	Comment text (markdown supported)

---

github_close_issue

Close an issue, optionally posting a closing comment first. Closing an already-closed issue is a no-op; requires collaborator permissions.

Arguments

Argument	Type	Required	Description
`number`	integer	yes	Issue number
`comment`	string	no	Closing note posted before closing

---

github_list_prs

List pull requests.

Arguments

Argument	Type	Required	Description	Typical value
`state`	enum	no	`open` (default), `closed`, `all`	`"open"`
`base`	string	no	Filter by exact base branch name	`"main"`
`limit`	integer	no	Max PRs (max 100)	`20`

---

github_get_pr

Get PR details: title, description, state, source and base branches, and the first batch of review comments (not the full diff).

Arguments

Argument	Type	Required	Description
`number`	integer	yes	PR number

---

github_create_pr

Create a new pull request. The head branch must already be pushed to the remote.

Arguments

Argument	Type	Required	Description	Typical value
`title`	string	yes	PR title	`"Add greet subcommand"`
`base`	string	no	Target branch	`"main"`
`head`	string	no	Source branch (default: current git branch)	`"feature/greet"`
`body`	string	no	Description in markdown	`"Implements greet"`
`draft`	boolean	no	Create as draft	`false`

---

github_merge_pr

Merge an open PR. The PR must be mergeable and required checks must pass.

Arguments

Argument	Type	Required	Description	Typical value
`number`	integer	yes	PR number	`42`
`method`	enum	no	`merge` (default), `squash`, `rebase`	`"squash"`
`message`	string	no	Custom merge commit message	—

---

github_review_pr

Submit a review on a PR. Note: `APPROVE` cannot include a body in the GitHub API — use a separate `COMMENT` for explanatory text.

Arguments

Argument	Type	Required	Description
`number`	integer	yes	PR number
`event`	enum	yes	`APPROVE`, `REQUEST_CHANGES`, or `COMMENT`
`body`	string	yes for `COMMENT`/`REQUEST_CHANGES`	Review comment text

---

github_get_actions

List recent GitHub Actions workflow runs with status summaries and, for failed runs, filtered log excerpts around `error`/`failed` lines (log extraction downloads a zip archive and may be slow for large workflows).

Arguments

Argument	Type	Required	Description	Typical value
`limit`	integer	no	Recent runs to inspect (max 30)	`1`

Example:

```
github_create_pr title="Add greet subcommand" base="main" body="Implements greet"
github_merge_pr number=42 method="squash"
```