/blueprints

List installed team blueprints: /blueprints help|list

Overview

Team blueprints are installed team templates: named recipes that define the shape of a team so it can be started with a single `/team create <blueprint>` call. The `/blueprints` command is the read-only companion to team creation – it shows which blueprints are installed, so the name passed to `/team create` is always one that exists.

The command has exactly two forms: `help` and `list`. It makes no changes to any team or configuration.

Syntax

```
/blueprints help
/blueprints list
```

Options / Subcommands

Form	Description
`help`	Prints the `/blueprints` usage summary.
`list`	Lists the installed team blueprints.

Examples

```
/blueprints help
```

```
/blueprints list
```

```
/blueprints list
/team create code-review
```

Lists the installed blueprints, then creates a team from one of the listed names.

```
/team blueprint
```

`/team blueprint [name]` shows or selects the blueprint for the active team; `/blueprints list` is the catalogue-level view across all installed blueprints.

Output

- `/blueprints help` prints the usage line for the command.
- `/blueprints list` prints the installed team blueprints. Every name in the list is a valid `<blueprint>` value for `/team create <blueprint> [name]`.

Choosing a blueprint

- Pick a blueprint from `/blueprints list` that matches the work: a review blueprint for audit-style passes, a build-style blueprint for implementation work.

- `/team create <blueprint>` starts the team; adding a name (`/team create <blueprint> <name>`) controls the team name, otherwise it is auto-generated as `<blueprint>-<YYYYMMDD-HH-MM-SS>` (UTC).
- `/team blueprint [name]` shows or switches the blueprint of the active team after creation.

Related

- `/team create <blueprint> [name]` – create a team from a listed blueprint
- `/team blueprint [name]` – show or select the active team's blueprint
- `/team` – full team command surface
- docs/howtos/teams.md – teams how-to manual