

## Slash Command Howtos

Per-command reference documents for the reagent TUI slash commands. Each document describes the command, every subcommand and option the dispatcher implements, and worked examples. Typing `/` in the TUI opens the autocomplete menu, and `/<command> help` prints per-command help where the handler supports it.

### Commands

| Command                      | Document       | Summary                                                                                                                                                                                     |
|------------------------------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>/about</code>          | about          | Show application info, version, and authors                                                                                                                                                 |
| <code>/agent</code>          | agent          | Switch the active agent: <code>/agent []</code>   <code>/agent help</code>                                                                                                                  |
| <code>/agents</code>         | agents         | List all agents - built-in and custom                                                                                                                                                       |
| <code>/browse_refresh</code> | browse_refresh | Refresh the @ file-picker project index                                                                                                                                                     |
| <code>/bench</code>          | bench          | Benchmark runner: <code>/bench list init show run status open last cancel</code>                                                                                                            |
| <code>/clear</code>          | clear          | Clear message history for the current session                                                                                                                                               |
| <code>/clip</code>           | clip           | Copy the rendered message-window contents to the system clipboard                                                                                                                           |
| <code>/cancel</code>         | cancel         | Cancel a background task ( <code>/cancel</code>   <code>/cancel help</code> )                                                                                                               |
| <code>/config</code>         | config         | Configuration: <code>/config show save list help</code>                                                                                                                                     |
| <code>/context</code>        | context        | Manage context cache: <code>/context refresh</code>   <code>/context help</code>                                                                                                            |
| <code>/cron</code>           | cron           | Schedule agent runs: <code>/cron add "" re-move enable disable list log help</code>                                                                                                         |
| <code>/compact</code>        | compact        | Summarise and compact the conversation history                                                                                                                                              |
| <code>/inbox</code>          | inbox          | Triage inbox: <code>/inbox list claim dismiss clear help</code>                                                                                                                             |
| <code>/cost</code>           | cost           | Show session token usage and estimated cost                                                                                                                                                 |
| <code>/help</code>           | help           | Show available slash commands                                                                                                                                                               |
| <code>/history</code>        | history        | Browse and re-use previous inputs; <code>/history [filter]</code> restricts to matching entries (arrow keys to select, Enter to insert, c to copy to clipboard); <code>/history help</code> |

| Command         | Document       | Summary                                                                               |
|-----------------|----------------|---------------------------------------------------------------------------------------|
| /inputdiag      | inputdiag      | Dump input/cursor/selection diagnostics for troubleshooting                           |
| /log            | log            | Log panel: /log [clear sub-agents panics research editlog help]                       |
| /loop           | loop           | Goal-driven agent loop: /loop opens setup, /loop starts, /loop help shows usage       |
| /profile        | profile        | Toggle the agent-loop profiler panel (/profile on off help)                           |
| /perf           | perf           | Alias for /profile - toggle the agent-loop perf panel (/perf on off help)             |
| /llmstats       | llmstats       | Show average LLM response time and token throughput                                   |
| /model          | model          | Switch the active model, or show metadata with /model show (/model help for usage)    |
| /thinking       | thinking       | Switch the current thinking level: /thinking auto off low medium high                 |
| /provider       | provider       | Change provider, show config, or configure model router: /provider [show router help] |
| /provider_reset | provider_reset | Reset the current provider and remove stored credentials                              |
| /queue          | queue          | Inspect the message input queue: /queue [list clear next help]                        |
| /quit           | quit           | Exit ragent                                                                           |
| /reload         | reload         | Reload customizations (/reload [all config mcp skills agents])                        |
| /resume         | resume         | Resume the agent from where it was halted (/resume help)                              |
| /system         | system         | Override the agent system prompt (/system   /system help)                             |
| /template       | template       | List and apply reusable prompt templates: /template [name] [args]                     |
| /goal           | goal           | Goal-based autonomous stop: /goal set clear show test                                 |
| /gcf            | gcf            | Toggle GCF encoding of tool results: /gcf on off show help                            |
| /tools          | tools          | Toggle tool visibility: /tools [github]                                               |
| /skills         | skills         | List all registered skills and their descriptions (/skills help)                      |

| Command     | Document   | Summary                                                                                                                                                                                                                      |
|-------------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /mcp        | mcp        | MCP servers: /mcp [status]   /mcp discover   /mcp connect   /mcp disconnect   /mcp help                                                                                                                                      |
| /task       | task       | Toggle the TASKS side panel, or list/help tasks: /task [list help]                                                                                                                                                           |
| /team       | team       | Team management (/team help status show [name] create/open/delete  close message  tasks clear cleanup)                                                                                                                       |
| /swarm      | swarm      | Auto-decompose a goal into parallel subtasks (/swarm   /swarm status   /swarm help)                                                                                                                                          |
| /spawn      | spawn      | Launch a detached fire-and-forget background sub-agent: /spawn <prompt...>   /spawn help                                                                                                                                     |
| /bash       | bash       | Manage bash command lists: /bash add remove allow deny [-global]   show   help                                                                                                                                               |
| /dirs       | dirs       | Manage directory/file permission lists: /dirs add remove allow deny [-global]   show   help                                                                                                                                  |
| /yolo       | yolo       | Toggle YOLO mode - bypass all command validation and tool restrictions (/yolo help)                                                                                                                                          |
| /spec       | spec       | Specification management: /spec create add delete list search validate status task govcreate help                                                                                                                            |
| /plugins    | plugins    | Plugin management: /plugins list [-verbose]   add [-force]   remove   enable   disable   test   help                                                                                                                         |
| /connectors | connectors | Connector management: /connectors list [-verbose] [-category ]   claude [query] [-category ] [-refresh]   add <id source> [-force]   remove   enable   disable   connect   disconnect   auth   test   stores [-check]   help |

| Command       | Document  | Summary                                                                                                                                                                                                           |
|---------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| /research     | research  | Research system: /research<br>create [-mode<br>tiered supervisor competitive]<br>[-summarization-model ]<br>[-evaluate] [other flags]<br><topic...>   list   open   search  <br>show   delete   archive   cluster |
| /spec reverse | reverse   | Reverse-engineer a GitHub repo:<br>/spec reverse <owner/repo  <br>URL> [-language -type [-stack<br>]] [-create ] [-depth ] [-folder ]<br>[-github   -gitlab]                                                      |
| /new          | new       | Scaffold a new project: /new<br>-language -type [-stack ]<br>[-github   -gitlab]   /new help                                                                                                                      |
| /autopilot    | autopilot | Autonomous operation:<br>/autopilot on [-max-tokens N]<br>[-max-time N]   off   status   help                                                                                                                     |
| /plan         | plan      | Delegate planning to the plan<br>agent: /plan                                                                                                                                                                     |
| /mode         | mode      | Set agent role mode: /mode archi-<br>tect coder reviewer debugger tester off help                                                                                                                                 |
| /memory       | memory    | Memory panel (Alt+M):<br>/memory   /memory show  <br>/memory clear   /memory help                                                                                                                                 |
| /github       | github    | GitHub integration: /github<br>login   logout   status   help                                                                                                                                                     |
| /gitlab       | gitlab    | GitLab integration: /gitlab setup<br>  logout   status   help                                                                                                                                                     |
| /update       | update    | Check for or install updates:<br>/update   /update install   /update<br>help                                                                                                                                      |
| /doctor       | doctor    | Run system diagnostics<br>(providers, git, ripgrep, MCP,<br>memory); /doctor help for<br>details                                                                                                                  |
| /webapi       | webapi    | Manage the HTTP REST API:<br>/webapi enable   disable   help                                                                                                                                                      |
| /websearch    | websearch | Web search engine diagnostics:<br>/websearch show   test   help                                                                                                                                                   |
| /init         | init      | Analyse the project and write a<br>summary, or create a default<br>config: /init [config help]                                                                                                                    |

| Command          | Document        | Summary                                                                                                                                           |
|------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| /codeindex       | codeindex       | Manage codebase index:<br>/codeindex<br>on off show lang reindex rebuild graph<br><build export lang> explain  path<br> communities godnodes help |
| /status          | status          | Show status message history:<br>/status [clear]                                                                                                   |
| /mouse           | mouse           | Toggle mouse support: /mouse<br>on   off   help                                                                                                   |
| /telemetry       | telemetry       | Telemetry management:<br>/telemetry<br>help on off setup counters                                                                                 |
| /telemetry_panel | telemetry_panel | Toggle the telemetry side panel<br>(Alt+O alias); use /telemetry<br>counters to list values                                                       |
| /router          | router          | Model router management:<br>/router<br>on off status tiers weights boundaries test stats reload he                                                |
| /startup         | startup         | Show startup timing breakdown<br>for the current session                                                                                          |
| /editlog         | editlog         | Edit-operation logging: /editlog<br>on off status show analyse clear                                                                              |
| /actionloop      | actionloop      | Agent action-loop timing:<br>/actionloop [help clip]                                                                                              |
| /bug-report      | bug-report      | Generate diagnostic bug report<br>with redacted session data<br>(output to log/)                                                                  |
| /triggers        | triggers        | Manage trigger rules: /triggers<br>[list enable disable remove status help]                                                                       |
| /undo            | undo            | Remove the last user/assistant<br>turn pair from the conversation<br>(/undo help)                                                                 |
| /name            | name            | Set a human-readable display<br>name for the session: /name  <br>/name help                                                                       |
| /alog            | alog            | Activity log: /alog<br>help on off config list status delete<br>-yes export -yes                                                                  |
| /toolchain       | toolchain       | Language toolchain report:<br>/toolchain list [lang] [-json]  <br>/toolchain help                                                                 |
| /prompt          | prompt          | Agent system-prompt inspector:<br>/prompt help primary<br>[agent] subagent [agent]] list                                                          |
| /blueprints      | blueprints      | List installed team blueprints:<br>/blueprints help list                                                                                          |

| Command              | Document            | Summary                                                                    |
|----------------------|---------------------|----------------------------------------------------------------------------|
| <code>/osinfo</code> | <code>osinfo</code> | Host OS and hardware report:<br><code>/osinfo show [-no-probe] help</code> |

## Aliases

| Alias                  | Canonical                                                           |
|------------------------|---------------------------------------------------------------------|
| <code>/exit</code>     | <code>/quit</code> (single dispatch arm "quit"   "exit")            |
| <code>/teams</code>    | <code>/team</code> (single dispatch arm "team"   "teams")           |
| <code>/compress</code> | <code>/compact</code> (deprecated alias; logs a deprecation notice) |