Tool Visibility

`ragent` can hide or expose whole tool families through persistent visibility switches. This keeps the model's advertised tool list focused without removing the tools from the binary.

Switches

The available switches are:

Switch	Default	Family
`github`	`off`	GitHub issue and PR tools
`gitlab`	`off`	GitLab issue, MR, pipeline, and job tools
`teams`	`off`	Team coordination tools
`agents`	`off`	Autonomous agent task tools
`plan`	`off`	Plan-mode tools
`codeindex`	`on`	Code index tools
`masterfetch`	`on`	MasterFetch web-access tools (`mf_fetch`, `mf_search`, `mf_crawl`, `mf_cache_clear`, `mf_version`; `mf_screenshot` joins the family only when a drivable headless browser engine is present — spec `openhands` FR-029)

When a switch is `off`, tools in that family are excluded from:

1. The tool list advertised in the system prompt
2. The tool schema list sent to the provider

The tools remain registered, but the model is not told to use them. `/tools list` prints `Visible Tools (N total, M disabled)` and then a `Disabled by visibility (M)` section listing every hidden-but-still-registered tool (it is the complement of the model-facing tool list, backed by `ToolRegistry::hidden_definitions()`), so a family switched off stays visible in the report instead of vanishing.

Slash commands

Use these from the TUI (`/tools` on its own prints the help):

```
/tools
/tools list
/tools help
/tools <switch>
/tools <switch> on
/tools <switch> off
```

`/tools list` (alias `/tools show`) renders the family visibility table plus every visible and disabled tool.

Examples:

```
/tools github on
/tools teams on
/tools teams off
/tools agents off
/tools plan off
/tools codeindex off
/tools masterfetch off
```

Changes are written to `.ragent/ragent.json` when a project config directory is present, or to the user config otherwise.

Config file

You can also configure visibility directly in `ragent.json`:

```
{
  "tool_visibility": {
    "github": false,
    "gitlab": false,
    "teams": false,
    "agents": false,
    "plan": false,
    "codeindex": true,
    "masterfetch": true
  }
}
```

Interaction with `hidden_tools`

`hidden_tools` is still supported. It remains additive:

- `tool_visibility` hides whole families
- `hidden_tools` hides specific tool names

If either mechanism hides a tool, that tool stays out of the advertised tool set.

Code index compatibility

`/codeindex on` and `/codeindex off` also keep `tool_visibility.codeindex` in sync, so the code index command and the tool visibility command do not drift.