Tools — Task Management

Session-scoped tasks for tracking multi-step work. `blocked` is a derived state computed from `blocked_by` dependencies — it cannot be set directly.

Tool	Description
`task_create`	Create a session-scoped task.
`task_update`	Update task status, subject, or dependencies.
`task_get`	Retrieve a single task by ID.
`task_list`	List all session tasks.

---

task_create

Create a task.

Arguments

Argument	Type	Required	Description	Typical value
`subject`	string	yes	Imperative title	`"Fix config loader"`
`description`	string	yes	Acceptance criteria	`"Reproduce panic and fix root cause"`
`active_form`	string	no	Present-continuous phrase for progress indicators	`"Fixing config loader"`
`owner`	string	no	Agent/worker label	`"coder"`
`metadata`	object	no	Arbitrary key/value pairs	`{"phase":"2"}`
`blocked_by`	array	no	Task IDs that must complete first	`["task-001"]`

---

task_update

Update an existing task. `blocked` status is rejected — pass blockedness via `add_blocked_by`. Completing a task auto-evaluates dependents.

Arguments

Argument	Type	Required	Description	Typical value
`task_id`	string	yes	Task identifier	`"task-001"`
`status`	enum	no	`pending`, `in_progress`, or `completed` (never `blocked`)	`"in_progress"`

Argument	Type	Required	Description	Typical value
`subject` / `description` / `active_form`	string	no	New field values	—
`owner`	string	no	New owner label (empty string clears)	—
`metadata`	object	no	Full replacement metadata	—
`add_blocked_by`	array	no	Task IDs this task is now blocked by	`["task-002"]`
`add_blocks`	array	no	Task IDs that should be blocked by this task	`["task-003"]`

---

task_get

Retrieve the full record of one task: status, owner, metadata, dependencies, timestamps.

Arguments

Argument	Type	Required	Description
`task_id`	string	yes	Task identifier

---

task_list

List all session tasks ordered by creation time.

Arguments

Argument	Type	Required	Description	Typical value
`status`	enum	no	`pending`, `in_progress`, `completed`, or `all` (default)	`"pending"`

Example:

```
task_create subject="Fix config loader" description="Reproduce panic and fix root cause"
task_update task_id="task-001" status="in_progress"
```