

Tool Visibility

ragent can hide or expose whole tool families through persistent visibility switches. This keeps the model's advertised tool list focused without removing the tools from the binary.

Switches

The available switches are:

Switch	Default	Family
github	off	GitHub issue and PR tools
gitlab	off	GitLab issue, MR, pipeline, and job tools
teams	off	Team coordination tools
agents	off	Autonomous agent task tools
plan	off	Plan-mode tools
codeindex	on	Code index tools
masterfetch	on	MasterFetch web-access tools (mf_fetch, mf_search, mf_crawl, mf_screenshot, mf_cache_clear, mf_version)

When a switch is off, tools in that family are excluded from:

1. The tool list advertised in the system prompt
2. The tool schema list sent to the provider

The tools remain registered, but the model is not told to use them. `/tools list` prints Visible Tools (N total, M disabled) and then a Disabled by visibility (M) section listing every hidden-but-still-registered tool (it is the complement of the model-facing tool list, backed by `ToolRegistry::hidden_definitions()`), so a family switched off stays visible in the report instead of vanishing.

Slash commands

Use these from the TUI (`/tools` on its own prints the help):

```
/tools
/tools list
/tools help
/tools <switch>
/tools <switch> on
/tools <switch> off
```

`/tools list` (alias `/tools show`) renders the family visibility table plus every visible and disabled tool.

Examples:

```
/tools github on
/tools teams on
/tools teams off
/tools agents off
/tools plan off
/tools codeindex off
/tools masterfetch off
```

Changes are written to `.ragent/ragent.json` when a project config directory is present, or to the user config otherwise.

Config file

You can also configure visibility directly in `ragent.json`:

```
{
  "tool_visibility": {
    "github": false,
    "gitlab": false,
    "teams": false,
    "agents": false,
    "plan": false,
    "codeindex": true,
    "masterfetch": true
  }
}
```

Interaction with hidden_tools

`hidden_tools` is still supported. It remains additive:

- `tool_visibility` hides whole families
- `hidden_tools` hides specific tool names

If either mechanism hides a tool, that tool stays out of the advertised tool set.

Code index compatibility

`/codeindex on` and `/codeindex off` also keep `tool_visibility.codeindex` in sync, so the code index command and the tool visibility command do not drift.