

/queue

Inspect the message input queue (SlashCommandDef, crates/ragent-tui/src/app/state.rs).

Overview

/queue inspects and controls the **message input queue** (spec inputqueue). While the primary agent is executing, the message-window input field stays editable: each Enter appends the submission to a bounded FIFO queue instead of rejecting it with busy - wait for the current turn to finish. The oldest queued entry runs automatically at each turn boundary, and a two-digit counter appears before the prompt while entries are pending.

Since the FR-017 amendment, **slash commands are queued the same way**: typing /status (or any other slash command) while a turn is executing appends it to the queue instead of being refused, and the queued command runs at the next turn boundary — or immediately via /queue next. Because a synchronous command leaves the turn boundary free, a run of consecutive queued commands executes back-to-back rather than stalling behind the first. Bang commands (!...) and teammate-targeted messages keep their existing busy refusal.

/queue is the prompt-side view of the same queue the Alt+Q queue-control menu manipulates. It is an optional command: it never mutates the running turn, and clear/next are safe to run at any time.

Syntax

```
/queue
/queue list
/queue clear
/queue next
/queue help
```

A bare /queue behaves as /queue list.

Options / Subcommands

Form	Description
list (default)	List the queued entries in submission order (oldest first) with the queue depth
clear	Empty the queue immediately; the counter disappears
next	Dispatch the oldest queued entry now (deferred to the turn boundary while a turn is executing)
help	Show the sub-command table and the Alt+Q pointer

Examples

List a non-empty queue

```
/queue list
```

```
From: /queue list
```

Input Queue

1. refactor the parser
2. add tests for the new branch

****2 entries queued (oldest first).****

Status bar: queue: 2 entries.

Empty queue

/queue list

From: /queue list

The input queue is empty.

Messages typed while the agent is executing are staged here and run in order.

Status bar: queue: list empty.

Clear the queue

/queue clear

From: /queue clear

[clr] Cleared 2 entries from the input queue.

Status bar: queue: cleared.

Run the oldest entry

/queue next

When no turn is executing this dispatches the oldest entry immediately (queue: next dispatched); when a turn is still executing the action is deferred to the turn boundary and reports queue: next deferred — use Alt+Q → Next to stop the current turn and run it now.

Output

list renders a numbered ## Input Queue block ending with the count. clear and next print a one-line From: /queue ... confirmation. Unknown sub-commands print a [warn] line and status queue: unknown. Statuses land in the status bar (queue: list empty, queue: cleared, queue: next deferred, and so on).

Related

- Alt+Q - the interactive queue-control menu (Next / Stop / Clear / Show); Up/Down move the highlight, Enter activates the row, and the Show row opens a scrollable queue-entry panel where Enter moves an entry toward the front and Del removes it
- /history - recall previously entered messages (a queued entry is added to history the moment you press Enter)
- TUI-QUICKSTART.md §4 - the input queue and the ALT-Q menu