iarp

products
range

ITALIANdesign.

COMPANY&FACTORYdetails.

Manufacturing high quality professional refrigerated appliances,
with the *Italian design* added value. This is **IARP** mission.

IARP ASIA Co., Ltd is a company based in Cha Am, Petchburi province, Thailand.
It is part of " IARP Srl - Italy " which is a leading Company on the commercial
refrigeration worldwide since over 30 years.
Know-how developed on the field and unwavering attention to any customer and
to the market trnds, have enabled IARP to become a benchmark in its industry
all over the world.

CABINETScollection.

IARP quality at the most favourable conditions.

Appliances fully compliant with CE standards,

comprehending high performance solutions,

with a special care to energy consumption

and to the environment.

Cost-effective products for any end use.

ENERGYsaving.

High Efficiency
Components.
The lowest energy
consumption per
liter of capacity.

Energy
Saving
System

MODELSlist.

UPRIGHT FREEZERS&COOLERS

ASIA 43, 45, 55
ASIA 42 SUB ZERO, SMART 9
EKO 42 CLC, COUNTER TOP 80
AB 600 N-P-PV, ABX 600 N-P-PV

ASIA 43
ASIA 45
ASIA 55

ASIA 43

ASIA 45 / ASIA 55

ASIA 43

cabinet dimensions mm
WxDxH : 670x610x1957
package dimensions mm
WxDxH : 720x660x2040
gross capacity litre : 397
net capacity litre : 295
loading on container 20 ft :
27 pcs
loading on container 40 ft :
54 pcs
gas refrigerant : R507a
cooling system : static

ASIA 45

cabinet dimensions mm
WxDxH : 670x666x1957
package dimensions mm
WxDxH : 720x700x2040
gross capacity litre : 397
net capacity litre : 267
loading on container 20 ft :
24 pcs
loading on container 40 ft :
51 pcs
gas refrigerant : R507a
cooling system : ventilated

ASIA 55

cabinet dimensions mm
WxDxH : 670x765x1957
package dimensions mm
WxDxH : 720x800x2040
gross capacity litre : 482
net capacity litre : 335
loading on container 20 ft :
23 pcs
loading on container 40 ft :
47 pcs
gas refrigerant : R507a
cooling system : ventilated

ASIA 42 SUB ZERO
SMART 9

ASIA 42 SUB ZERO

SMART 9

ASIA 42 SUB ZERO (-5° C/ +10°C)

cabinet dimensions mm
WxDxH : 670x666x1957
package dimensions mm
WxDxH : 720x700x2040
gross capacity litre : 397
net capacity litre : 267
loading on container 20 ft : 24 pcs
loading on container 40 ft : 51 pcs
gas refrigerant : R507a
cooling system : ventilated

SMART 9 (-18°C / -25°C)

cabinet dimensions mm
WxDxH : 530x469x935 mm
package dimensions
WxDxH : 570x550x1075
gross capacity litre : 73
net capacity litre : 62
loading on container 20 ft : 80 pcs
loading on container 40 ft : 168 pcs
gas refrigerant : R507a / R404a
cooling system : static

EKO 42 CLC
COUNTER TOP 80

EKO 42 CLC

COUNTER TOP 80

EKO 42 CLC

cabinet dimensions mm
WxDxH : 593x611x1860
package dimensions mm
WxDxH : 710x670x2025
gross capacity litre : 390
net capacity litre : 290
loading on container 20 ft : 24 pcs
loading on container 40 ft : 54 pcs
gas refrigerant : R134a
cooling system : ventilated

COUNTER TOP 80

cabinet dimensions mm
WxDxH : 460x500x980
package dimensions mm
WxDxH : 560x515x1020
gross capacity litre : 89
net capacity litre : 80
loading on container 20 ft : 88 pcs
loading on container 40 ft : 184 pcs
gas refrigerant : R134a
cooling system : ventilated

AB / ABX 600 N
AB / ABX 600 P
AB / ABX 600 PV

AB 600

ABX 600

AB 600 N / ABX 600 N	AB 600 P / ABX 600 P	AB 600 PV / ABX 600 PV
working temp. : -18°C / -25°C	**working temp. : +2°C / +10°C**	**working temp. : +2°C / +10°C**
cabinet dimensions mm WxDxH : 780x741x1874	**cabinet dimensions** mm WxDxH : 780x741x1874	**cabinet dimensions** mm WxDxH : 780x741x1874
package dimensions mm WxDxH : 830x790x1985	**package dimensions** mm WxDxH : 830x790x1985	**package dimensions** mm WxDxH : 830x790x1985
gross capacity litre : 605	**gross capacity** litre : 620	**gross capacity** litre : 620
net capacity litre : 538	**net capacity** litre : 570	**net capacity** litre : 570
loading on container 20 ft : 19 pcs	**loading on container 20 ft** : 19 pcs	**loading on container 20 ft** : 19 pcs
loading on container 40 ft : 42 pcs	**loading on container 40 ft** : 42 pcs	**loading on container 40 ft** : 42 pcs
gas refrigerant : R134a	**gas refrigerant** : R134a	**gas refrigerant** : R134a
cooling system : static	**cooling system** : static	**cooling system** : static

WALL SITE&VERTICAL MULTI-DECK
DIANA 125 ANP, 180 ANP
DIANA 125, 180
DIANA 125 R, 180 R
VISION 120, 180, 240

WALL SITE DISPLAY FREEZERS

lower section : –18°C / –25°C (N)
upper section : –18°C / –25°C (N)
upper section : +1°C / +6°C (P)

DIANA 125 ANP
DIANA 180 ANP

DIANA 180 ANP

DIANA 125 ANP

DIANA 125 ANP

cabinet dimensions mm
WxDxH : 1240x914x2005
package dimensions mm
WxDxH : 1250x924x2015
gross capacity litre :
443 lower section + 436 upper section
net capacity litre :
219 lower section + 316 upper section
loading on container 20 ft : 10 pcs
loading on container 40 ft : 21 pcs
gas refrigerant : R507a / R404a
cooling system : static lower section –
ventilated upper section

DIANA 180 ANP

cabinet dimensions mm
WxDxH : 1822x914x2005
package dimensions mm
WxDxH : 1834x924x2015
gross capacity litre :
675 lower section + 664 upper section
net capacity litre :
333 lower section + 473 upper section
loading on container 20 ft : 6 pcs
loading on container 40 ft : 13 pcs
gas refrigerant : R507a / R404a
cooling system : static lower section –
ventilated upper section

DIANA 125
DIANA 180

DIANA 125 (black grill)

DIANA 125 (white grill)

DIANA 125

cabinet dimensions mm
WxDxH : 1240x848x972
package dimensions mm
WxDxH : 1250x858x982
gross capacity litre : 443
net capacity litre : 219
loading on container 20 ft : 22 pcs
loading on container 40 ft : 44 pcs
gas refrigerant : R507a / R404a
cooling system : static

DIANA 180

cabinet dimensions mm
WxDxH : 1820x848x972
package dimensions mm
WxDxH : 1830x858x892
gross capacity litre :675
net capacity litre : 333
loading on container 20 ft : 14 pcs
loading on container 40 ft : 26 pcs
gas refrigerant : R507a / R404a
cooling system : static

DIANA 125 R
DIANA 180 R

DIANA 180 R

DIANA 125 R	DIANA 180 R
cabinet dimensions mm	**cabinet dimensions** mm
WxDxH : 1280x848x974	WxDxH : 1860x848x974
package dimensions mm	**package dimensions** mm
WxDxH : 1290x858x894	WxDxH : 1870x858x984
gross capacity litre : 564	**gross capacity** litre : 895
net capacity litre : 340	**net capacity** litre : 553
loading on container 20 ft : 22 pcs	**loading on container 20 ft** : 14 pcs
loading on container 40 ft : 44 pcs	**loading on container 40 ft** : 26 pcs
gas refrigerant : R507a / R404a	**gas refrigerant** : R507a / R404a
cooling system : static	**cooling system** : static

VISION 120
VISION 180
VISION 240

VISION 120

VISION 120

cabinet dimensions mm
WxDxH : 1322x873x2000
package dimensions mm
WxDxH : 1420x940x2200
gross capacity litre : 1330
net capacity litre : 703
loading on container 20 ft :
8 pcs
loading on container 40 ft :
16 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

VISION 180

cabinet dimensions mm
WxDxH : 1902x873x2000
package dimensions mm
WxDxH : 2000x940x2200
gross capacity litre : 1913
net capacity litre : 1033
loading on container 20 ft :
6 pcs
loading on container 40 ft :
12 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

VISION 240

cabinet dimensions mm
WxDxH : 2490x873x2000
package dimensions mm
WxDxH : 2600x940x2200
gross capacity litre : 2555
net capacity litre : 1354
loading on container 20 ft :
4 pcs
loading on container 40 ft :
8 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

IMPULSE CABINETS
GEMMA 30
B ICE, MINI B ICE
JAZZ 56 N/P, 56 P
SVABA 150 N/P, 200 N/P

GEMMA 30

GEMMA 30

GEMMA 30

cabinet dimensions mm
WxDxH : 626x738x1469
package dimensions mm
WxDxH : 695x795x1600
gross capacity litre : 330
net capacity litre : 192
loading on container 20 ft : 21 pcs
**loading on container 40 ft** : 45 pcs
gas refrigerant : R290 (propane)
cooling system : ventilated

B ICE
MINI B ICE

B ICE

MINI B ICE

B ICE

cabinet dimensions mm
WxDxH : 1258x793x1270
package dimensions mm
WxDxH : 1325x865x1400
gross capacity litre :
180 top section + 260 lower section
net capacity litre :
103 top section + 152 lower section
loading on container 20 ft : 10 pcs
loading on container 40 ft : 22 pcs
gas refrigerant : R507a / R404a
cooling system : static

MINI B ICE

cabinet dimensions mm
WxDxH : 800x793x1270
package dimensions mm
WxDxH : 870x865x1400
gross capacity litre :
108 top section + 156 lower section
net capacity litre :
62 top section + 91 lower section
loading on container 20 ft : 12 pcs
loading on container 40 ft : 26 pcs
gas refrigerant : R507a / R404a
cooling system : static

JAZZ 56 N/P
JAZZ 56 P

JAZZ 56 N/P - P

JAZZ 56 N/P (+2°C / -25°C)

cabinet dimensions mm
WxDxH : 560x744x1110
package dimensions mm
WxDxH : 670x800x1270
gross capacity litre : 163
net capacity litre : 65
loading on container 20 ft : 21 pcs
loading on container 40 ft : 45 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

JAZZ 56 P (+2°C / +10°C)

cabinet dimensions mm
WxDxH : 560x744x1110
package dimensions mm
WxDxH : 670x800x1270
gross capacity litre : 163
net capacity litre : 65
loading on container 20 ft : 21 pcs
loading on container 40 ft : 45 pcs
gas refrigerant : R290 (propane)
cooling system : ventilated

SVABA 150 N/P
SVABA 200 N/P

SVABA 200 N/P

SVABA 150 N/P

cabinet dimensions mm
WxDxH : 1546x1042x905
package dimensions mm
WxDxH : 1630x1135x1130
gross capacity litre : 261
net capacity litre : 204
loading on container 20 ft : 12 pcs
loading on container 40 ft : 28 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

SVABA 200 N/P

cabinet dimensions mm
WxDxH : 2046x1042x905
package dimensions mm
WxDxH : 2130x1135x1130
gross capacity litre : 357
net capacity litre : 276
loading on container 20 ft : 10 pcs
loading on container 40 ft : 22 pcs
gas refrigerant : R507a / R404a
cooling system : ventilated

CHEST&ISLAND FREEZERS
MINIGLOBO N
DELTA (curved glasses) 732, 735, 745, 755
STELLA 150, 200, 250
GRAND LUX 200

MINIGLOBO N

MINIGLOBO N

MINIGLOBO N

cabinet dimensions mm
WxDxH : 560X676X1161
package dimensions mm
WxDxH : 615X765X1250
gross capacity litre : 105
net capacity litre : 78
loading on container 20 ft : 27 pcs
loading on container 40 ft : 114 (HC) pcs
gas refrigerant : R507a / R404a
cooling system : static

DELTA 732, 735, 745, 755
(curved glasses)

DELTA (curved glasses)

DELTA 732

cabinet dimensions mm
WxDxH : 1009x645x823
package dimensions mm
WxDxH : 1160x700x955
gross capacity litre : 250
net capacity litre : 188
loading on container 20 ft : 36 pcs
loading on container 40 ft : 72 pcs
gas refrigerant : R507a
cooling system : static

DELTA 735

cabinet dimensions mm
WxDxH : 1184x645x823
package dimensions mm
WxDxH : 1235x700x955
gross capacity litre : 330
net capacity litre : 242
loading on container 20 ft : 26 pcs
loading on container 40 ft : 56 pcs
gas refrigerant : R507a
cooling system : static

DELTA 745

cabinet dimensions mm
WxDxH : 1388x645x823
package dimensions mm
WxDxH : 1440x700x955
gross capacity litre : 402
net capacity litre : 298
loading on container 20 ft : 24 pcs
loading on container 40 ft : 48 pcs
gas refrigerant : R507a
cooling system : static

DELTA 755

cabinet dimensions mm
WxDxH : 1625x645x823
package dimensions mm
WxDxH : 1675x700x955
gross capacity litre : 487
net capacity litre : 362
loading on container 20 ft : 20 pcs
loading on container 40 ft : 42 pcs
gas refrigerant : R507a
cooling system : static

STELLA 150
STELLA 200
STELLA 250

STELLA

STELLA 150

cabinet dimensions mm
WxDxH : 1547x967x753
package dimensions mm
WxDxH : 1640x1030x820
gross capacity litre : 528
net capacity litre : 435
loading on container 20 ft :
14 pcs
loading on container 40 ft :
28 pcs
gas refrigerant : R507a
cooling system : static

STELLA 200

cabinet dimensions mm
WxDxH : 2047x967x753
package dimensions mm
WxDxH : 2140x1030x820
gross capacity litre : 751
net capacity litre : 625
loading on container 20 ft :
10 pcs
loading on container 40 ft :
22 pcs
gas refrigerant : R507a
cooling system : static

STELLA 250

cabinet dimensions mm
WxDxH : 2547x967x753
package dimensions mm
WxDxH : 2640x1030x820
gross capacity litre : 974
net capacity litre : 814
loading on container 20 ft :
8 pcs
loading on container 40 ft :
16 pcs
gas refrigerant : R507a
cooling system : static

GRAND LUX 200

GRAND LUX 200

GRAND LUX 200

cabinet dimensions mm
WxDxH : 2047x967x880
package dimensions mm
WxDxH : 2140x1030x950
gross capacity litre : 877
net capacity litre : 625
loading on container 20 ft : 10 pcs
loading on container 40 ft : 22 pcs
gas refrigerant : R507a
cooling system : static

SCOOPING ICE CREAM CABINETS
FENICE 4, 6, 7
EDERA 126, 157

FENICE 4
FENICE 6
FENICE 7

FENICE

FENICE 4

cabinet dimensions mm
WxDxH : 830x700x1167
package dimensions mm
WxDxH : 880x800x1130
capacity 5 ltr bins
in display area : 4
capacity 5 ltr bins
in storage area : 4
loading on container 20 ft :
16 pcs
loading on container 40 ft :
36 pcs
gas refrigerant : R507a / R404a
cooling system : static

FENICE 6

cabinet dimensions mm
WxDxH : 1164x702x1165
package dimensions mm
WxDxH : 1280x810x1090
capacity 5 ltr bins
in display area : 6
capacity 5 ltr bins
in storage area : 8
loading on container 20 ft :
14 pcs
loading on container 40 ft :
32 pcs
gas refrigerant : R507a / R404a
cooling system : static

FENICE 7

cabinet dimensions mm
WxDxH : 1314x702x1165
package dimensions mm
WxDxH : 1440x820x1090
capacity 5 ltr bins
in display area : 7
capacity 5 ltr bins
in storage area : 12
loading on container 20 ft :
12 pcs
loading on container 40 ft :
30 pcs
gas refrigerant : R507a / R404a
cooling system : static

EDERA 126
EDERA 157

EDERA

EDERA 126

cabinet dimensions mm
WxDxH : 1420x860x1274
package dimensions mm
WxDxH : 1520x980x1390
capacity 5 ltr bins
in display area : 10
capacity 5 ltr bins
in storage area : 10
loading on container 20 ft : 6 pcs
loading on container 40 ft : 14 pcs
gas refrigerant : R507a / R404a
cooling system : static

EDERA 157

cabinet dimensions mm
WxDxH : 1770x860x1274
package dimensions mm
WxDxH : 1870x980x1390
capacity 5 ltr bins
in display area : 13
capacity 5 ltr bins
in storage area : 16
loading on container 20 ft : 6 pcs
loading on container 40 ft : 12 pcs
gas refrigerant : R507a / R404a
cooling system : static

Quality, Stylish, Italian.

IARP s.r.l. (Italy)
via Achille Grandi, 43
15033 Casale Monferrato (AL)
Tel +39 0142 436111
Fax +39 0142 781540
www.iarp.it
export@iarp.it

IARP ASIA CO., Ltd.
231 Moo 6, Kao Yai, Cha Am
Petchbury 76120 Thailand
Tel +66 32 453 220-1
Fax +66 32 453 223
www.iarpasia.com
info@iarpasia.com

IARP ASIA
BANGKOK OFFICE
222 / 2 Moo 2 Pracha-Uthit Rd.
Tungkru, Bangkok 10140
Tel +66 2 871 8367-8
Fax +66 2 871 8369
www.iarpasia.com
info@iarpasia.com

IARP FRANCE sa
Parc de Chesnes la Noirée 2
Impasse de Malacombe
38070 Saint Quentin Fallavier
Tel +33 4 74 95 94 44
Fax +33 4 74 95 94 40
www.iarp.it
iarp@iarp.fr