




Data Science Academy


[www.datascienceacademy.com.br](http://www.datascienceacademy.com.br)

Configurando a API do Twitter


1. Para configurar a api do Twitter, é preciso ter uma conta no Twitter.




2. Acesse o site [apps.twitter.com](https://apps.twitter.com) e utilize o login e senha da sua conta Twitter.



3. Clique no botão “Create New App”.



4. Preencha os detalhes da sua aplicação. Use o nome que você desejar!



## Create an application

**Application Details**

**Name \***

Your application name. This is used to attribute the source of a tweet and in user-facing authorization screens. 32 characters max.

**Description \***

Your application description, which will be shown in user-facing authorization screens. Between 10 and 200 characters max.


**Website \***

Your application's publicly accessible home page, where users can go to download, make use of, or find out more information about your application. This fully-qualified URL is used in the source attribution for tweets created by your application and will be shown in user-facing authorization screens.  
(If you don't have a URL yet, just put a placeholder here but remember to change it later.)

**Callback URL**

Where should we return after successfully authenticating? [OAuth 1.0a](#) applications should explicitly specify their `oauth_callback` URL on the request token step, regardless of the value given here. To restrict your application from using callbacks, leave this field blank.

## 5. Aceite os termos de licença.



The screenshot shows a web browser window with the address bar displaying 'apps.twitter.com'. The main content area is titled 'Developer Agreement' and contains the following text:

IF YOU ARE AN INDIVIDUAL REPRESENTING AN ENTITY, YOU ACKNOWLEDGE THAT YOU HAVE THE APPROPRIATE AUTHORITY TO ACCEPT THIS AGREEMENT ON BEHALF OF SUCH ENTITY. YOU MAY NOT USE THE LICENSED MATERIAL AND MAY NOT ACCEPT THIS AGREEMENT IF YOU ARE NOT OF LEGAL AGE TO FORM A BINDING CONTRACT WITH TWITTER, OR YOU ARE BARRED FROM USING OR RECEIVING THE LICENSED MATERIAL UNDER APPLICABLE LAW.

I. Twitter API and Twitter Content

**A. Definitions**

- 1. Content** - Tweets, Tweet IDs, Twitter end user profile information, and any other data and information made available to you through the Twitter API or by any other means authorized by Twitter, and any copies and derivative works thereof.
- 2. Developer Site** - Twitter's developer site located at <https://dev.twitter.com>.
- 3. End Users** - Users of your Services, who are bound to enforceable service terms with you.

☒ Yes, I agree


Create your Twitter application

At the bottom of the page, there is a footer with links: [About](#) [Terms](#) [Privacy](#) [Cookies](#) and a copyright notice: © 2016 Twitter, Inc.

6. Suas duas primeiras chaves são criadas automaticamente (consumer key e consumer secret).


The screenshot shows the 'Application Management' interface for a Twitter application named 'DSA-App'. The browser address bar shows 'apps.twitter.com'. The page has a blue header with the Twitter logo and 'Application Management'. Below the header, there's a navigation bar with tabs: 'Details', 'Settings', 'Keys and Access Tokens', and 'Permissions'. The 'Settings' tab is active. The main content area is titled 'Application Settings' and includes a warning: 'Keep the "Consumer Secret" a secret. This key should never be human-readable in your application.' Below this, there are fields for 'Consumer Key (API Key)', 'Consumer Secret (API Secret)', 'Access Level' (set to 'Read and write (modify app permissions)'), 'Owner' (set to 'dsacademybr'), and 'Owner ID'. At the bottom of the settings section, there are two buttons: 'Regenerate Consumer Key and Secret' and 'Change App Permissions'. Below the settings section, there's a section titled 'Your Access Token' with a message: 'You haven't authorized this application for your own account yet.'

7. Clique no botão “Create my access token” para criar as duas outras chaves.





8. Duas últimas chaves criadas. Sua API do Twitter está configurada.



The screenshot shows the 'Your Access Token' page in the Twitter Developer Portal. At the top, there are two buttons: 'Regenerate Consumer Key and Secret' and 'Change App Permissions'. Below this, the section 'Your Access Token' is displayed with a warning: 'This access token can be used to make API requests on your own account's behalf. Do not share your access token secret with anyone.' The page lists several fields: 'Access Token', 'Access Token Secret', 'Access Level' (Read and write), 'Owner' (dsacademybr), and 'Owner ID'. At the bottom, the 'Token Actions' section contains two buttons: 'Regenerate My Access Token and Token Secret' and 'Revoke Token Access'. The footer includes links for 'About', 'Terms', 'Privacy', and 'Cookies', along with the copyright notice '© 2016 Twitter, Inc.'

Copie as 4 chaves e insira no seu script, conforme demonstrado no vídeo.