Tableau Pre-Technical Review

Workbook: **ModelPerformanceDashboard_17623946258000** | Generated: 2026-11-07T05:13:03.090373+00:00 | Overall status: **FAIL**

Findings: PASS 145, FAIL 46, ADVISORY 13, MANUAL_REVIEW 0, NOT_APPLICABLE 0 | XML SHA-256: aa610f1739c878798b2176ea40f15733535d9d935052212c3f965a2a14d77cca

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-CHART-001	Unnecessary gridlines and banding must be removed	ModelPerformanceDashboard_17623946258000	ADVISORY	style.chart_clutter_count: observed 3 vs equals 0	In Format > Lines switch off gridlines, zero lines and drop lines, and set row/column banding size to 0 where it adds no meaning.
CTL-CHART-002	Field labels should not be duplicated by axis headers	Active US Models	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Data Last Updated:	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Degraded % Change QoQ	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Donut chart-implemnt Deail in one	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Donut charts-implemnt Distribution by status (7)	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Donut charts-implemnt Distribution by status (8)	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Performance Details	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Remediated Models	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Surveillance Implementation Detail	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models Unsatisfactory	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Analytics Department	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Analytics Department	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Business Unit	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Business Unit	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Performance	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Performance	PASS	shows_labels_and_axes: observed False vs is_false None	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models by Surveilance Type	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Total Models degraded	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	UnderPerforming % Change QoQ	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	Underperforming Model Details	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-CHART-002	Field labels should not be duplicated by axis headers	unsatisfactory % Change QoQ	PASS	shows_labels_and_axes: observed False vs is_false None	
CTL-COLOR-001	Mark colours must come from Cotality brand palettes	ModelPerformanceDashboard_17623946258000	FAIL	built_in_palettes_used: observed ['tableau20_10_0'] vs is_empty None	Remove Tableau 10 / Tableau 20 palette assignments and re-encode marks using the Cotality-Extended or CotalitySecondary custom palettes. (target: ModelPerformanceDashboard_17623946258000)
CTL-COLOR-002	Views must not combine red and green marks	tableau20_10_0	PASS	combines_red_and_green: observed False vs is_false None	
CTL-COLOR-002	Views must not combine red and green marks	[none:Calculation_1121267945734144:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_1121267945734144:nk])
CTL-COLOR-002	Views must not combine red and green marks	[none:Calculation_910571561830731782:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_910571561830731782:nk])
CTL-COLOR-002	Views must not combine red and green marks	[none:Overall_Model_Performance (copy)_2415417935630338:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance (copy)_2415417935630338:nk])
CTL-COLOR-002	Views must not combine red and green marks	[none:Overall_Model_Performance:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance:nk])
CTL-COLOR-002	Views must not combine red and green marks	[:Measure Names]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [:Measure Names])
CTL-COLOR-002	Views must not combine red and green marks	CotalitySecondary	PASS	combines_red_and_green: observed False vs is_false None	
CTL-COLOR-002	Views must not combine red and green marks	CotalitySecondary	PASS	combines_red_and_green: observed False vs is_false None	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-COLOR-002	Views must not combine red and green marks	[none:Type_of_Surveillance_Used_for_Model:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Type_of_Surveillance_Used_for_Model:nk])
CTL-COLOR-002	Views must not combine red and green marks	[Model Surveillance Platform (group)]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Model Surveillance Platform (group)])
CTL-COLOR-002	Views must not combine red and green marks	[Analytics Department (group)]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Analytics Department (group)])
CTL-COLOR-002	Views must not combine red and green marks	[none:Calculation_2211830417016991744:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_2211830417016991744:nk])
CTL-COLOR-002	Views must not combine red and green marks	Cotality-Extended	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: Cotality-Extended)
CTL-COLOR-002	Views must not combine red and green marks	[none:Surveillance Type (copy)_0891742364053513:nk]	FAIL	combines_red_and_green: observed True vs is_false None	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Surveillance Type (copy)_0891742364053513:nk])
CTL-COLOR-002	Views must not combine red and green marks	[none:Type of Surveillance Used (copy)_1934634065281030:nk]	PASS	combines_red_and_green: observed False vs is_false None	
CTL-COLOR-003	A view should use 1-2 dominant colours	tableau20_10_0	PASS	distinct_colour_count: observed 6 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Calculation_1121267945734144:nk]	ADVISORY	distinct_colour_count: observed 8 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Calculation_910571561830731782:nk]	ADVISORY	distinct_colour_count: observed 17 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Overall_Model_Performance (copy)_2415417935630338:nk]	ADVISORY	distinct_colour_count: observed 7 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Overall_Model_Performance:nk]	PASS	distinct_colour_count: observed 5 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	[:Measure Names]	PASS	distinct_colour_count: observed 4 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	CotalitySecondary	PASS	distinct_colour_count: observed 6 vs less_than_or_equal 6	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-COLOR-003	A view should use 1-2 dominant colours	CotalitySecondary	ADVISORY	distinct_colour_count: observed 9 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Type_of_Surveillance_Used_for_Model:nk]	PASS	distinct_colour_count: observed 4 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	[Model Surveillance Platform (group)]	PASS	distinct_colour_count: observed 4 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	[Analytics Department (group)]	PASS	distinct_colour_count: observed 4 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Calculation_2211830417016991744:nk]	PASS	distinct_colour_count: observed 5 vs less_than_or_equal 6	
CTL-COLOR-003	A view should use 1-2 dominant colours	Cotality-Extended	ADVISORY	distinct_colour_count: observed 7 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Surveillance Type (copy)_0891742364053513:nk]	ADVISORY	distinct_colour_count: observed 7 vs less_than_or_equal 6	Reduce to 1-2 dominant primary-palette accents (Sunray, Coral or Violet) and use neutral greys for the remaining mark values.
CTL-COLOR-003	A view should use 1-2 dominant colours	[none:Type of Surveillance Used (copy)_1934634065281030:nk]	PASS	distinct_colour_count: observed 6 vs less_than_or_equal 6	
CTL-CONTENT-001	Required metadata elements must be present	ModelPerformanceDashboard_17623946258000	PASS	missing_metadata_elements: observed [] vs is_empty None	
CTL-CONTENT-002	Dashboards must explain how to interact with them	ModelPerformanceDashboard_17623946258000	PASS	has_interactivity_instructions: observed True vs is_true None	
CTL-CONTENT-003	Workbook must not contain spelling errors	ModelPerformanceDashboard_17623946258000	FAIL	misspelled_words: observed ['actipn -> action', 'Deail -> detail', 'implemnt -> implement', 'Surveilance -> surveillance', 'Survellance -> surveillance'] vs is_empty None	Correct the spelling in the affected worksheet titles, tooltips, labels and calculated field names. (target: ModelPerformanceDashboard_17623946258000)
CTL-CONTENT-004	Objects must use business-friendly names	ModelPerformanceDashboard_17623946258000	ADVISORY	poorly_named_objects: observed ['field:Action Plans_c', 'field:Degraded Model Count as of Current Date ', 'field:Degraded Model Count as of Previous Q Last Date ', 'field:Latest Model Performance_C', 'field:Model Name ', 'field:Model Surveillance Implementation Date ', 'field:Model Version Status_c', 'field:NewModelMRC_Approval_Date_c', 'field:Overall_Model_Performance_C', 'field:QoQ % Change_C', 'field:Surveillance Not Pass Reason ', 'field:Surveillance Type .. ', 'field:Surveillance Type .. (copy)', 'field:Type of Surveillance Used ', 'field:Unsatisfactory Model Count as of Current Date ', 'worksheet:Total Models by Analytics Department ', 'worksheet:Total Models by Business Unit ', 'worksheet:Total Models by Performance '] vs is_empty None	Rename generated calculations and duplicated fields to business terms, for example 'Calculation_2211830417016991744' to 'Model Performance Status', and remove '(copy)' suffixes and trailing spaces.
CTL-CONTENT-005	Tooltips must not expose raw calculation references	ModelPerformanceDashboard_17623946258000	ADVISORY	raw_calculation_text_count: observed 44 vs equals 0	Give every calculated field a business caption so tooltips and labels show readable names, and remove empty tooltip rows.

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-LAYOUT-001	Dashboard width must be 1600 px	Model Surveillance Executive Summary	PASS	size.width: observed 1600 vs equals 1600	
CTL-LAYOUT-001	Dashboard width must be 1600 px	Model Surveillance Expansion	PASS	size.width: observed 1600 vs equals 1600	
CTL-LAYOUT-001	Dashboard width must be 1600 px	Underperforming Models	PASS	size.width: observed 1600 vs equals 1600	
CTL-LAYOUT-002	Dashboard height must be 900 px	Model Surveillance Executive Summary	PASS	size.height: observed 900 vs equals 900	
CTL-LAYOUT-002	Dashboard height must be 900 px	Model Surveillance Expansion	PASS	size.height: observed 900 vs equals 900	
CTL-LAYOUT-002	Dashboard height must be 900 px	Underperforming Models	PASS	size.height: observed 900 vs equals 900	
CTL-LAYOUT-003	A dashboard must contain no more than 6 views	Model Surveillance Executive Summary	FAIL	view_count: observed 7 vs less_than_or_equal 6	Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Model Surveillance Executive Summary)
CTL-LAYOUT-003	A dashboard must contain no more than 6 views	Model Surveillance Expansion	PASS	view_count: observed 5 vs less_than_or_equal 6	
CTL-LAYOUT-003	A dashboard must contain no more than 6 views	Underperforming Models	FAIL	view_count: observed 11 vs less_than_or_equal 6	Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Underperforming Models)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Data Last Updated:	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 4.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Data Last Updated:)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Performance Details	FAIL	outer_padding.minimum: observed 4.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 0.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Performance Details)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Business Unit	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Business Unit)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Surveilance Type	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Surveilance Type)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Analytics Department	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Analytics Department)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Performance	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 3.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Performance)

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Active US Models	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Active US Models)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Data Last Updated:	FAIL	outer_padding.minimum: observed 4.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 4.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Data Last Updated:)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Donut chart-implemnt Deail in one	FAIL	outer_padding.minimum: observed 1.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 0.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Donut chart-implemnt Deail in one)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Surveillance Implementation Detail	FAIL	outer_padding.minimum: observed 4.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 16.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Surveillance Implementation Detail)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Donut charts-implemnt Distribution by status (8)	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Donut charts-implemnt Distribution by status (8))
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Donut charts-implemnt Distribution by status (7)	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Donut charts-implemnt Distribution by status (7))
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Data Last Updated:	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 8.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Data Last Updated:)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Underperforming Model Details	FAIL	outer_padding.minimum: observed 4.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 8.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Underperforming Model Details)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Business Unit	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Business Unit)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Analytics Department	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Analytics Department)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models by Performance	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Performance)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models Unsatisfactory	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models Unsatisfactory)

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Total Models degraded	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models degraded)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	unsatisfactory % Change QoQ	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: unsatisfactory % Change QoQ)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	UnderPerforming % Change QoQ	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: UnderPerforming % Change QoQ)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Degraded % Change QoQ	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed None vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Degraded % Change QoQ)
CTL-LAYOUT-004	Dashboard views must use at least 10 px of outer and inner padding	Remediated Models	FAIL	outer_padding.minimum: observed 0.0 vs greater_than_or_equal 10 inner_padding.minimum: observed 10.0 vs greater_than_or_equal 10	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Remediated Models)
CTL-PERF-001	Workbook Optimizer rules must not be suppressed	ModelPerformanceDashboard_17623946258000	FAIL	ignored_optimizer_rules: observed ['8', '12', '16', '17'] vs is_empty None	Re-run Workbook Optimizer, un-ignore the suppressed rules and resolve the underlying Take Action and Needs Review items. (target: ModelPerformanceDashboard_17623946258000)
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	FAIL	show_apply: observed None vs is_true None	Select the filter control, open Customize and enable Show Apply Button. (target: Performance Details)

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Performance Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	FAIL	show_apply: observed None vs is_true None	Select the filter control, open Customize and enable Show Apply Button. (target: Surveillance Implementation Detail)
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	FAIL	show_apply: observed None vs is_true None	Select the filter control, open Customize and enable Show Apply Button. (target: Surveillance Implementation Detail)
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Surveillance Implementation Detail	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-002	Multi-select filters must show an Apply button	Underperforming Model Details	PASS	show_apply: observed True vs is_true None	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Performance Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Surveillance Implementation Detail	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	
CTL-PERF-003	Avoid enumerated filter controls for high-cardinality fields	Underperforming Model Details	PASS	filter_mode: observed 'checkdropdown' vs not_in ['checklist', 'multivalue-list']	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-PERF-004	Avoid custom SQL on live connections	ModelPerformanceDashboard_17623946258000	PASS	live_custom_sql_datasources: observed [] vs is_empty None	
CTL-HYG-001	Every worksheet must be used by a dashboard	ModelPerformanceDashboard_17623946258000	PASS	unused_worksheet_count: observed 0 vs equals 0	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Active US Models	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Data Last Updated:	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Degraded % Change QoQ	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Donut chart-implemnt Deail in one	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Donut charts-implemnt Distribution by status (7)	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Donut charts-implemnt Distribution by status (8)	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Performance Details	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Remediated Models	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Surveillance Implementation Detail	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models Unsatisfactory	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Analytics Department	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Analytics Department	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Business Unit	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Business Unit	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Performance	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Performance	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models by Surveilance Type	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	Total Models degraded	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	UnderPerforming % Change QoQ	PASS	is_visible: observed False vs is_false None	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-HYG-002	Worksheets used in dashboards must be hidden	Underperforming Model Details	PASS	is_visible: observed False vs is_false None	
CTL-HYG-002	Worksheets used in dashboards must be hidden	unsatisfactory % Change QoQ	PASS	is_visible: observed False vs is_false None	
CTL-STRUCT-001	Dashboard components must primarily use tiled containers	Model Surveillance Executive Summary	FAIL	floating_zone_count: observed 2 vs equals 0	Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Executive Summary)
CTL-STRUCT-001	Dashboard components must primarily use tiled containers	Model Surveillance Expansion	FAIL	floating_zone_count: observed 1 vs equals 0	Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Expansion)
CTL-STRUCT-001	Dashboard components must primarily use tiled containers	Underperforming Models	FAIL	floating_zone_count: observed 2 vs equals 0	Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Underperforming Models)
CTL-STRUCT-002	A logo image must sit in the upper-left corner	Model Surveillance Executive Summary	PASS	has_upper_left_image: observed True vs is_true None	
CTL-STRUCT-002	A logo image must sit in the upper-left corner	Model Surveillance Expansion	PASS	has_upper_left_image: observed True vs is_true None	
CTL-STRUCT-002	A logo image must sit in the upper-left corner	Underperforming Models	PASS	has_upper_left_image: observed True vs is_true None	
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	ampd logo Cream with text.png	PASS	file_name: observed 'ampd logo Cream with text.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	Untitled.png	ADVISORY	file_name: observed 'Untitled.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	Replace placeholder images with the approved branded asset from SharePoint and give the file a descriptive name.
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	ampd logo Cream with text.png	PASS	file_name: observed 'ampd logo Cream with text.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	Untitled.png	ADVISORY	file_name: observed 'Untitled.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	Replace placeholder images with the approved branded asset from SharePoint and give the file a descriptive name.
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	ampd logo Cream with text.png	PASS	file_name: observed 'ampd logo Cream with text.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	
CTL-STRUCT-003	Dashboard image assets must have meaningful file names	Untitled.png	ADVISORY	file_name: observed 'Untitled.png' vs not_matches '(?i)^(untitled|image|new|copy|screenshot)'	Replace placeholder images with the approved branded asset from SharePoint and give the file a descriptive name.
CTL-STRUCT-004	Views should be ordered with summary metrics above detail	Model Surveillance Executive Summary	PASS	largest_view_is_not_first: observed False vs is_false None	
CTL-STRUCT-004	Views should be ordered with summary metrics above detail	Model Surveillance Expansion	PASS	largest_view_is_not_first: observed False vs is_false None	
CTL-STRUCT-004	Views should be ordered with summary metrics above detail	Underperforming Models	PASS	largest_view_is_not_first: observed False vs is_false None	
CTL-TYPO-001	Workbook must use the Arial font family	ModelPerformanceDashboard_17623946258000	PASS	style.font_families: observed ['Arial', 'Arial Black'] vs all_in ['Arial', 'Arial Black']	

Rule	Title	Target	Verification	Evidence	Recommended change
CTL-TYPO-002	Text sizes must follow the style guide size bands	ModelPerformanceDashboard_17623946258000	FAIL	style.font_sizes: observed [9.0, 10.0, 11.0, 12.0, 15.0, 22.0, 24.0] vs all_in [10, 11, 12, 15, 16, 24, 25, 26, 27, 28]	Set dashboard titles to 24-28pt, chart titles to 15-16pt Arial Black, chart headers to 11-12pt and labels/other text to 10-11pt. (target: ModelPerformanceDashboard_17623946258000)
CTL-TYPO-003	Each text category must use a single consistent font size	ModelPerformanceDashboard_17623946258000	ADVISORY	style.inconsistent_text_categories: observed ['dashboard-text', 'label', 'title', 'tooltip', 'worksheet', 'worksheet-title'] vs is_empty None	Standardise font size, weight and colour within each text category so that all chart headers, labels and tooltips match.

Review checklist

Item	Question	Verification	Comment
AR-05	Official logo is in the upper left corner and is visible against background color	ADVISORY	Residual manual check: Image content cannot be read from XML. Confirm visually that the logo is the correct asset and legible against the background.
AR-06	Metadata complete (data update date, dashboard contact, data owner)	PASS	Residual manual check: Presence of each label is verified; confirm the update date is current and the named contact and owner are correct.
AR-07	Arial font used throughout the dashboard. Worksheet titles are Arial Black	PASS	
AR-08	Current Cotality branding colors used	FAIL	Remove Tableau 10 / Tableau 20 palette assignments and re-encode marks using the Cotality-Extended or CotalitySecondary custom palettes. (target: ModelPerformanceDashboard_17623946258000)
AR-10	No more than 6 views in the dashboard	FAIL	Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Model Surveillance Executive Summary) Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Underperforming Models)
AR-11	Effective color usage with 1-2 dominant colors from Cotality primary palette. Can be supplemented by Cotality secondary palette and neutrals. User accessibility considered	FAIL	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_1121267945734144:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_910571561830731782:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance (copy)_2415417935630338:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [:Measure Names]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Type_of_Surveillance_Used_for_Model:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Model Surveillance Platform (group)]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Analytics Department (group)]) Replace the red/green pairing with a brand-compliant diverging palett...
AR-12	Views are organized by importance (top to bottom, left to right)	PASS	Residual manual check: Geometry is checked heuristically; whether the ordering matches business importance is a human judgement.

Item	Question	Verification	Comment
AR-13	Minimum of 10px for outer and inner padding between views	FAIL	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Data Last Updated:) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Performance Details) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Business Unit) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Surveilance Type) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Analytics Department) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Performance) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Active US Models) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Donut chart-implemnt Deail in one) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Surveillance Implementation Detail) Select the view in the dashboard Layout pane an...
AR-14	Text size primarily follows style guide	FAIL	Set dashboard titles to 24-28pt, chart titles to 15-16pt Arial Black, chart headers to 11-12pt and labels/other text to 10-11pt. (target: ModelPerformanceDashboard_17623946258000)
AR-15	Consistent font sizes for each text category (dashboard title, chart headings, labels, tooltips)	ADVISORY	
AR-16	Charts and tables have unnecessary gridlines and bandings reduced/removed	ADVISORY	
AR-17	Charts have concise, horizontal axis labels for the x-axis	PASS	Residual manual check: Label and axis settings are checked; visual truncation and overlap can only be confirmed by looking at the rendered dashboard.
AR-18	Tiled containers primarily used over floating containers	FAIL	Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Executive Summary) Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Expansion) Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Underperforming Models)
AR-19	Does the dashboard have directions on interactivity (not including dropdown filters)?	PASS	Residual manual check: Presence of instructional text is verified; whether it adequately explains every action is a human judgement.
AR-20	Do charts, tables, tooltips and other metrics have business friendly names and are spelled correctly?	FAIL	Correct the spelling in the affected worksheet titles, tooltips, labels and calculated field names. (target: ModelPerformanceDashboard_17623946258000)
AR-22	Limit custom SQL in live connections. Use Tableau relationships where possible	PASS	
AR-23	Use "Show Apply Button" for multi-select filters	FAIL	Select the filter control, open Customize and enable Show Apply Button. (target: Performance Details) Select the filter control, open Customize and enable Show Apply Button. (target: Surveillance Implementation Detail)
AR-24	Avoid filter lists with many unique values	PASS	Residual manual check: The filter control type is checked. The number of distinct values lives in the data extract, not the workbook XML, so cardinality must be confirmed in Tableau Desktop.
AR-25	Close unneeded sheets and hide sheets that are in use	PASS	
TR-05	Correct template for amp'd request vs general Analytics request	MANUAL	Requires the original request context, which is not recorded in the workbook XML.
TR-06	Official logo is in the upper left corner and is visible against background color	ADVISORY	Residual manual check: Image content cannot be read from XML. Confirm visually that the logo is the correct asset and legible against the background.
TR-07	Metadata complete (data update date, dashboard contact, data owner)	PASS	Residual manual check: Presence of each label is verified; confirm the update date is current and the named contact and owner are correct.
TR-08	Arial font used throughout the dashboard. Worksheet titles are Arial Black	PASS	

Item	Question	Verification	Comment
TR-09	Current Cotality branding colors used	FAIL	Remove Tableau 10 / Tableau 20 palette assignments and re-encode marks using the Cotality-Extended or CotalitySecondary custom palettes. (target: ModelPerformanceDashboard_17623946258000)
TR-11	No more than 6 views in the dashboard	FAIL	Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Model Surveillance Executive Summary) Reduce the dashboard to at most 6 views. Move secondary analysis onto a separate dashboard or combine related worksheets. (target: Underperforming Models)
TR-12	Effective color usage with 1-2 dominant colors from Cotality primary palette. Can be supplemented by Cotality secondary palette and neutrals. User accessibility considered	FAIL	Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_1121267945734144:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Calculation_910571561830731782:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance (copy)_2415417935630338:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Overall_Model_Performance:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [:Measure Names]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [none:Type_of_Surveillance_Used_for_Model:nk]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Model Surveillance Platform (group)]) Replace the red/green pairing with a brand-compliant diverging palette such as Teal (#077982) / Grey (#bab0ac) / Coral (#ff8e65). (target: [Analytics Department (group)]) Replace the red/green pairing with a brand-compliant diverging palett...
TR-13	Views are organized by importance (top to bottom, left to right)	PASS	Residual manual check: Geometry is checked heuristically; whether the ordering matches business importance is a human judgement.
TR-14	Minimum of 10px for outer and inner padding between views	FAIL	Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Data Last Updated:) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Performance Details) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Business Unit) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Surveilance Type) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Analytics Department) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Total Models by Performance) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Active US Models) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Donut chart-implemnt Deail in one) Select the view in the dashboard Layout pane and set outer padding to 20 px (minimum 10 px) and inner padding to 10-15 px. (target: Surveillance Implementation Detail) Select the view in the dashboard Layout pane an...
TR-15	Text size primarily follows style guide	FAIL	Set dashboard titles to 24-28pt, chart titles to 15-16pt Arial Black, chart headers to 11-12pt and labels/other text to 10-11pt. (target: ModelPerformanceDashboard_17623946258000)
TR-16	Consistent font sizes for each text category (dashboard title, chart headings, labels, tooltips)	ADVISORY	
TR-17	Charts and tables have unnecessary gridlines and bandings reduced/removed	ADVISORY	
TR-18	Charts have concise, horizontal axis labels for the x-axis	PASS	Residual manual check: Label and axis settings are checked; visual truncation and overlap can only be confirmed on the rendered dashboard.
TR-19	Tiled containers primarily used over floating containers	FAIL	Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Executive Summary) Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Model Surveillance Expansion) Dock floating parameter controls and text objects into the tiled layout container so they render predictably when published. (target: Underperforming Models)

Item	Question	Verification	Comment
TR-20	Do dashboard actions and filters work correctly?	MANUAL	Runtime behaviour cannot be verified from static XML; test each filter and action in Tableau.
TR-21	Does the dashboard have directions on interactivity (not including dropdown filters)?	PASS	Residual manual check: Presence of instructional text is verified; whether it adequately explains every action is a human judgement.
TR-22	Are tooltips used effectively with meaningful titles and metrics?	ADVISORY	Residual manual check: Raw calculation references are detected; whether a tooltip adds useful context is a human judgement.
TR-23	Do charts, tables, tooltips and other metrics have business friendly names and are spelled correctly?	FAIL	Correct the spelling in the affected worksheet titles, tooltips, labels and calculated field names. (target: ModelPerformanceDashboard_17623946258000)
TR-24	Does the dashboard load in a reasonable timeframe (< 8 seconds)?	MANUAL	Load time is a runtime measurement and cannot be derived from a static workbook file. Measure on Tableau Server or Desktop.
TR-25	Run workbook Optimizer. Are the Take Action and Needs Review items addressed?	FAIL	Re-run Workbook Optimizer, un-ignore the suppressed rules and resolve the underlying Take Action and Needs Review items. (target: ModelPerformanceDashboard_17623946258000) Residual manual check: Suppressed Optimizer rules are detected; run the Optimizer in Tableau to confirm the remaining items are addressed.
TR-27	Limit custom SQL in live connections. Use Tableau relationships where possible	PASS	
TR-28	Use "Show Apply Button" for multi-select filters	FAIL	Select the filter control, open Customize and enable Show Apply Button. (target: Performance Details) Select the filter control, open Customize and enable Show Apply Button. (target: Surveillance Implementation Detail)
TR-29	Avoid filter lists with many unique values	PASS	Residual manual check: The filter control type is checked. The number of distinct values lives in the data extract, not the workbook XML, so cardinality must be confirmed in Tableau Desktop.
TR-30	Close unneeded sheets and hide sheets that are in use	PASS	