

An Introduction to Multiobjective Simulation Optimization with ParMOO

Tyler Chang

Mathematics and Computer Science Division, Argonne National Laboratory

October 11, 2022







$$\min_{x \in [0,1]} f(x)$$



$$\min_{x \in [0,1]} f(x)$$

$$f(x) = \mathsf{dist}(x, \mathsf{chip})^2$$




$$\min_{x \in [0,1]} f(x)$$


$$f(x) = \mathsf{dist}(x, \mathsf{chip})^2$$

$$f(x) = x^2$$


Gradient Descent





Gradient Descent





Gradient Descent













Multiobjective Optimization

Multiobjective Optimization




Multiobjective Optimization




Dominance Relation

Dominance Relation



Dominance Relation



$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$G:\mathbb{R}^o o\mathbb{R}$$

$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$


$$G:\mathbb{R}^o o\mathbb{R}$$

$$\min_{x\in\mathbb{R}^n}(G\circ F)(x)$$

$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$G:\mathbb{R}^o \to \mathbb{R}$$


$$\min_{x\in\mathbb{R}^n}(G\circ F)(x)$$



$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$G:\mathbb{R}^o o\mathbb{R}$$


$$\min_{x\in\mathbb{R}^n}(G\circ F)(x)$$



$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$G:\mathbb{R}^o \to \mathbb{R}$$


$$\min_{x\in\mathbb{R}^n}(G\circ F)(x)$$



$$\min_{x\in\mathbb{R}^n}\left(f_1(x),f_2(x),\ldots,f_o(x)\right)=F(x)$$

$$G:\mathbb{R}^o o\mathbb{R}$$


$$\min_{x\in\mathbb{R}^n}(G\circ F)(x)$$



Multiobjective *Simulation* Optimization

Problem setting:


Input variables





 $F:\mathcal{X}\to\mathcal{Y}$


Objective space



Multiobjective *Simulation* Optimization

Problem setting:

Input variables




Blackbox process


Numerical simulation?
Real-world
experiment?
Build a prototype?
Run a test?

$$F: \mathcal{X} \to \mathcal{Y}$$


Objective space



ParMOO



ParMOO



```
https://parmoo.readthedocs.io/en/latest/quickstart.html
```

► Search/DOE technique

- ► Search/DOE technique
- Surrogate model

- ► Search/DOE technique
- Surrogate model
- Acquisition function

- ► Search/DOE technique
- Surrogate model
- Acquisition function
- Single-objective solver

ParMOO – Tutorial

Tutorial

Constraints

- Constraints
- Categorical variables

- Constraints
- ► Categorical variables
- ► Adding derivative option to objectives/constraints

- Constraints
- Categorical variables
- ▶ Adding derivative option to objectives/constraints
- Logging and checkpointing

- Constraints
- Categorical variables
- ▶ Adding derivative option to objectives/constraints
- Logging and checkpointing
- ► Parallel solve using libEnsemble

- Constraints
- Categorical variables
- ▶ Adding derivative option to objectives/constraints
- Logging and checkpointing
- ► Parallel solve using libEnsemble
- ▶ Integration with MDML (on the feature/MDML branch)

Resources

E-mail: tchang@anl.gov E-mail: parmoo@mcs.anl.gov

ParMOO is under review with JOSS

GitHub: github.com/parmoo/parmoo
Docs: parmoo.readthedocs.io
PyPI: pip install parmoo

This material is based upon work supported by the U.S. Department of Energy, Office of Science, Office of Advanced Scientific Computing Research, SciDAC program under contract number DE-AC02-06CH11357.